

Rezoning Petition 2010-078 PRE-HEARING STAFF ANALYSIS December 20, 2010

REQUEST Text amendment to Sections 2.201, 4.107, 7.103, and 12.106 of the

Zoning Ordinance.

SUMMARY OF PETITION The petition proposes to:

1) add a new definition for "heating, ventilation, or air conditioning

units":

2) modify the regulations for heating, ventilation, or air conditioning

units;

3) relocate the nonconforming provisions for accessory utility

structures into Chapter 7; and

4) update the names of City and County departments.

STAFF Staff recommends approval of this petition. The petition is consistent

with adopted policies.

Meeting is not required.

PETITIONER Charlotte-Mecklenburg Planning Commission

AGENT/REPRESENTATIVE Charlotte-Mecklenburg Planning Department COMMUNITY MEETING

PLANNING STAFF REVIEW

RECOMMENDATION

Proposed Request Details

The text amendment contains the following provisions:

- Adds a new definition for "heating, ventilation, or air conditioning units".
- Replaces the term, "air conditioning units" with "heating, ventilation, or air conditioning units".
- Clarifies that heating, ventilation, or air conditioning units are considered to be part of a structure, and shall not be located in any setback, sight distance triangle, or required buffer or screenina.
- Allows heating, ventilation, or air conditioning equipment to encroach into the required side or rear yard by no more than 50 percent of the required yard.
- Relocates the nonconforming provisions for accessory utility structures such as heating, ventilation, or air conditioning units and backflow preventers into the Nonconforming chapter. Updates the names of City and County departments.

Public Plans and Policies

The petition is consistent with adopted policies.

DEPARTMENT COMMENTS (see full department reports online)

- Charlotte Area Transit System: No issues.
- Charlotte Department of Neighborhood & Business Services: No issues.
- **Charlotte Department of Transportation:** No issues.
- Charlotte Fire Department: No issues.
- Charlotte-Mecklenburg Schools: Not applicable.
- Charlotte-Mecklenburg Storm Water Services: No issues.
- Mecklenburg County Land Use and Environmental Services Agency: No issues.

Mecklenburg County Parks and Recreation Department: No comments received.

ENVIRONMENTALLY SENSITIVE SITE DESIGN (see full department reports online)

• Site Design: There is no site plan associated with this text amendment.

OUTSTANDING ISSUES

No issues.

Attachments Online at www.rezoning.org

- Application
- Charlotte Area Transit System Review
- Charlotte Department of Neighborhood & Business Services Review
- Charlotte Department of Transportation Review
- Charlotte Fire Department Review
- Charlotte-Mecklenburg Storm Water Services Review
- Mecklenburg County Land Use and Environmental Services Agency Review

Planner: Sandra Montgomery (704) 336-5722