

Site Development Data:

--Acreage: ± 3.2 acres
--Tax Parcel #: 177-021-76
--Existing Zoning: O-2(CD) by Rezoning Petition No. 1994-02
--Proposed Zoning: MUDD-(O)
--Existing Uses: Vacant
--Proposed Uses: Up to 300 multi-family dwelling units together with accessory uses, as allowed in the MUDD zoning district.
--Maximum Building Height: Not to exceed 120 feet as calculated by the Ordinance, with no more than eight (8) residential stories (parking deck levels will not be counted when calculating the maximum number of stories). The maximum building height shall not exceed 90 feet for the portion of the building fronting on Barclay Downs Drive, as measured from the average grade elevation of the back of the curb along Barclay Downs Drive.
--Parking: 1.5 spaces per unit minimum.
--Open Space: A minimum of 15% of the Site will be established as tree save/open space areas as defined by the Ordinance.
--Urban Open Space: Will be provided as required by the Ordinance.

1. General Provisions:

- a. These Development Standards form a part of the Technical Data Sheet associated with the Rezoning Petition filed by Woodfield Acquisitions, LLC to accommodate development of multi-family dwellings on an approximately 3.2 acre site located at the intersection of Barclays Downs Drive and Morrison Blvd. (the "Site").
- b. Development of the Site will be governed by the attached Technical Data Sheet and Schematic Site Plan and these Development Standards (collectively referred to as the "Rezoning Plan") as well as the applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance"). Unless the Rezoning Plan establishes more stringent standards, the regulations established under the Ordinance for the Mixed Use Development District (MUDD) zoning classification, subject to the Optional Provisions provided below, shall govern development taking place on the Site.
- c. The development depicted on the Rezoning Plan is schematic in nature, and except as otherwise specified in these Development Standards, is intended to describe the possible arrangements of uses and site elements. The schematic depictions of the uses, parking areas, structures and buildings, and other site elements set forth on the Rezoning Plan should be reviewed in conjunction with the provisions of these Development Standards. Consequently, except as otherwise expressly specified on the Technical Data Sheet and in these Development Standards, the ultimate layout of the development proposed; the exact alignments of streets and points of access; the numbers, the size, configuration and placements of buildings and parking areas; and the depictions other site elements on the Rezoning Plan as well as any schematic building elevations are preliminary graphic representations of the types and quality of development proposed. They may, therefore, be altered or modified during design development and construction document phases within the maximum building/parking envelope generally depicted on the Rezoning Plan, as long as the changes maintain the general building and parking orientation and character of the development generally depicted on the Schematic Site Plan. Changes to the Rezoning Plan will be reviewed and approved as allowed by Section 6.207.(2) of the Ordinance.
- d. Parking layouts for surface and structured parking may be modified to accommodate final building locations and parking spaces may be located within the maximum building/parking envelope to the extent permitted by the Ordinance. Sidewalks generally depicted on the Rezoning Plan are intended to reflect the general pedestrian circulation for development on the Site but the specific locations of such sidewalks may be subject to variations that do not materially change the design intent generally depicted on the Rezoning Plan.
- e. Notwithstanding the number of buildings shown on the Rezoning Plan, the total number of principal buildings to be developed on the Site shall not exceed two (2). Accessory buildings and structures located on the Site shall not be considered in any limitation on the number of buildings on the Site.

2. Optional Provisions.

- a. The Petitioner seeks the optional provision to allow parking and maneuvering for parking between the proposed building and Morrison Blvd. as generally depicted on the Rezoning Plan. The area along Morrison Blvd. that will be used for parking will also be used as a drop-off area. This proposed parking area will maintain a 25 foot setback as measured from the right-of-way of Morrison Boulevard.

3. Permitted Uses & Development Area Limitation:

- a. The Site may be developed with up to 300 multi-family dwelling units together with accessory uses allowed in the MUDD zoning district.

3. Access:

- a. Vehicular and Pedestrian access to the Site and to the parking facilities associated with the building will be from Morrison Blvd. and Barclay Downs Drive as generally depicted on the Rezoning Plan.
- b. A portion of the parking area located along Morrison Blvd. will be constructed using decorative pavement materials such as concrete pavers or stamped and colored asphalt as generally depicted on the Rezoning Plan.
- c. Access to the Site by vehicles servicing the Site's compactor/dumpsters and recycling containers will be restricted to Morrison Boulevard.
- d. The placements and configurations of vehicular access points are subject to any minor modifications required to accommodate final site and construction plans and designs and to any adjustments required for approval by CDOT in accordance with published standards.
- e. The alignment of the internal vehicular circulation and driveways may be modified by the Petitioner to accommodate changes in traffic patterns, parking layouts and any adjustments required for approval by CDOT in accordance with published standards.


4. Architectural Standards:

- a. The building materials used on the principle buildings constructed on Site will be a combination of the following: glass, brick, stone, precast stone, precast concrete, synthetic stone, cementitious siding (such as hard-plank) or stucco. At least 30% of the exterior of each building, exclusive of windows, doors and roofs, will be constructed of brick, stone, synthetic stone, precast stone or precast concrete. Vinyl as a building material may only be used on windows.
- b. Parking located within the parking deck will be screened from adjoining properties.
- c. Meter banks will be internal to the building.

- d. Roof top HVAC and related mechanical equipment will be screened from public view at grade.
- e. Compactor/dumpster areas and recycling areas will be located within the building. Vehicular access to the compactor/dumpster and recycling areas will be limited to Morrison Boulevard.
5. Streetscape, Buffers, Landscaping and Utility Structure Setbacks:
- a. A 40 foot wide tree save area will be provided along Barclay Downs Drive. This 40 foot wide tree save area will be measured from the right-of-way line of Barclay Downs Drive. The Petitioner shall be allowed to clean up the tree save area, and will work with Urban Forestry to remove from this 40 foot tree save area dead and dying trees as well as invasive vines and ground cover so as to improve the appearance of the tree save area and comply with Tree Ordinance tree save standards. The Petitioner will be allowed to remove tress within this tree save area to allow for the placement and construction of: (i) a pedestrian bridge/connection from the building to Barclay Downs Drive; (ii) a sidewalk and planting strip along Barclay Downs Drive as referenced below; (iii) vehicular access to the building; (iv) retaining walls all as generally depicted on the Rezoning Plan; and (v) utility structures such as back flow preventers, transformers and alike.
- b. A 25 foot setback will be established along Morrison Blvd.. This setback will be measured from the right-of-way of Morrison Blvd. as generally depicted on the Rezoning Plan.
- c. The 25 foot setback established along Morrison Boulevard by the Petitioner for parking and maneuvering areas will not apply to utility structures such as back flow preventers, double check valves, telephone and cable boxes, transformers and alike. These utility structures may be located within the 25 foot setback but must be located behind the proposed sidewalk.
- d. The Petitioner will provide eight (8) foot planting strips and six (6) foot sidewalks along the Site's frontage on Barclay Downs Drive and Morrison Boulevard as generally depicted on the Rezoning Plan. In order to establish this proposed streetscape improvements along Barclay Downs Drive some of the existing trees within the right-of-way of Barclay Downs Drive may have to be removed. The Petitioner will preserve the existing feature at the corner of Barclay Downs Drive and Morrison Boulevard.
- e. A 36 foot wide tree save area will be established along northern property line as generally depicted on the Rezoning Plan. The Petitioner will provided supplemental planting in the portions of this tree save area that do not meet the requirements of a 36 foot Class B buffer. The Petitioner will be able to remove from this 36 foot tree save area dead and dying trees as well as invasive vines and ground cover so as to improve the appearance of the tree save area and comply with Tree Ordinance tree save standards.
- f. Screening requirements of the Ordinance will be met.
- g. Above ground backflow preventers will be screened from public view and will be located behind the proposed sidewalk or the required MUDD setback which ever is greater.
6. Environmental Features:
- a. The Petitioner shall comply with the Charlotte City Council approved and adopted Post Construction Controls Ordinance.
- b. The location, size and type of storm water management systems depicted on the Rezoning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be necessary in order to accommodate actual storm water treatment requirements and natural site discharge points.
- c. The Site will comply with the Tree Ordinance. Tree save areas are generally depicted on the Rezoning Plan, portions of these areas but may be relocated to other portions of the Site during the design development and construction phases.
7. Open Space/Tree Save Areas:
- a. Open space/tree save areas equaling 15% of the Site area will be provided. The open space/tree save areas depicted on the Rezoning Plan may be relocated to other locations on the Site during the design development and construction phases.
- b. As generally depicted on Rezoning Plan two courtyards will be provided and improved with seating areas and landscaping. Other open space areas will be left as natural areas with existing trees.
8. Signage:
- a. Signage as allowed by the Ordinance will be provided. [The ordinance allows one detached sign not to exceed five (5) in height with up to 20 square feet, and wall signs equal to 5% of each building wall but not to exceed 100 square feet]
9. Lighting:
- a. All new lighting shall be full cut-off type lighting fixtures excluding lower, decorative lighting that may be installed along the driveways, sidewalks, and parking areas.
- b. Detached lighting on the Site will be limited to 20 feet in height.
- c. No "wall pak" lighting will be allowed, however architectual lighting on building facades, such as sconces, will be permitted.
10. Amendments to the Rezoning Plan:
- a. Future amendments to the Rezoning Plan (which includes these Development Standards) may be applied for by the then Owner or Owners of the applicable Development Area portion of the Site affected by such amendment in accordance with the provisions of Chapter 6 of the Ordinance.
11. Binding Effect of the Rezoning Application:
- a. If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site and their respective heirs, devisees, personal representatives, successors in interest or assigns.

SITE SUMMARY DATA:


ACREAGE: ± 3.2 ACRES
TAX PARCEL #: 177-021-76
EXISTING ZONING: O-2(CD) BY REZONING PETITION NO. 1994-02
PROPOSED ZONING: MUDD-(O)
PROPOSED USES: 300 MULTI-FAMILY DWELLING UNITS MAX
PARKING: 1.5 SPACES PER UNIT
OPEN SPACE: 15% MINIMUM



VICINITY MAP
NOT TO SCALE

RECEIVED

By Michael Cataldo at 2:26 pm, Feb 29, 2012



TECHNICAL DATA SHEET 1"=40'



design resource group

- landscape architecture
- civil engineering
- urban design
- land planning
- traffic engineering
- transportation planning

2459 wilkinson boulevard, suite 200
charlotte, nc 28208
p 704.343.0608 f 704.358.3093
www.drggrp.com



WOODFIELD SOUTH PARK

CHARLOTTE, NORTH CAROLINA

WOODFIELD INVESTMENTS, LLC

3328 LANDERWOOD DRIVE


CHARLOTTE, NORTH CAROLINA 28210

(704) 837-7513

FOR PUBLIC HEARING

REZONING PETITION

2012-XXX



SCALE: 1"=50'


PROJECT #: 217-016
DRAWN BY: NB
CHECKED BY: DM

TECHNICAL
DATA SHEET


FEBRUARY 27, 2012

REVISIONS:

RZ-1.0



- 2459 wilkinson boulevard, suite 200
charlotte, nc 28208
p 704.343.0608 f 704.358.3093
www.drgrp.com




CHARLOTTE, NORTH CAROLINA

WOODFIELD INVESTMENTS, LLC
3328 LANDERWOOD DRIVE


3328 SANDERWOOD DRIVE
CHARLOTTE, NORTH CAROLINA 28210
(704) 837-7513

REZONING PETITION
2012-XXX



REVISIONS:

RZ-2.0





■ **design resource group**

- landscape architecture
- civil engineering
- urban design
- land planning
- traffic engineering
- transportation planning

2459 wilkinson boulevard, suite 200
charlotte, nc 28208
p 704.343.0608 f 704.358.3093
www.drgrp.com



WOODFIELD SOUTH PARK

CHARLOTTE, NORTH CAROLINA

WOODFIELD INVESTMENTS, LLC

3328 LANDERWOOD DRIVE
CHARLOTTE, NORTH CAROLINA 28210
(704) 837-7513

REZONING PETITION

2012-XXX

PROJECT #: 217-016

**MORRISON BLVD
VIEW**

FEBRUARY 27, 2012

REVISIONS:

RZ-3.0