



MECKLENBURG COUNTY
Land Use and Environmental Services Agency

May 30, 2013

Ms. Penelope Cothran
Charlotte-Mecklenburg Planning Commission
600 East Fourth Street
Charlotte, North Carolina 28202

Re: Rezoning Petition 2013-058

Approximately 13.57 acres located on the south side of Morris Field Drive
between CPCC Harris Campus Drive and Capitol Drive

Dear Ms. Cothran,

Representatives of the Air Quality (MCAQ), Groundwater & Wastewater Services (MCGWS), Solid Waste (MCSW), Storm Water Services (MCSWS), and Water Quality (MCWQ) Programs of the Mecklenburg County Land Use and Environmental Services Agency (LUESA) have reviewed the above referenced rezoning petition.

Programs with No Comment at this Time

Solid Waste
Groundwater & Wastewater Services

Recommendations and/or Ordinance Requirement Reminders

Air Quality

The proposed project may be subject to certain air quality permitting requirements in accordance with Mecklenburg County Air Pollution Control Ordinance ("MCAPCO") Regulation 2.0805 - "Parking Facilities". A letter of notification and copy of the regulations will be mailed directly to the petitioner by MCAQ.

Storm Water Services

The requirements of the post-construction storm water ordinance for the City of Charlotte should be applied to the proposed rezoning. More detailed information regarding ordinance requirements is available at the following website:

<http://charmeck.org/stormwater/regulations/Pages/Post-ConstructionStormWaterOrdinances.aspx> and click on City of Charlotte.

Impaired Streams:

The property represented in this rezoning drains to surface waters listed on North Carolinas Department of Natural Resources 303(d) list of impaired streams. Irwin Creek is listed for copper, lead, zinc, turbidity, ecological/biological integrity of fish communities, and fecal coliform due to pollution discharges. By properly controlling pollutants both during and after construction you can help restore these surface waters. More information on North Carolina's impaired waters and 303(d) list can be found at <http://portal.ncdenr.org/web/wq/ps/mtu/assessment>.

Please contact the staff members who conducted the reviews if you have any questions.

The reviews were conducted by, Jason Rayfield

(Jason.Rayfield@mecklenburgcountync.gov) with MCAQ, Dennis Tyndall

(Dennis.Tyndall@mecklenburgcountync.gov) with GWS, Joe Hack

(Joe.Hack@mecklenburgcountync.gov) with MCSW, Bill Tingle

(Bill.Tingle@mecklenburgcountync.gov) with MCSWS, and Rusty Rozzelle

(Rusty.Rozzelle@mecklenburgcountync.gov) with the MCWQ.

Respectfully,

Heidi Pruess, Environmental Policy Administrator

Heidi.Pruess@mecklenburgcountync.gov