



MECKLENBURG COUNTY
Land Use and Environmental Services Agency

October 23, 2015

Ms. Zenia Duhaney
Charlotte-Mecklenburg Planning Commission
600 East Fourth Street
Charlotte, North Carolina 28202

Re: Rezoning Petition 2015-125

Location: 2.096 acres located east of 13th St, west of Belmont Ave, between N. Brevard St and N. Davidson St

Dear Ms. Duhaney:

Representatives of the Air Quality (MCAQ), Groundwater & Wastewater Services (MCGWS), Solid Waste (MCSW), Storm Water Services (MCSWS), and Water Quality (MCWQ) Programs of the Mecklenburg County Land Use and Environmental Services Agency (LUESA) have reviewed the above referenced rezoning petition.

Programs with No Comment at this Time

Solid Waste, Water Quality

Recommendations and/or Ordinance Requirement Reminders

Air Quality

The proposed project may be subject to certain air quality permit requirements in accordance with Mecklenburg County Air Pollution Control Ordinance Section 1.5200 - "Air Quality Permits." A letter of notification and copy of the regulations will be mailed directly to the petitioner by MCAQ.

Groundwater & Wastewater Services GWS records indicate a contamination site(s) exist on or within 1,000 feet of the properties included in the petitions. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. Municipally supplied water is available to these properties. In ARGU where municipally supplied water is available water supply wells for water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites.

GWS request the following statement be added to the site plan notes:

Page 2

No water supply wells including irrigation wells and open loop geothermal wells will be constructed on the properties.

No further comments on the above petition at this time.

Please contact the staff members who conducted the reviews if you have any questions.

The reviews were conducted by, Megan Green

(Megan.Green@mecklenburgcountync.gov) with MCAQ, Dennis Tyndall

(Dennis.Tyndall@mecklenburgcountync.gov) with GWS, Joe Hack

(Joe.Hack@mecklenburgcountync.gov) with MCSW, and Rusty Rozzelle

(Rusty.Rozzelle@mecklenburgcountync.gov) with MCWQ.

Respectfully,

Jeanne Quinn, Administrative Support Supervisor

Jeanne.quinn@mecklenburgcountync.gov