


VICINITY MAP
NTS

SITE DEVELOPMENT DATA

Site Acreage:	+/- 6.02 Ac.
Tax Parcel #:	199-241-57, 58 and 61
Existing Zoning:	CC (LLW-PA); MUDD-O LLW-PA
Proposed Zoning:	CC SPA (LLW-PA); MUDD-O SPA (LLW-PA)
Existing Uses:	Vacant
Proposed Uses:	Uses permitted by right and under prescribed conditions together with accessory uses, as allowed in the CC and MUDD zoning districts (As more specifically described below).
Maximum Gross Square feet of Development:	Up to 6,000 square feet of gross floor area and a hotel with up to 125 rooms.
Maximum Building Height:	As allowed by the Ordinance in the area zoned CC. In the area Zoned MUDD-O building height will be limited to 75 feet. Height to be measured as defined by the Ordinance.
Parking:	As required by the Ordinance for the portion of the Site zoned CC and a minimum of one space per 250 gross square feet of building area for the portion of the Site zoned MUDD-O

SITE LEGEND

- SITE ACCESS
- PUBLIC STREET
- PRIVATE STREET
- BUILDING EDGE
- LOW WALL/ LANDSCAPE EDGE



9
C:\MS2\10177063
6
C:\MS2\10177063
DWG\B&B\REV\10170063
C:\MS2\10177063

**Steele Creek 1997 Limited Partnership
Development Standards
10/27/016**

Rezoning Petition No. 2016-127 (Charlotte Premium Outlets)

Site Development Data:

- Acresage: ± 6.02
- Tax Parcel #: 199-241-57, 58 and 61
- Existing Zoning: CC (LLW-PA); MUDD-O LLW-PA
- Proposed Zoning: CC SPA (LLW-PA); MUDD-O SPA (LLW-PA)
- Existing Use: Vacant
- Proposed Use: Uses permitted by right and under prescribed conditions together with accessory uses, as allowed in the CC and MUDD zoning districts (as more specifically described below).
- Maximum Gross Square feet of Development: Up to 6,000 square feet of gross floor area and a hotel with up to 125 rooms.
- Maximum Building Height: As allowed by the Ordinance in the area zoned CC. In the area Zoned MUDD-O building height will be limited to 75 feet. Height to be measured as defined by the Ordinance.
- Parking: As required by the Ordinance for the portion of the Site zoned CC and a minimum of one space per 250 gross square feet of building area for the portion of the Site zoned MUDD-O.

1. General Provisions:

- These Development Standards form a part of the Rezoning Plan associated with the Rezoning Petition filed by Steele Creek 1997 Limited Partnership to accommodate development of retail use and a hotel on an approximately 6.02 acre site located south of Shopton Road, east of Dixie River Road, north of Steele Creek Road and west of I-485 (the "Site").
- Development of the Site will be governed by the Rezoning Plan as well as the applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance"). Unless the Rezoning Plan establishes more stringent standards, the regulations established under the Ordinance for the CC classification for portions of the Site so designated on the Rezoning Plan, and the MUDD zoning district classification for the portions of the Site so designated on the Rezoning Plan (subject to the Optional Provisions provided below), shall govern all development taking place on the Site.
- Graphics and Alterations.** The schematic depictions of the uses, parking areas, sidewalks, structures and buildings, building elevations, driveways, streets and other development matters and site elements (collectively the "Development Site Elements") set forth on the Rezoning Plan should be reviewed in conjunction with the provisions of these Development Standards. The layout, locations, sizes and formulations of the Development Site Elements depicted on the Rezoning Plan are graphic representations of the Development Site elements proposed. Changes to the Rezoning Plan not anticipated by the Rezoning Plan will be reviewed and approved as allowed by Section 6.207 of the Ordinance. Since the project has not undergone the design development and construction phases, it is intended that the Rezoning Plan provide the flexibility in allowing some alterations or modifications from the graphic representations of the Development Site Elements. Therefore, there may be instances where minor modifications will be allowed without requiring the Administrative Amendment Process per Section 6.207 of the Ordinance. These instances would include changes to graphics if they are:
 - minor and don't materially change the overall design intent depicted on the Rezoning Plan; or
 - modifications to move structures graphically depicted on the Rezoning Plan closer to adjacent properties in a residential district or abutting residential use but no closer than the "external building line" (in this case the external setbacks, rear yards or buffer areas) indicated on Sheet RZ-1.

The Planning Director will determine if such minor modifications are allowed per this amended process, and if it is determined that the alteration does not meet the criteria described above, the Petitioner shall then follow the Administrative Amendment Process per Section 6.207 of the Ordinance; in each instance, however, subject to the Petitioner's appeal rights set forth in the Ordinance.

- Notwithstanding the number of buildings shown on the Rezoning Plan, the total number of principal buildings to be developed on the Site shall not exceed three (3). Accessory buildings and structures located on the Site shall not be considered in any limitation on the number of buildings on the Site. Accessory buildings and structures will be constructed utilizing similar building materials, colors, architectural elements and designs as the principal buildings located within the same Development Area as the accessory structure/building.
- Exclusions for Calculation of Maximum Development Levels.** For purposes of the development limitations set forth in these Development Standards (but not to be construed as a limitation on FAR requirements), the following items will not be counted as part of the allowed gross floor area (as defined by the Ordinance) for the Site: surface or structured parking facilities, all loading dock areas (open or enclosed), and outdoor dining areas whether on the roof of the building(s) or at street level (parking for outdoor dining areas will be provided as required by the Ordinance of these development standards).

Proposed circulation and street network/connectivity is generally shown on the Rezoning Plan to illustrate: (i) a public street connecting Walker Branch Drive to Steelecroft Parkway, (ii) a private street running east to west along the northern portion of the Site, and (iii) a private drive running north to south connecting the street on the southern portion of the Site to the private street on the northern portion of the Site. To allow for the future market demand and the accompanying flexibility in the specific design of the Site, the final location and alignment of these proposed connections will be determined at the time of development and the site plan approval process.

2. Permitted Uses & Development Area Limitation:

- Subject to the restrictions and limitations listed below, the Principal buildings constructed on the Site may be developed with up to 6,000 square feet of gross floor area of uses permitted by right and under prescribed conditions and a hotel with up to 125 rooms (subject to conversion rights set forth below), together with accessory uses and uses under prescribed conditions in the Commercial Center (CC) and MUDD-O zoning districts, as applicable.
- For ease of reference, the Rezoning Plan sets forth two (2) development areas as generally depicted on the Technical Data Sheet as Development Areas B and F (each a "Development Area" and collectively the "Development Areas"). Development Areas B, will be zoned MUDD-O SPA (LLWPA), and Development Areas F will be zoned CC SPA (LLWPA).
- Within Development Area F the total allowed square footage of the Principal buildings will be limited to 6,000 square feet of gross floor area for retail and/or restaurant uses with an accessory drive-through window.
- One hotel with up to 125 rooms will be allowed within Development Areas B.
- "Building Edges" have been provided within portions of Development Areas B and F as generally depicted on the Technical Data Sheet. The buildings constructed within Development Areas B and F must adhere to the Building Edges generally depicted on the Technical Data Sheet (space outdoor dining areas will be considered part of the buildings for the purposes of compliance with this provision). Vehicular parking and maneuvering may be located between the proposed building and such Building Edge, provided that: (i) the amount of vehicular parking and maneuvering allowed between the building and the Building Edge will be limited to one row of parking and/or one drive thru lane; (ii) a low wall (2.0' to 2.5' feet high) and low accent planting will be provided between the drive thru lane or parking area and the adjacent street; and (iii) such wall will be constructed of building materials generally compatible with the buildings within the applicable Development Area. Other buildings constructed within Development Areas B and F that do not abut a Building Edge shall not have to comply with these restrictions. With the exception of the provisions of Sections 1 and 2 above, the schematic representations of the design treatment for the development within Development Areas B and F generally depicted on Sheet RZ-2 are merely schematic in nature and may be altered in a manner consistent with the Building Edges provisions described above. In addition, the provisions of this Section may be altered to permit greater flexibility in development as allowed by the Administrative Amendment provisions of the Ordinance.

3. Optional Provisions for MUDD-O Areas:

The following optional provisions shall apply to the portions of the Site designated MUDD-O on the Technical Data Sheet (i.e. Development Areas B) as more particularly described below:

- To allow vehicular parking, maneuvering and service between the proposed buildings and: (i) I-485; (ii) Dixie River Road; (iii) Shopton Road; and (iv) the interior public streets, in the manner generally depicted on the Rezoning Plan and in accordance with the "Building Edge(s)" provisions set forth above in Sections 2(f) and (g).
- To allow along the other public street frontages of Development Areas B one (1) shopping center sign per street front, these signs may be up to 30 feet high and contain up to 150 square feet of sign area.
- To allow one (1) detached identification sign for each building located within Development Areas B. These detached identification signs may be up to four (4) feet high and contain up to 50 square feet of sign area.
- To allow wall signs to have up to 200 square feet of sign surface area per wall or 10% of the wall area to which they are attached, whichever is less, within Development Areas B.
- To allow any of the detached signs allowed by the Ordinance or these Optional Provisions to be placed within the setbacks or landscape areas indicated on the Rezoning Plan, provided, however, such the detached signs are located a minimum of 14 feet behind the back of the curb of the abutting public street.
- To not require doorways to be recessed into the face of the building(s) with Development Areas B.

Note: The optional provisions regarding signs are additions to the standards for signs in the MUDD district and should be used in conjunction with and in addition to the normal MUDD sign regulations.

4. Access:

- Access to the Site will be from Dixie River Road, Outlets Boulevard, Trojan Drive, Robert Irwin Drive, Style Lane and Shopton Road as generally depicted on the Rezoning Plan.
- The number and location of access points to the internal public streets will be determined during the building permit process.
- The alignment of the internal public and private Streets, vehicular circulation and driveways may be modified by the Petitioner to accommodate changes in traffic patterns, parking layouts and any adjustments required for approval by the Charlotte Department of Transportation (CDOT) in accordance with published standards.

5. Architectural Standards:

- The principal buildings constructed on the Site may use a variety of building materials. The building materials used will be a combination of the following: brick, stone, simulated stone, precast stone, precast concrete, synthetic stone, masonry EIFS or wood. Buildings materials for the principal buildings constructed within Development Area A will be limited to 60% EIFS excluding the Pedestrian Access Plaza as indicated below in Section 6.c (the portions of the buildings located behind the loading area screen walls will not be included when calculating the percentage of allowed EIFS). Building materials for the principal buildings constructed within all the other Development Areas will be limited to 40% EIFS.
- The Petitioner will coordinate the general appearance of the Site's building architecture, landscaping, signage and streetscape elements with the Berewick Development by utilizing generally similar building materials, colors, architectural details, streetscapes, landscape materials and landscape designs.
- The walls used to screen the service and loading areas of buildings on the Site will be designed as generally depicted on Sheet RZ-5a and RZ-5b of the Rezoning Plan; special attention and additional details will be added to the screen walls that face Dixie River Road in the manner generally depicted on Sheet RZ-5a and RZ-5b of the Rezoning Plan.
- The service areas of the buildings constructed within Development Areas B will be screened from the adjoining streets with walls designed to match and complement the building architecture of the adjacent buildings. Architectural features such as, but not limited to, banding, moldings, changes in color or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.
- Retaining walls located on the Site will be treated with landscaping to help soften their appearance.
- Meter banks will be located behind the building and will be screened where visible from public view.
- Roof top HVAC and related mechanical equipment will be screened from public view at grade.

6. Streetscape, Landscaping and Buffers:

- A 25 foot setback will be provided along Shopton Road as generally depicted on the Rezoning Plan. Reference is made to the Optional Provisions regarding the placement of signs within portions of the 25 foot setback along Shopton Road. The setback area along Shopton Road will be landscaped with trees at the rate of one tree per 40 linear feet with the arrangement and placement of these trees to be determined by the Petitioner during the land development permitting process. These trees will be in addition to any required street trees and screening required by the Tree Ordinance and the zoning regulations.
- For the portions of the Site designated CC on the Technical Data Sheet, a setback as required by the CC Zoning District will be established along existing and proposed public streets, provided, however, the Petitioner reserves the right to the reduce the CC district setback from 35 feet to 14 feet as allowed by the Ordinance.
- Along Dixie River Road the Petitioner will provide a variety of landscape treatments as described in this subsection. At the intersection of Dixie River Road and Berewick Commons Parkway, at the roundabout intersection on Dixie River Road and within Development Areas B, the Petitioner will provide a low wall (2.0' to 2.5' feet high) and low accent plantings to screen parking areas from Dixie River Road; such wall will be constructed of building materials generally compatible with the buildings within the applicable Development Area; provided, however, if a building is located adjacent to Dixie River Road without parking or maneuvering between such building and Dixie River Road, the requirement for a low wall will not apply. Along the other portions of Dixie River Road where a low screen wall is not required, the Petitioner will provide a 10 foot landscape area, and where spacing of development elements reasonably permits, a berm that will create an attractive streetscape treatment. The landscaping within the 10 foot area will contain at a minimum 30 shrubs and three (3) small maturing trees per 100 linear feet (3) trees will be in addition to any required street trees. The arrangement of the trees and shrubs within the 10 foot area will be determined by the Petitioner during the land development permitting process. If a low accent wall is located within the limits of the roundabout its proposed location must be reviewed and approved by CDOT prior to its construction.
- The Petitioner will provide eight (8) foot planting strips and six (6) foot sidewalks along the Site's frontage on Steele Creek Road, Dixie River Road, Trojan Drive and Shopton Road. Planting strips and sidewalks along the Site's other public and private streets will be installed to the extent required by the Design Standards for Streets outlined in the Subdivision regulations.
- Along the Site's internal private streets, the Petitioner will provide a sidewalk and a cross-walk network that links all the buildings on the Site with one another by way of links to sidewalks along the abutting public and private streets and/or other pedestrian features. The minimum width for these internal sidewalks will be six (6) feet. Street trees will also be provided along the Site's internal public and private streets.
- Above ground backflow preventers will be screened from public view and will be located outside of the required setbacks.

7. Environmental Features:

- The Petitioner shall comply with the Charlotte City Council approved and adopted Post Construction Controls Ordinance.
- The Site will comply with the Tree Ordinance.

8. Signage:

- Signage as allowed by the Ordinance and the Optional Provisions listed above may be provided. The Site will be viewed as a Planned Development as defined by the Ordinance, consequently Shopping Center signs may be located throughout the Site as allowed by the Ordinance (i.e. a shopping center identification sign may be located at the intersection of Trojan Drive and Steele Creek Road or by the Optional Provisions above. The allowed signs may contain business and identification signage for any of the businesses or tenants located on the Site.

9. Lighting:

- All new lighting shall be full cut-off type lighting fixtures excluding lower, decorative lighting that may be installed along the driveways, sidewalks, and parking areas.
- Detached lighting on the Site will be limited to 31 feet in height.

- No "wall pak" lighting will be allowed, however architectural lighting on building facades, such as sconces, will be permitted and in loading dock areas or at the rear of the buildings where "wall pak" lighting that is designed as down lighting will be allowed.

10. Miscellaneous:

- The Petitioner reserves the right to request a modification to the required internal public/private streets through the Alternative Compliance provisions of the Subdivision Regulations.

11. Amendments to the Rezoning Plan:

- Future amendments to the Rezoning Plan (which includes these Development Standards) may be applied for by the then Owner or Owners of the applicable Development Area portion of the Site affected by such amendment in accordance with the provisions herein and of Chapter 6 of the Ordinance.

12. Binding Effect of the Rezoning Application:

- If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site and their respective heirs, devisees, personal representatives, successors in interest or assigns.
-

REVISIONS:

DATE: AUGUST 12, 2016
DESIGNED BY: KST
DRAWN BY: JEM
CHECKED BY: KST
DATE: 10/16/2016
SCALE: N/A
PROJECT #: 1016240
SHEET #:

RZ-2

**CHARLOTTE PREMIUM OUTLETS
REZONING PETITION No. 2016-127
STEELE CREEK (1997) Limited Partnership**

DEVELOPMENT STANDARDS



LandDesign

223 N Graham Street Charlotte, NC 28202
V: 704.333.0325 F: 704.332.3246
www.LandDesign.com