

DEVELOPMENT DATA TABLE

SITE ACREAGE:	±6.63 AC
TAX PARCEL:	105-012-27
EXISTING ZONING:	NS
PROPOSED ZONING:	BD(CD) & NS (SPA) WITH 5 YEAR VESTING (SEE SITE PLAN FOR PROPOSED LOCATIONS)
SQUARE FOOTAGE OF NON-RESIDENTIAL USES BY TYPE (RETAIL, OFFICE, INDUSTRIAL, ETC.):	
- BUILDING A, ONE LEVEL RETAIL/RESTAURANT, UP TO 5,500 SF.	
- BUILDING B, ONE LEVEL OFFICE, RETAIL, RESTAURANT, UP TO 6,500 SF.	
- BUILDINGS A AND B MAY BE SEPARATE OR COMBINED AS ONE BUILDING.	
- BUILDING C, 3 LEVELS, CLIMATE CONTROLLED SELF-STORAGE WITH ASSOCIATED OFFICES, UP TO 100,000 SF.	
- BUILDING D, ONE LEVEL, OFFICE, RETAIL, RESTAURANT, UP TO 5,000 SF.	
- BUILDING E, ONE LEVEL KIOSK, OFFICE, RETAIL, UP TO 500 SF.	
- BUILDING F, ONE LEVEL, OFFICE, RETAIL, RESTAURANT, UP TO 2,500 SF.	
- MAXIMUM COMBINED TOTAL RETAIL - 15,000 SF	
- MAXIMUM COMBINED TOTAL OFFICE - 5,000 SF	
MAX. BUILDING HEIGHT: 40'	
MAX. # OF BUILDINGS: 6 BUILDINGS	
PARKING SPACES PROVIDED: 134 SPACES MINIMUM	


- GENERAL PROVISIONS**
 - THE FOLLOWING DEVELOPMENT STANDARDS FORM A PART OF THE REZONING PLANS FILED BY THE PETITIONER, TO ACCOMMODATE THE DEVELOPMENT A MIX OF USES INCLUDING OFFICE, RETAIL, RESTAURANTS, CLIMATE CONTROLLED SELF-STORAGE, AND ASSOCIATED PARKING ON A PARCEL APPROXIMATELY 6.63 ACRES AT THE INTERSECTION OF W.T. HARRIS BLVD (NC 24) AND ROCKY RIVER ROAD (SR 2828).
 - SITE DEVELOPMENT WILL BE GOVERNED BY THE REZONING PLAN AND THE APPLICABLE PROVISIONS OF THE CITY OF CHARLOTTE ZONING ORDINANCE FOR BD(CD) AND NS(SPA) ZONING CLASSIFICATIONS, IN THE AREAS INDICATED ON THE PLAN.
 - THE DEVELOPMENT DEPICTED ON THE REZONING PLAN IS SCHEMATIC IN NATURE AND INTENDED TO DEPICT THE GENERAL ARRANGEMENT OF USES AND IMPROVEMENTS TO THE SITE. ACCORDINGLY, THE PLAN MAY BE ALTERED OR MODIFIED DURING DESIGN DEVELOPMENT AND CONSTRUCTION DOCUMENT PHASES AS PERMITTED BY THESE DEVELOPMENT STANDARDS, ORDINANCE CHANGES OR MODIFICATIONS TO THE PLAN SHALL COMPLY WITH SECTION 6.207 OF THE ORDINANCE.
- TRANSPORTATION**
 - THE SITE SHALL BE ACCESSED FROM AN EXISTING PRIVATE SHARED DRIVE, HARRIS STATION BLVD THAT CONNECTS ROCKY RIVER ROAD AND E. W.T. HARRIS BLVD, FOR WHICH AN ACCESS EASEMENT WITH THE OVERALL DEVELOPMENT HAS BEEN PREVIOUSLY ESTABLISHED. THIS REZONING PETITION DOES NOT COMMIT TO ANY IMPROVEMENTS ON ANY PERIMETER PUBLIC STREETS EXCEPT THOSE SPECIFICALLY NOTED IN THIS PLAN.
 - DEDICATION AND FEE SIMPLE CONVEYANCE OF ALL PROPOSED RIGHTS OF WAY TO THE CITY SHALL BE PROVIDED PRIOR TO THE ISSUANCE OF THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY.
 - ALL TRANSPORTATION IMPROVEMENT WILL BE CONSTRUCTED AND APPROVED PRIOR TO THE ISSUANCE OF THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY OR PHASED PER THE SITES DEVELOPMENT PLAN.
 - THE PETITIONER SHALL RESTRIPE THE EASTBOUND LEG OF ROCKY RIVER ROAD TO ACTIVATE THE DUAL LEFT TURN LANES. THE DESIGN OF THESE IMPROVEMENTS WILL BE ESTABLISHED DURING THE PERMITTING PHASE OF THE PROJECT. EXISTING CURB AND GUTTER ON ROCKY RIVER ROAD SHALL REMAIN.
- ARCHITECTURAL STANDARDS**
 - THE HEIGHT FOR ALL BUILDINGS SHALL NOT EXCEED 40'.
 - THE BUILDING MATERIALS/FINISHES WILL BE A COMBINATION OF PORTIONS OF SOME OR ALL OF THE FOLLOWING: BRICK, CONCRETE, DECORATIVE CONCRETE MASONRY UNITS, EIFS, EIFS BRICK, ARCHITECTURAL METAL, METAL PANELS, STOREFRONT CLEAR GLASS, SPANDREL GLASS, ARCHITECTURAL METAL AND VINYL RAILINGS AND ACCESSORIES. WINDOWS WILL BE A COMBINATION OF CLEAR VISION GLASS, SPANDREL GLASS, SCREENED FRAMED OPENINGS. BUILDING ENTRANCES WILL HAVE ARCHITECTURAL METAL OR FABRIC CANOPIES AND AWNINGS.
 - ALL STORAGE SHALL BE LOCATED WITHIN THE BUILDING, AND OUTSIDE STORAGE OF ANY TYPE, INCLUDING THE OUTSIDE STORAGE OF MOVING VANS, TRAILERS, VEHICLES AND BOATS, SHALL NOT BE PERMITTED.
 - THE FACADE OF EACH FLOOR OF THE BUILDING ABOVE THE GROUND FLOOR THAT FRONTS A PUBLIC STREET (BUT NOT AN ALLEY) MUST HAVE WINDOWS OR GLASS THAT COVER AT LEAST TWENTYFIVE (25) PERCENT OF THE LENGTH OF SUCH STREET FACING FACADE. THE WINDOWS AND GLASS MAY BE SPANDREL GLASS PROVIDED THAT THE REFLECTIVITY VALUE DOES NOT EXCEED THIRTY-SIX (36) PERCENT AS MEASURED UNDER THE APPLICABLE PROVISIONS OF FEDERAL SPECIFICATIONS DD-G-451D/1977. IN NO EVENT MAY SPANDREL GLASS BE UTILIZED ON THE GROUND FLOOR OF THE BUILDING.
 - WHERE EXPANSIONS OF SOLID WALL ARE NECESSARY ON THE FACADE OF ANY FLOOR OF THE BUILDING LOCATED ABOVE THE GROUND FLOOR (INCLUDING A FACADE THAT DOES NOT FRONT A PUBLIC STREET), THEY MAY NOT EXCEED TWENTY (20) FEET IN LENGTH. A BLANK WALL IS A FACADE THAT DOES NOT CONTAIN WINDOWS, GLASS OR SUFFICIENT ORNAMENTATION, DECORATION OR ARTICULATION. DESIGN ELEMENTS THAT MAY BE UTILIZED TO BREAK UP EXPANSIONS OF SOLID WALL INCLUDE, WITHOUT LIMITATION, ORNAMENTATION, MOLDING, STRING COURSES, BELT COURSES AND CHANGES IN MATERIAL OR COLOR.
 - IF THE BUILDING IS LOCATED ON A LOT THAT ABUTS A PUBLIC OR PRIVATE STREET, AT LEAST ONE ENTRANCE SHALL BE PROVIDED ON EACH BUILDING FACADE FRONTING A STREET. IF THE BUILDING IS LOCATED ON A CORNER LOT, THE BUILDING MAY PROVIDE ONE MAIN ENTRANCE ORIENTED TO THE CORNER OR FACING EITHER OF THE STREETS.
 - IN ORDER TO PROMOTE VISUAL COMPATIBILITY WITH COMMERCIAL AND MULTI-FAMILY DEVELOPMENT ALLOWED IN COMMERCIAL ZONES, THE BUILDING SHALL INCORPORATE CONTEXTUAL ARCHITECTURAL AND DESIGN FEATURES COMMON TO COMMERCIAL AND MULTI-FAMILY DEVELOPMENT IN THE SURROUNDING AREA. EXAMPLES OF SUCH ARCHITECTURAL AND DESIGN FEATURES THAT MAY BE UTILIZED INCLUDE: MASSING, PROPORTION, FACADE MODULATION, EXTERIOR BUILDING MATERIALS AND DETAILING, VARIED ROOF-LINE, PEDESTRIAN SCALE AND FENESTRATION.

- ENVIRONMENTAL FEATURES**
 - THE PETITIONER WILL COMPLY WITH THE CHARLOTTE TREE ORDINANCE.
 - THE PETITIONER WILL COMPLY WITH THE CHARLOTTE CITY COUNCIL APPROVED POST CONSTRUCTION CONTROLS ORDINANCE.
 - THE LOCATION, SIZE, AND TYPE OF STORM WATER MANAGEMENT SYSTEMS DEPICTED ON THE REZONING PLAN ARE SUBJECT TO REVIEW AND APPROVAL AS PART OF THE FULL DEVELOPMENT PLAN SUBMITTAL AND ARE NOT IMPLICITLY APPROVED WITH THIS REZONING. ADJUSTMENTS MAY BE NECESSARY IN ORDER TO ACCOMMODATE ACTUAL STORM WATER TREATMENT REQUIREMENTS AND NATURAL SITE DISCHARGE POINTS.
- PARKS, GREENWAYS, AND OPEN SPACE**
 - ALONG W.T. HARRIS BLVD, THE DEVELOPER SHALL PRESERVE TO THE EXTENT POSSIBLE EXISTING TREES WITHIN THE EXISTING SETBACK. THESE TREES MAY BE THINNED/PRUNED TO IMPROVE THE HEALTH OF THE TREES AND PROVIDE A CLEAN EDGE TO THE STREETScape. SOME TREES IN THE SETBACK MAY BE REMOVED TO ACCOMMODATE THE PROPOSED 12' MULTI-USE-PATH CONCEPTUALLY SHOWN ON THE PLAN. PETITIONER'S INTENT IS TO NOT INTERFERE WITH ANYTHING IN THE RIGHT OF WAY, EXCEPT WHERE WE ARE PROVIDING NEW SIDEWALKS/CROSSING EQUIPMENT. ANY TREES REMOVED WITHIN THIS AREA THAT ARE 3" IN CALIPER OR GREATER WILL BE REPLACED WITH MIN 3" IN CALIPER TREES. THE DEVELOPER WILL INSTALL, AS CLOSELY AS POSSIBLE, MATCHING BRICK POSTS AND FENCING AND MAY INSTALL ADDITIONAL TREES, LANDSCAPE MATERIALS, AND OTHER IMPROVEMENTS IN THIS AREA TO PROVIDE A CLEAN ATTRACTIVE STREETScape ALONG THE PROJECT FRONTAGE IN A MANNER IN KEEPING WITH THE EXISTING ADJACENT STREETScape OF THE UNIVERSITY COMMONS OFFICE ACROSS ROCKY RIVER ROAD.
 - ALONG ROCKY RIVER ROAD, EXISTING CURB, PLANTING STRIP AND SIDE WALK TO REMAIN.
 - THE PETITIONER SHALL PROVIDE A MINIMUM 10' WIDE PLANTING STRIP BETWEEN THE PROPOSED DEVELOPMENT AND THE EXISTING HOMES, EXCLUDING THE AREA WHERE A PEDESTRIAN CONNECTION TO THIS COMMUNITY WILL BE PROVIDED. THE PLANTING STRIP SHALL BE PLANTED AS 10' WIDE CLASS B, WITH MINIMUM OF 9 TREES AND 40 SHRUBS PER 100'. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.
 - THE PETITIONER SHALL PROVIDE SUPPLEMENTAL LANDSCAPING, AS GENERALLY INDICATED ON THE PLAN, ADJACENT TO PROPOSED BMP SYSTEM. THIS LANDSCAPING SHALL INCLUDE A MIXTURE OF DECIDUOUS AND EVERGREEN TREES AND SHRUBS AND SHALL BE PLANTED TO A 10' CLASS C BUFFER STANDARD OF 3 TREES AND 20 SHRUBS PER 100 LINEAR FEET. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.

- STREETScape AND LANDSCAPING**
 - ALONG W.T. HARRIS BLVD, THE DEVELOPER SHALL PRESERVE TO THE EXTENT POSSIBLE EXISTING TREES WITHIN THE EXISTING SETBACK. THESE TREES MAY BE THINNED/PRUNED TO IMPROVE THE HEALTH OF THE TREES AND PROVIDE A CLEAN EDGE TO THE STREETScape. SOME TREES IN THE SETBACK MAY BE REMOVED TO ACCOMMODATE THE PROPOSED 12' MULTI-USE-PATH CONCEPTUALLY SHOWN ON THE PLAN. PETITIONER'S INTENT IS TO NOT INTERFERE WITH ANYTHING IN THE RIGHT OF WAY, EXCEPT WHERE WE ARE PROVIDING NEW SIDEWALKS/CROSSING EQUIPMENT. ANY TREES REMOVED WITHIN THIS AREA THAT ARE 3" IN CALIPER OR GREATER WILL BE REPLACED WITH MIN 3" IN CALIPER TREES. THE DEVELOPER WILL INSTALL, AS CLOSELY AS POSSIBLE, MATCHING BRICK POSTS AND FENCING AND MAY INSTALL ADDITIONAL TREES, LANDSCAPE MATERIALS, AND OTHER IMPROVEMENTS IN THIS AREA TO PROVIDE A CLEAN ATTRACTIVE STREETScape ALONG THE PROJECT FRONTAGE IN A MANNER IN KEEPING WITH THE EXISTING ADJACENT STREETScape OF THE UNIVERSITY COMMONS OFFICE ACROSS ROCKY RIVER ROAD.
 - ALONG ROCKY RIVER ROAD, EXISTING CURB, PLANTING STRIP AND SIDE WALK TO REMAIN.
 - THE PETITIONER SHALL PROVIDE A MINIMUM 10' WIDE PLANTING STRIP BETWEEN THE PROPOSED DEVELOPMENT AND THE EXISTING HOMES, EXCLUDING THE AREA WHERE A PEDESTRIAN CONNECTION TO THIS COMMUNITY WILL BE PROVIDED. THE PLANTING STRIP SHALL BE PLANTED AS 10' WIDE CLASS B, WITH MINIMUM OF 9 TREES AND 40 SHRUBS PER 100'. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.
 - THE PETITIONER SHALL PROVIDE SUPPLEMENTAL LANDSCAPING, AS GENERALLY INDICATED ON THE PLAN, ADJACENT TO PROPOSED BMP SYSTEM. THIS LANDSCAPING SHALL INCLUDE A MIXTURE OF DECIDUOUS AND EVERGREEN TREES AND SHRUBS AND SHALL BE PLANTED TO A 10' CLASS C BUFFER STANDARD OF 3 TREES AND 20 SHRUBS PER 100 LINEAR FEET. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.
- AMENDMENTS TO THE REZONING PLAN**
 - CURRENT APPLICATION OR SUCCESSORS WITH THE CONSENT OF THE OWNER OF THE APPLICABLE DEVELOPMENT AREA PORTION OF THE SITE AFFECTED BY SUCH AMENDMENT MAY APPLY FOR FUTURE AMENDMENTS IN ACCORDANCE WITH THE PROVISIONS OF CHAPTER 6 OF THE ORDINANCE.
- BINDING EFFECT OF THE REZONING APPLICATION**
 - IF THIS REZONING PETITION IS APPROVED, ALL CONDITIONS APPLICABLE TO THE USE AND DEVELOPMENT OF THE SITE IMPOSED UNDER THESE DEVELOPMENT STANDARDS AND THE REZONING PLAN WILL, UNLESS AMENDED IN THE MANNER PROVIDED UNDER THE ORDINANCE, SHALL BE BINDING ON THE PETITIONER AND HIS SUCCESSORS.



UPON AND INURE TO THE BENEFIT OF THE PETITIONER AND THE CURRENT AND SUBSEQUENT OWNERS OF THE SITE AND THEIR RESPECTIVE SUCCESSORS IN INTEREST AND ASSIGNS.

THROUGHOUT THESE DEVELOPMENT STANDARDS, THE TERM "PETITIONER" SHALL BE DEEMED TO INCLUDE THE HEIRS, DEVISEES, PERSONAL REPRESENTATIVES, SUCCESSORS IN INTEREST AND ASSIGNS OF THE PETITIONER OR THE OWNER OR OWNERS OF THE SITE FROM TIME TO TIME WHO MAY BE INVOLVED IN ANY FUTURE DEVELOPMENT THEREOF.




LANDSCAPE ARCHITECTURE
CIVIL ENGINEERING
TRANSPORTATION PLANNING

2459 Wilkinson Blvd, Ste 200 Charlotte, NC 28208
704.343.0608
www.drgroup.com



THE PETITIONER SHALL WORK WITH MECKLENBURG COUNTY AND CITY OF CHARLOTTE AGENCIES DURING THE DESIGN PERMITTING PHASE TO DETERMINE THE CONSTRUCTABILITY OF THIS PORTION OF THE SIDEWALK SHOWN WITHIN THE SWM BUFFER. IF IT IS DETERMINED THAT THAT SIDEWALK WOULD CAUSE SIGNIFICANT DISTURBANCE TO THE STREAM CORRIDOR AND EXISTING STEEP SLOPES, THE PETITIONER MAY OMIT THIS SEGMENT OF SIDEWALK AND PROVIDE CROSS WALKS TO THE OTHER SIDE OF THE STREET TO ENSURE A CONNECTED PEDESTRIAN NETWORK.



D.B. 30067, PG. 2
P.I.N. 1050122
USE: RURAL HOMI
ZONING: R-3

PROPOSED SETBACK FROM EXISTING BACK OF CURB ALONG ROCKY RIVER ROAD.
BUILDING TO INCLUDE PRIMARY PEDESTRIAN ENTRANCE ONTO ROCKY RIVER ROAD. FINAL LOCATION TO BE DETERMINED DURING PERMIT REVIEW WITH FINAL BUILDING DESIGN.

EXISTING CURB TO REMAIN
LOCATION OF SIDEWALK, PLANTING STRIP, AND STREET TREES TO REMAIN TO BE REVIEWED AND APPROVAL. FINAL LOCATION/CONFIGURATION OF THESE ELEMENTS MAY BE MODIFIED PENDING NCDOT REVIEW AND APPROVAL DURING CONSTRUCTION PLAN REVIEW

EXISTING SIDEWALK TO REMAIN
POTENTIAL OUTDOOR DINING AREA
EXISTING STREET TREES TO REMAIN
EXISTING PLANTING STRIP TO REMAIN

BUILDING TO INCLUDE PRIMARY PEDESTRIAN ENTRANCE ONTO ROCKY RIVER ROAD. FINAL LOCATION TO BE DETERMINED DURING PERMIT REVIEW WITH FINAL BUILDING DESIGN.
EXISTING EDGE OF PAVEMENT TO REMAIN

POTENTIAL OUTDOOR DINING AREA/OPEN SPACE
BUILDING TO INCLUDE PRIMARY PEDESTRIAN ENTRANCE ONTO ROCKY RIVER ROAD. FINAL LOCATION TO BE DETERMINED DURING PERMIT REVIEW WITH FINAL BUILDING DESIGN.

PROPOSED SETBACK FROM EXISTING BACK OF CURB ALONG ROCKY RIVER ROAD.
EXISTING CURB TO REMAIN
EXISTING PLANTING STRIP TO REMAIN
EXISTING SIDEWALK TO REMAIN

SEE CONDITIONAL NOTE FOR 2d FOR PROPOSED IMPROVEMENTS TO ROCKY RIVER ROAD.

PROJECT #: 647-001
DRAWN BY: SK
CHECKED BY: TH

NOVEMBER 21, 2016

REVISIONS:
1. 11.21.16 1ST SUBMITTAL COMMENTS
2. 12.20.16 COMMUNITY COMMENTS

SCALE: 1" = 40'

Copyright © 2016 Design Resource Group, PA. This plan or drawing and any accompanying documents or calculations are the property of Design Resource Group, PA, and are intended solely for the use of the recipient noted. No third party use or modification is permitted without written authorization.

DEVELOPMENT DATA TABLE

SITE ACREAGE:	±6.63 AC
TAX PARCEL:	105-012-27
EXISTING ZONING:	NS
PROPOSED ZONING:	BD(CD) & NS (SPA) WITH 5 YEAR VESTING (SEE SITE PLAN FOR PROPOSED LOCATIONS)
SQUARE FOOTAGE OF NON-RESIDENTIAL USES BY TYPE (RETAIL, OFFICE, INDUSTRIAL, ETC.):	
- BUILDING A, ONE LEVEL RETAIL/RESTAURANT, UP TO 5,500 SF.	
- BUILDING B, ONE LEVEL OFFICE, RETAIL, RESTAURANT, UP TO 6,500 SF.	
- BUILDINGS A AND B MAY BE SEPARATE OR COMBINED AS ONE BUILDING.	
- BUILDING C, 3 LEVELS, CLIMATE CONTROLLED SELF-STORAGE WITH ASSOCIATED OFFICES, UP TO 100,000 SF.	
- BUILDING D, ONE LEVEL, OFFICE, RETAIL, RESTAURANT, UP TO 5,000 SF.	
- BUILDING E, ONE LEVEL KIOSK, OFFICE, RETAIL, UP TO 500 SF.	
- BUILDING F, ONE LEVEL, OFFICE, RETAIL, RESTAURANT, UP TO 2,500 SF.	
- MAXIMUM COMBINED TOTAL RETAIL - 15,000 SF	
- MAXIMUM COMBINED TOTAL OFFICE - 5,000 SF	
MAX. BUILDING HEIGHT: 40'	
MAX. # OF BUILDINGS: 6 BUILDINGS	
PARKING SPACES PROVIDED: 134 SPACES MINIMUM	



- GENERAL PROVISIONS**
 - THE FOLLOWING DEVELOPMENT STANDARDS FORM A PART OF THE REZONING PLANS FILED BY THE PETITIONER, TO ACCOMMODATE THE DEVELOPMENT A MIX OF USES INCLUDING OFFICE, RETAIL, RESTAURANTS, CLIMATE CONTROLLED SELF-STORAGE, AND ASSOCIATED PARKING ON A PARCEL APPROXIMATELY 6.63 ACRES AT THE INTERSECTION OF W.T. HARRIS BLVD (NC 24) AND ROCKY RIVER ROAD (SR 2828).
 - SITE DEVELOPMENT WILL BE GOVERNED BY THE REZONING PLAN AND THE APPLICABLE PROVISIONS OF THE CITY OF CHARLOTTE ZONING ORDINANCE FOR BD(CD) AND NS(SPA) ZONING CLASSIFICATIONS, IN THE AREAS INDICATED ON THE PLAN.
 - THE DEVELOPMENT DEPICTED ON THE REZONING PLAN IS SCHEMATIC IN NATURE AND INTENDED TO DEPICT THE GENERAL ARRANGEMENT OF USES AND IMPROVEMENTS TO THE SITE. ACCORDINGLY, THE PLAN MAY BE ALTERED OR MODIFIED DURING DESIGN DEVELOPMENT AND CONSTRUCTION DOCUMENT PHASES AS PERMITTED BY THESE DEVELOPMENT STANDARDS, ORDINANCE CHANGES OR MODIFICATIONS TO THE PLAN SHALL COMPLY WITH SECTION 6.207 OF THE ORDINANCE.
- TRANSPORTATION**
 - THE SITE SHALL BE ACCESSED FROM AN EXISTING PRIVATE SHARED DRIVE, HARRIS STATION BLVD THAT CONNECTS ROCKY RIVER ROAD AND E. W.T. HARRIS BLVD, FOR WHICH AN ACCESS EASEMENT WITH THE OVERALL DEVELOPMENT HAS BEEN PREVIOUSLY ESTABLISHED. THIS REZONING PETITION DOES NOT COMMIT TO ANY IMPROVEMENTS ON ANY PERIMETER PUBLIC STREETS EXCEPT THOSE SPECIFICALLY NOTED IN THIS PLAN.
 - DEDICATION AND FEE SIMPLE CONVEYANCE OF ALL PROPOSED RIGHTS OF WAY TO THE CITY SHALL BE PROVIDED PRIOR TO THE ISSUANCE OF THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY.
 - ALL TRANSPORTATION IMPROVEMENT WILL BE CONSTRUCTED AND APPROVED PRIOR TO THE ISSUANCE OF THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY OR PHASED PER THE SITES DEVELOPMENT PLAN.
 - THE PETITIONER SHALL RESTRIPE THE EASTBOUND LEG OF ROCKY RIVER ROAD TO ACTIVATE THE DUAL LEFT TURN LANES. THE DESIGN OF THESE IMPROVEMENTS WILL BE ESTABLISHED DURING THE PERMITTING PHASE OF THE PROJECT. EXISTING CURB AND GUTTER ON ROCKY RIVER ROAD SHALL REMAIN.
- ARCHITECTURAL STANDARDS**
 - THE HEIGHT FOR ALL BUILDINGS SHALL NOT EXCEED 40'.
 - THE BUILDING MATERIALS/FINISHES WILL BE A COMBINATION OF PORTIONS OF SOME OR ALL OF THE FOLLOWING: BRICK, CONCRETE, DECORATIVE CONCRETE MASONRY UNITS, EIFS, EIFS BRICK, ARCHITECTURAL METAL, METAL PANELS, STOREFRONT CLEAR GLASS, SPANDREL GLASS, ARCHITECTURAL METAL AND VINYL RAILINGS AND ACCESSORIES. WINDOWS WILL BE A COMBINATION OF CLEAR VISION GLASS, SPANDREL GLASS, SCREENED FRAMED OPENINGS. BUILDING ENTRANCES WILL HAVE ARCHITECTURAL METAL OR FABRIC CANOPIES AND AWNINGS.
 - ALL STORAGE SHALL BE LOCATED WITHIN THE BUILDING, AND OUTSIDE STORAGE OF ANY TYPE, INCLUDING THE OUTSIDE STORAGE OF MOVING VANS, TRAILERS, VEHICLES AND BOATS, SHALL NOT BE PERMITTED.
 - THE FACADE OF EACH FLOOR OF THE BUILDING ABOVE THE GROUND FLOOR THAT FRONTS A PUBLIC STREET (BUT NOT AN ALLEY) MUST HAVE WINDOWS OR GLASS THAT COVER AT LEAST TWENTYFIVE (25) PERCENT OF THE LENGTH OF SUCH STREET FACING FACADE. THE WINDOWS AND GLASS MAY BE SPANDREL GLASS PROVIDED THAT THE REFLECTIVITY VALUE DOES NOT EXCEED THIRTY-SIX (36) PERCENT AS MEASURED UNDER THE APPLICABLE PROVISIONS OF FEDERAL SPECIFICATIONS DD-G-451D/1977. IN NO EVENT MAY SPANDREL GLASS BE UTILIZED ON THE GROUND FLOOR OF THE BUILDING.
 - WHERE EXPANSIONS OF SOLID WALL ARE NECESSARY ON THE FACADE OF ANY FLOOR OF THE BUILDING LOCATED ABOVE THE GROUND FLOOR (INCLUDING A FACADE THAT DOES NOT FRONT A PUBLIC STREET), THEY MAY NOT EXCEED TWENTY (20) FEET IN LENGTH. A BLANK WALL IS A FACADE THAT DOES NOT CONTAIN WINDOWS, GLASS OR SUFFICIENT ORNAMENTATION, DECORATION OR ARTICULATION. DESIGN ELEMENTS THAT MAY BE UTILIZED TO BREAK UP EXPANSIONS OF SOLID WALL INCLUDE, WITHOUT LIMITATION, ORNAMENTATION, MOLDING, STRING COURSES, BELT COURSES AND CHANGES IN MATERIAL OR COLOR.
 - IF THE BUILDING IS LOCATED ON A LOT THAT ABUTS A PUBLIC OR PRIVATE STREET, AT LEAST ONE ENTRANCE SHALL BE PROVIDED ON EACH BUILDING FACADE FRONTING A STREET. IF THE BUILDING IS LOCATED ON A CORNER LOT, THE BUILDING MAY PROVIDE ONE MAIN ENTRANCE ORIENTED TO THE CORNER OR FACING EITHER OF THE STREETS.
 - IN ORDER TO PROMOTE VISUAL COMPATIBILITY WITH COMMERCIAL AND MULTI-FAMILY DEVELOPMENT ALLOWED IN COMMERCIAL ZONES, THE BUILDING SHALL INCORPORATE CONTEXTUAL ARCHITECTURAL AND DESIGN FEATURES COMMON TO COMMERCIAL AND MULTI-FAMILY DEVELOPMENT IN THE SURROUNDING AREA. EXAMPLES OF SUCH ARCHITECTURAL AND DESIGN FEATURES THAT MAY BE UTILIZED INCLUDE: MASSING, PROPORTION, FACADE MODULATION, EXTERIOR BUILDING MATERIALS AND DETAILING, VARIED ROOF-LINE, PEDESTRIAN SCALE AND FENESTRATION.

- ENVIRONMENTAL FEATURES**
 - THE PETITIONER WILL COMPLY WITH THE CHARLOTTE TREE ORDINANCE.
 - THE PETITIONER WILL COMPLY WITH THE CHARLOTTE CITY COUNCIL APPROVED POST CONSTRUCTION CONTROLS ORDINANCE.
 - THE LOCATION, SIZE, AND TYPE OF STORM WATER MANAGEMENT SYSTEMS DEPICTED ON THE REZONING PLAN ARE SUBJECT TO REVIEW AND APPROVAL AS PART OF THE FULL DEVELOPMENT PLAN SUBMITTAL AND ARE NOT IMPLICITLY APPROVED WITH THIS REZONING. ADJUSTMENTS MAY BE NECESSARY IN ORDER TO ACCOMMODATE ACTUAL STORM WATER TREATMENT REQUIREMENTS AND NATURAL SITE DISCHARGE POINTS.
- PARKS, GREENWAYS, AND OPEN SPACE**
 - SIGNS MAY NOT BE INSTALLED OR MAINTAINED ABOVE THE THIRD FLOOR OF A BUILDING CONTAINING A SELF-STORAGE FACILITY.
 - THE ARCHITECTURAL CHARACTER FOR ALL THE BUILDINGS IN THIS DEVELOPMENT WILL BE HARMONIOUS IN ORDER TO CREATE A COHESIVE LOOK TO THE DEVELOPMENT.
 - RETAIL AND RESTAURANT BUILDINGS TO HAVE 50% BRICK FINISH, WITH THE SELF-STORAGE BUILDING TO HAVE ALL GROUND LEVEL, APPROXIMATELY 33% BRICK FINISH, AS SHOWN ON RENDERINGS.
 - ALL DUMPSTERS AND HVAC EQUIPMENT SHALL BE SCREENED FROM PUBLIC VIEW AND/OR KEPT BEHIND AN ENCLOSURE MADE OF MATERIALS CONSISTENT WITH THE OVERALL DEVELOPMENT.
 - STREETSCAPE AND LANDSCAPING**
 - ALONG W.T. HARRIS BLVD, THE DEVELOPER SHALL PRESERVE TO THE EXTENT POSSIBLE EXISTING TREES WITHIN THE EXISTING SETBACK. THESE TREES MAY BE THINNED/PRIUNED TO IMPROVE THE HEALTH OF THE TREES AND PROVIDE A CLEAN EDGE TO THE STREETSCAPE. SOME TREES IN THE SETBACK MAY BE REMOVED TO ACCOMMODATE THE PROPOSED 12' MULTI-USE-PATH CONCEPTUALLY SHOWN ON THE PLAN. PETITIONER'S INTENT IS TO NOT INTERFERE WITH ANYTHING IN THE RIGHT OF WAY, EXCEPT WHERE WE ARE PROVIDING NEW SIDEWALKS/CROSSING EQUIPMENT. ANY TREES REMOVED WITHIN THIS AREA THAT ARE 3" IN CALIPER OR GREATER WILL BE REPLACED WITH MIN 3" IN CALIPER TREES. THE DEVELOPER WILL INSTALL, AS CLOSELY AS POSSIBLE, MATCHING BRICK POSTS AND FENCING AND MAY INSTALL ADDITIONAL TREES, LANDSCAPE MATERIALS, AND OTHER IMPROVEMENTS IN THIS AREA TO PROVIDE A CLEAN ATTRACTIVE STREETSCAPE ALONG THE PROJECT FRONTAGE IN A MANNER IN KEEPING WITH THE EXISTING ADJACENT STREETSCAPE OF THE UNIVERSITY COMMONS OFFICE ACROSS ROCKY RIVER ROAD.
 - ALONG ROCKY RIVER ROAD, EXISTING CURB, PLANTING STRIP AND SIDE WALK TO REMAIN.
 - THE PETITIONER SHALL PROVIDE A MINIMUM 10' WIDE PLANTING STRIP BETWEEN THE PROPOSED DEVELOPMENT AND THE EXISTING HOMES, EXCLUDING THE AREA WHERE A PEDESTRIAN CONNECTION TO THIS COMMUNITY WILL BE PROVIDED. THE PLANTING STRIP SHALL BE PLANTED AS 10' WIDE CLASS B, WITH MINIMUM OF 9 TREES AND 40 SHRUBS PER 100'. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.
 - THE PETITIONER SHALL PROVIDE SUPPLEMENTAL LANDSCAPING, AS GENERALLY INDICATED ON THE PLAN, ADJACENT TO PROPOSED BWP SYSTEM. THIS LANDSCAPING SHALL INCLUDE A MIXTURE OF DECIDUOUS AND EVERGREEN TREES AND SHRUBS AND SHALL BE PLANTED TO A 10' CLASS C BUFFER STANDARD OF 3 TREES AND 20 SHRUBS PER 100 LINEAR FEET. REQUIRED PLANTINGS MAY BE UTILIZED AS PART OF THE SUPPLEMENTAL LANDSCAPE PROVIDED.


- AMENDMENTS TO THE REZONING PLAN**
 - CURRENT APPLICATION OR SUCCESSORS WITH THE CONSENT OF THE OWNER OF THE APPLICABLE DEVELOPMENT AREA PORTION OF THE SITE AFFECTED BY SUCH AMENDMENT MAY APPLY FOR FUTURE AMENDMENTS IN ACCORDANCE WITH THE PROVISIONS OF CHAPTER 6 OF THE ORDINANCE.
- BINDING EFFECT OF THE REZONING APPLICATION**
 - IF THIS REZONING PETITION IS APPROVED, ALL CONDITIONS APPLICABLE TO THE USE AND DEVELOPMENT OF THE SITE IMPOSED UNDER THESE DEVELOPMENT STANDARDS AND THE REZONING PLAN WILL, UNLESS AMENDED IN THE MANNER PROVIDED UNDER THE ORDINANCE, SHALL BE BINDING ON THE PETITIONER AND HIS SUCCESSORS.

UPON AND INURE TO THE BENEFIT OF THE PETITIONER AND THE CURRENT AND SUBSEQUENT OWNERS OF THE SITE AND THEIR RESPECTIVE SUCCESSORS IN INTEREST AND ASSIGNS.

THROUGHOUT THESE DEVELOPMENT STANDARDS, THE TERM "PETITIONER" SHALL BE DEEMED TO INCLUDE THE HEIRS, DEVISEES, PERSONAL REPRESENTATIVES, SUCCESSORS IN INTEREST AND ASSIGNS OF THE PETITIONER OR THE OWNER OR OWNERS OF THE SITE FROM TIME TO TIME WHO MAY BE INVOLVED IN ANY FUTURE DEVELOPMENT THEREOF.



THE PETITIONER SHALL WORK WITH MECKLENBURG COUNTY AND CITY OF CHARLOTTE AGENCIES DURING THE DESIGN PERMITTING PHASE TO DETERMINE THE CONSTRUCTABILITY OF THIS PORTION OF THE SIDEWALK SHOWN WITHIN THE SWM BUFFER. IF IT IS DETERMINED THAT THAT SIDEWALK WOULD CAUSE SIGNIFICANT DISTURBANCE TO THE STREAM CORRIDOR AND EXISTING STEEP SLOPES, THE PETITIONER MAY OMIT THIS SEGMENT OF SIDEWALK AND PROVIDE CROSS WALKS TO THE OTHER SIDE OF THE STREET TO ENSURE A CONNECTED PEDESTRIAN NETWORK.



DRG DESIGN RESOURCE GROUP

LANDSCAPE ARCHITECTURE
CIVIL ENGINEERING
TRANSPORTATION PLANNING

2459 Wilkinson Blvd, Ste 200 Charlotte, NC 28208
704.343.0608
www.drgp.com

HARRIS STATION
CHARLOTTE, NC

HAWTHORN HOLDING GROUP
PO BOX 958
DAVIDSON, NC 28036

REZONING PETITION FOR PUBLIC HEARING: 2016-140

REZONING PLANS

HARRIS STATION
CHARLOTTE, NC

HAWTHORN HOLDING GROUP
PO BOX 958
DAVIDSON, NC 28036

SCHEMATIC SITE PLAN

SCALE: 1" = 40'

PROJECT #: 647-001
DRAWN BY: SK
CHECKED BY: TH

NOVEMBER 21, 2016

REVISIONS:
1. 11.21.16 1ST SUBMITTAL COMMENTS
2. 12.20.16 COMMUNITY COMMENTS



ILLUSTRATIVE RENDERING 1 - OVERALL COMMUNITY VIEW




ILLUSTRATIVE RENDERING 2 - BUILDING "B", ROCKY RIVER ROAD FRONTAGE



ILLUSTRATIVE RENDERING 3 - BUILDING "A", ROCKY RIVER ROAD FRONTAGE



ILLUSTRATIVE RENDERING 4 - BUILDING "C", SHARED PARKING FRONTAGE VIEW



REZONING PETITION
FOR PUBLIC HEARING:
2016-140

REZONING PLANS

HARRIS STATION
CHARLOTTE, NC

HAWTHORN HOLDING GROUP
PO BOX 958
DAVIDSON, NC 28036

BUILDING
ELEVATIONS

SCALE: 1" = 20'

PROJECT #: 647-001
DRAWN BY: SK
CHECKED BY: TH

NOVEMBER 21, 2016

REVISIONS:
1. 11.21.16 1ST SUBMITTAL COMMENTS



ILLUSTRATIVE RENDERING 5 - BUILDING "C", W T HARRIS BLVD FRONTAGE VIEW



REZONING PETITION
FOR PUBLIC HEARING:
2016-140

REZONING PLANS

HARRIS STATION
CHARLOTTE, NC

HAWTHORN HOLDING GROUP
PO BOX 958
DAVIDSON, NC 28036

BUILDING
ELEVATIONS

20 0 20 40
SCALE:

PROJECT #: 647-001
DRAWN BY: SK
CHECKED BY: TH

NOVEMBER 21, 2016

REVISIONS:
1. 11.21.16 1ST SUBMITTAL COMMENTS