_		-
	E 2017-116 Revised Notes 10/19/2017	B 5. Streetscape and Landsc
	1. General Provisions	a. A sixteen (16) foot setba provided. The setback shall inclu
	a. The development of the Site will be governed by this Rezoning Plan and the standards/ applicable provisions of the City of Charlotte	the curb to the sidewalk as depic façade.
	Zoning Ordinance (the "Ordinance"). The regulations established for the zoning of the MUDD zoning district, shall govern the development of this Site, subject to the optional provisions herein.	b. A setback of twenty (20)
	b. The development depicted on the Rezoning Plan is schematic and represents the general proposal for the project. Accordingly, the configuration, placement, size and number of the stairs, sidewalks, trees, ramps, patio, parking areas and/or site elements may be altered or	generally set forth in the Rezoni
	modified within the limits prescribed by the zoning ordinance, subject to the Optional Provisions provided below.	planting strip and connecting the (10) foot wide sidewalk will be
	c. Alterations to the conditional plan are subject to section 6.207, Alterations to Approval.	c. Petitioner may install a std. Addition of street trees ar
1	2. Optional Provisions:	e. Petitioner may choose to
	The following optional provisions shall apply to the Site:a. Parking shall be permitted to extend past the building façade on the unnamed street border and up to the setback and may be located closer	
	to the Unnamed Street than the building/permitted uses provided that required parking screening is provided in the manner depicted on the Rezoning Plan.	6. Architectural Standards
	b. The southern and eastern boundary lines of the Site shall not be required to meet the parking lot screening requirements set forth in Sections 9.8506(2)(b) and 12.303 of the Ordinance.	a. Area marked as Building/ Site Design shall focus on and en
	c. Wall signs having up to 200 square feet of sign surface area per wall or 10% of the Wall area to which they are attached, whichever is less	i. Buildings shall be placed
	(exclusive of any wall mounted signage) shall be allowed.d. Additional 45 square feet of wall mounted signage on the ground floor for each use, in addition to any other signage allowed, shall be	 Facades fronting streets s transparent glass between 2" and windows must maintain a minim
	allowed. 3. Permitted Uses	decals, and other opaque materia 4'-0" above adjacent street sidew
	a. Allowed uses: Any use or combination of uses and accessory uses as permitted in MUDD, including without limitation, Eating Drinking and Entertainment Establishments (Types 1 and 2) and Brewery uses provided that the maximum square footage, including patio/outdoor dining	iii. The facades of first / grou
	space, shall not exceed 27,500 square feet.	stone. iv. Direct pedestrian connect
	 (b. No residential uses shall be permitted on the ground floor.) 4. Transportation 	v. Operable door spacing sh
	a. Vehicular access shall be as generally depicted on the Rezoning Plan. The placement and configuration of each access point are subject to any minor modifications.	vi. Building elevations shall limited to banding, medallions o
	b. Off-street vehicular parking shall be provided on the Site in accordance with the requirements of the Ordinance as set forth in the Rezoning	vii. Building elevations shall three of the following: a combin
I	Plan and subject to the optional provisions.c. On-street vehicular parking shall be provided as set forth on the Rezoning Plan.	arcades, or other architectural el viii. Buildings should be a mi
	d. Parking for all uses shall be provided at a minimum rate of one space per 500 square feet of gross floor area.	ix. Overall height of building
		R/W R/W R/
2		<u>d</u> d d <u>d</u> d d d d d d d d d d d d d d d d d d d
	MONTFOR 60' R/W (DB 23)	
	CITY OF CHARLOT	TE MAINTAINED
	PROPOSED	EX. DRIVEWAY
	EX. SMALL MAT. TREES PARALLEL TO REMAIN (TYP OF 4) SPACES	→ 22.0' →
	35'x35' SIGHT	
	TRIANGLE	
		200
I		
		BENCH WITHIN
		AMENITY ZONE
		,
	N/F	
	SOULA A KOTROTSIOS { AMENITY ZONE }	
	PID # 17514504 DB 10022 PG 779	~
3	$\begin{array}{c} DB \ 10022 \ PG \ 779 \\ P \\ P \\ R.0' \\ R.0' \\ R.0' \\ P \\ R.0' \\ $	
		.0. 0. 0.
	8' AMENITY ZONE WITH HARDSCAPE	
	BETWEEN TREES (TYP)	
	PROP. 8'	<u>0'</u> 23.0'
	SIDEWALK	
	O'R/W (DB O'R/W))))))))))))))))))))))))))))))))))))	ال ال مر 🗲
		 مر
		}
	NOTE: THE INTENT OF THIS EXHIBIT IS TO SHOW PRACTICAL MAXIMUM PARKING AND	} }9.0'
	SHOW PRACTICAL MAXIMUM PARKING AND	
	BUILDING/PATIO AREAS AVAILABLE FOR THIS SITE. ACTUAL SITE PLAN WILL VARY	$\begin{vmatrix} 1 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$
	FROM WHAT IS SHOWN.	
	ULTIMATE BUILDING/PATIO AREAS WILL BE	
4	LIMITED BY FINAL PARKING SPACES	
1	ABOVE.	SHARED
		CONCRETE WALK

Α

THIS DOCUMENT, TOGETHER WITH

THE CONCEPTS AND DESIGNS PRESENTED HEREIN, AS AN INSTRUMENT OF SERVICE, IS INTENDED

C		D			
d Landscaping	7.	Environmental Features			
foot setback as measured from the back of the curb along the unnamed street on the western border of the Site will be $\left. \right. \left. \right\}$	a.	Site will comply with the Tree Ordinance.			
shall include an eight (8) foot planting strip, with hardscape sections covering portions of the planting strip and connecting k as depicted on the Rezoning Plan, and a minimum of an eight (8) foot wide sidewalk which may extend to the building	b.	Site will comply with the Post Construction Stormwater Ordinance.			
	8.	Parks, Greenways and Open Space			
venty (20) feet measured from the back of curb (the existing curb is the future back of curb) shall be provided and as	a.	Reservation/Dedication of park and/or greenway: N/A			
he Rezoning Plan. The setback shall include an eight (8) foot planting strip, with hardscape sections covering portions of the lecting the curb to the sidewalk as depicted on the Rezoning Plan, a two (2) foot utility easement and a minimum of a ten k will be which will extend to the building façade.	b.	Park and/or greenway improvements: N/A			

stall a suspended sidewalk as the hardscape between trees depicted on the Rezoning Plan.

t trees and interior trees as shown on the Rezoning Plan.

noose to add benches as depicted on the Site Plan.

andards

uilding/Patio Envelope may be any combination of multi-story or single story patio and building. Building placement and on and enhance the pedestrian environment on public or private network streets, through the following:

placed so as to present a front or side facade to all streets.

streets shall include a combination of windows and operable doors for a minimum of 80% of each frontage elevation een 2" and 10' on the first floor. Up to 10% of this requirement may be comprised of display windows. These display a minimum 3'-0" clear depth between window and rear wall. Windows within this zone shall not be screened by film, material, glazing finishes or window treatments. The maximum sill height for required transparency shall not exceed reet sidewalk.

irst / ground floor of the buildings along streets shall incorporate a minimum of 20% masonry materials such as brick or

connection should be provided between street facing doors, corner entrance features to sidewalks on adjacent streets. acing shall not exceed 75 feet.

ons shall not have expanses of blank walls greater than 20 feet in all directions and architectural features such as but not

allions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.

ons shall be designed with vertical bays or articulated architectural features which shall include a combination of at least combination of exterior wall offsets (projections and recesses), columns, pilasters, change in materials or colors, awnings, ectural elements.

d be a minimum height of 22'.

f building shall not exceed sixty (60) feet.



D

ING, PLLC. SHALL BE WITHOUT LIABILITY TO BANKS ENGINEERING, PLLC.

N/F MMAC HT I ABBEY LLC PID # 17514527 & 17514528 DB 30015 PG 859-963 UNIT FILE 761 PG 1

В

CIFIC PURPOSE AND CLIENT

— | —— | — –

С

CUMENT WITHOU

D	Ε			ENC
 7. Environmental Features a. Site will comply with the Tree Ordinance. b. Site will comply with the Post Construction Stormwater Ordinance. 8. Parks, Greenways and Open Space a. Reservation/Dedication of park and/or greenway: N/A b. Park and/or greenway improvements: N/A 		1919 SUIT CHAI T: 70	SOUTH BO RLOTTE, NO 04.780.4972 License #P-1	ULEVARD C 28203
 9. Binding Effect of the Rezoning Application a. If this Rezoning Petition is approved, all conditions applicable to the development amended in the manner provided herein and under the Ordinance, be binding upon and in of the Site, and their respective heirs, devisees, personal representatives, successors in in 	are to the benefit of the Petitioner and subsequent owners erest or assigns.	© 201 CLIENT:		2933 ROCKBROOK DR. CHARLOTTE, NC 28211
a R/W R/W a a a a a a a a a b a a a a a	DEVELOPMENT SUMMARYREZONING SITE AREA:0.82 ACRESTAX PARCEL ID:175-145-03EXISTING ZONING:B-1			
	PROPOSED ZONING: MUDD-O EXISTING USES: EATING / DRINKING / ENTERTAINMENT EST. (EDEE) PROPOSED USES: USES PERMITTED IN MUDD AS FURTHER DESCRIBED IN THE DEVELOPMENT STANDARDS EXISITING BUILDING SF: N/A - TO BE REMOVED PROPOSED SF: PER DEVELOPMENT STANDARDS (+/-27,500 SF BASED ON PARKING SHOWN) PARKING: PER DEVELOPMENT STANDARDS BUILDING HEIGHT: PER DEVELOPMENT STANDARDS	PROJECT:	MONTFORD 1600 MONTFORD RD	Charlotte, NC 28209
N/F MARSH MORTGAGE CO PID # 17514501 DB 3287 PG 201	OPEN SPACE: N/A Montford Drive Refer to Map 7 for location of street cross-sections		TECHNICAL DATA SHEET	PETITION 2017-116
DUMPSTER PAD	drawing not to scale ''PAVEMENT' SECTION = 40' Image: CL_PAVEMENT SECTION = 40' 0' Image: CL_PAVEMENT SECTION = 40' 0			10.19.17 Revised per rezoning comments 09.08.17 Revised per rezoning comments & staff meeting DATE DESCRIPTION
	AREA PLAN SETBACK			REV.

AREA PLAN SETBACK

E

 SCALE:
 1"= 20'

 0
 10
 20

DESIGNED: JDB

RZ1-0

01043001

10.17.17

DRAWN: CHECKED:

PROJECT:

DATE:

2017-116 Revised Notes 10/19/2017

1. General Provisions

a. The development of the Site will be governed by this Rezoning Plan and the standards/ applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance"). The regulations established for the zoning of the MUDD zoning district, shall govern the development of this Site, subject to the optional provisions herein.

b. The development depicted on the Rezoning Plan is schematic and represents the general proposal for the project. Accordingly, the configuration, placement, size and number of the stairs, sidewalks, trees, ramps, patio, parking areas and/or site elements may be altered or modified within the limits prescribed by the zoning ordinance, subject to the Optional Provisions provided below.

c. Alterations to the conditional plan are subject to section 6.207, Alterations to Approval.

2. Optional Provisions:

The following optional provisions shall apply to the Site:

a. Parking shall be permitted to extend past the building façade on the unnamed street border and up to the setback and may be located closer to the Unnamed Street than the building/permitted uses provided that required parking screening is provided in the manner depicted on the Rezoning Plan.

b. The southern and eastern boundary lines of the Site shall not be required to meet the parking lot screening requirements set forth in Sections 9.8506(2)(b) and 12.303 of the Ordinance.

c. Wall signs having up to 200 square feet of sign surface area per wall or 10% of the Wall area to which they are attached, whichever is less (exclusive of any wall mounted signage) shall be allowed.

d. Additional 45 square feet of wall mounted signage on the ground floor for each use, in addition to any other signage allowed, shall be allowed.

3. Permitted Uses

a. Allowed uses: Any use or combination of uses and accessory uses as permitted in MUDD, including without limitation, Eating Drinking and Entertainment Establishments (Types 1 and 2) and Brewery uses provided that the maximum square footage, including patio/outdoor dining space, shall not exceed 2<u>7</u>6,500 square feet.

b. No residential uses shall be permitted on the ground floor.

4. Transportation

a. Vehicular access shall be as generally depicted on the Rezoning Plan. The placement and configuration of each access point are subject to any minor modifications.

b. Off-street vehicular parking shall be provided on the Site in accordance with the requirements of the Ordinance as set forth in the Rezoning Plan and subject to the optional provisions.

c. On-street vehicular parking shall be provided as set forth on the Rezoning Plan.

d. Parking for all uses shall be provided at a minimum rate of one space per 500 square feet of gross floor area.

5. Streetscape and Landscaping

a. A <u>sixteen (16)</u> fifteen (15) foot setback as measured from the back of the <u>existing</u>-curb along the unnamed street on the western border of the Site will be provided. The setback shall include a seven (7) foot sidewalk adjacent to the on-street parallel parking as depicted on the Rezoning Plan, and an eight (8) foot planting strip adjacent. The setback shall include an eight (8) foot planting strip adjacent. The setback shall include an eight (8) foot planting strip adjacent. The setback shall include an eight (8) foot planting strip adjacent. The setback shall include an eight (8) foot planting strip adjacent. The setback shall include an eight (8) foot planting strip, with hardscape sections covering portions of the planting strip and connecting the curb to the sidewalk as depicted on the Rezoning Plan, and a minimum of an eight (8) foot wide sidewalk which may extend to the building façade.

b. A setback of twenty (20) feet measured from the back of curb (the existing curb is the future back of curb) shall be provided and as generally set forth in the Rezoning Plan. The setback shall include an eight (8) foot planting strip, with hardscape sections covering portions of the planting strip and connecting the curb to the sidewalk as depicted on the Rezoning Plan, a two (2) foot utility easement and a minimum of a ten (10) foot wide sidewalk will be which will extend to the building façade.

c. Petitioner may install a suspended sidewalk as the hardscape between trees depicted on the Rezoning Plan.

d. Addition of street trees and interior trees as shown on the Rezoning Plan.

e. Petitioner may choose to add benches as depicted on the Site Plan.

6. Architectural Standards

a. Area marked as Building/Patio Envelope may be any combination of multi-story or single story patio and building. Building placement and Site Design shall focus on and enhance the pedestrian environment on public or private network streets, through the following:

i. Buildings shall be placed so as to present a front or side facade to all streets.

ii. Facades fronting streets shall include a combination of windows and operable doors for a minimum of 80% of each frontage elevation transparent glass between 2" and 10' on the first floor. Up to 10% of this requirement may be comprised of display windows. These display windows must maintain a minimum 3'-0" clear depth between window and rear wall. Windows within this zone shall not be screened by film, decals, and other opaque material, glazing finishes or window treatments. The maximum sill height for required transparency shall not exceed 4'-0" above adjacent street sidewalk.

iii. The facades of first / ground floor of the buildings along streets shall incorporate a minimum of 20% masonry materials such as brick or stone.

iv. Direct pedestrian connection should be provided between street facing doors, corner entrance features to sidewalks on adjacent streets.

v. Operable door spacing shall not exceed 75 feet.

vi. Building elevations shall not have expanses of blank walls greater than 20 feet in all directions and architectural features such as but not limited to banding, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.

vii. Building elevations shall be designed with vertical bays or articulated architectural features which shall include a combination of at least three of the following: a combination of exterior wall offsets (projections and recesses), columns, pilasters, change in materials or colors, awnings, arcades, or other architectural elements.

viii. Buildings should be a minimum height of 22'.

ix. Overall height of building shall not exceed sixty (60) feet.

7. Environmental Features

- a. Site will comply with the Tree Ordinance.
- b. Site will comply with the Post Construction Stormwater Ordinance.

8. Parks, Greenways and Open Space

- a. Reservation/Dedication of park and/or greenway: N/A
- b. Park and/or greenway improvements: N/A

9. Binding Effect of the Rezoning Application

a. If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site, and their respective heirs, devisees, personal representatives, successors in interest or assigns.