



REZONING MEMORANDUM
ARBORIST OFFICE

Reviewer: Laurie Reid Dukes
Phone: 704.336.5753
E-Mail: ldukes@charlottenc.gov

Date: 19 Feb 2018

Petition Number: 2017-097 Parcel No. 141-071-04, 141-071-22, 141-071-23, 141-071-25, 141-071-26, 141-083-02, 141-071-09, 141-071-06, 141-071-07; 3316 Shopton Rd.

COMMENTS: No trees can be removed or planted in the right of way of any state maintained street without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City.

Trees cannot be removed from or planted in the right of way of all City of Charlotte maintained streets. . The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way of a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-132 Parcel No. 047-162-13, 047-162-11, 047-162-05; 2615 West Mallard Creek Church Dr.

COMMENTS: Trees cannot be removed from or planted in the right of way of any state maintained streets (West Mallard Creek and David Taylor) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of



way. No trees can be removed from the right of way (David Taylor) without explicit authorization from the City Arborist or his designee.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-133 Parcel No. 047-168-28, 047-152-39, and 047-152-37; 1 College View Ln.

COMMENTS: Trees cannot be removed from or planted in the right of way of any state maintained streets (Governor Hunt) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petitioner is required to provide adequate soil volume/planting space for all trees required by the Tree Ordinance; locations of driveways on all public streets cannot conflict with the soil volume/planting space requirements. Alternative solutions may be required to provide adequate soil volume/planting space.

Petition Number: 2017-135 Parcel No. 029-721-18B; Ridge Rd.

COMMENTS: No trees can be planted in the right of way of any state maintained street (I-485) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

Trees cannot be planted in the right of way of all City of Charlotte maintained streets (Ridge Rd.) without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.



Petition Number: 2017-138 Parcel No. 143-041-12, 143-041-20, 143-041-14, 143-031-06; Cascade Pointe Blvd.

COMMENTS: Trees cannot be planted in the right of way of all City of Charlotte maintained streets (Cascade Pointe Blvd.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting. No trees can be removed from the right of way of any City maintained street (Tyvola Rd., Speer Dr., and National Av.) without explicit permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

Petition Number: 2017-161 Parcel No. 080-194-01, 080-194-03, 080-194-04, 080-194-05, 080-194-07, 080-194-14, 080-194-15; Charlottetowne Ave, Elizabeth Ave, and E. 5th Street.

COMMENTS: No trees can be removed from the right of way of any City maintained street (Charlottetowne Ave, Elizabeth Ave, and E. 5th Street) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-171 Parcel No. 229-021-19, 229-021-14, 229-021-05, 229-021-13, 229-021-87, 229-021-03, 229-021-22; 11000, 11026 Beau Riley Rd., 10115, 10027 Ardrey Kell Rd., 9034 Wade Ardrey Rd.

COMMENTS: The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way (Ardrey Kell, Beau Riley, and Wade Ardrey Rds.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any state maintained street (Ardrey Kell and Wade Ardrey Rds.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City



Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

No trees can be planted in the right of way of any city maintained street (Beau Riley Rd.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-177 Parcel No. 125-118-04, 125-118-01; 1610 E 4th St., 125 Baldwin Ave

COMMENTS: The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way (E. 3rd St., Baldwin Ave., E 4th St.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any state maintained street (E. 3rd St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

No trees can be planted in the right of way of any city maintained street (Baldwin Ave, E. 4th St.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way for all streets. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



Petition Number: 2017-180 Parcel No. 111-461-03, 111-461-04, 111-461-05, 111-461-08, 111-461-09; 11901 Albemarle Rd.

COMMENTS: Project is currently outside the City of Charlotte city limits. If the project will remain outside the city limits, no comments.

If the project is annexed into the City of Charlotte the follow comments apply:

No trees can be removed from the right of way of any existing or newly created City maintained street without explicit permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any existing or newly created City maintained street without explicit permission of the City Arborist's office. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

Trees cannot be removed from or planted in the right of way of any state maintained streets without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-182 Parcel No. 025-211-98, 025-211-99, 025-211-93; 8291 West W.T. Harris Blvd

COMMENTS: Trees cannot be removed from or planted in the right of way of any state maintained streets without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

Petition Number: 2017-183 Parcel No. 175-094-44, 175-094-45, 175-094-46, 175-094-47; 2508, 2446, 2440 Runnymede Ln.

COMMENTS: Trees cannot be removed from or planted in the right of way of any state maintained streets without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.



The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-186 Parcel No. 119-089-07, 119-089-06, 119-089-05, 119-089-04; 224, 228, 232, 236 W Kingston Ave

COMMENTS: No trees can be removed from the right of way of any existing (W. Kingston Ave.) City maintained street without explicit permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any existing or newly created City maintained street without explicit permission of the City Arborist's office. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-192 Parcel No. 133-251-15, 133-251-16, 133-251-11; 8805 E W.T. Harris Blvd., 7040 Old Lawyers Road.

COMMENTS: No trees can be planted in nor removed from the right of way of any City maintained street (E. W.T. Harris Blvd. And Old Lawyers Rd.) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-196 Parcel No. 047-211-04; 8503 North Tryon St.

COMMENTS: Trees cannot be removed from nor planted in the right of way of any state maintained streets (N. Tryon St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at



the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-197 Parcel No. 219-124-03; 13731 S. Tryon St.

COMMENTS: Trees cannot be removed from nor planted in the right of way of any state maintained streets (S. Tryon St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

No trees can be removed from nor planted in the right of way of any existing or newly created City maintained street without explicit permission from the City Arborist or his designee. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-198 Parcel No. Portion of 203-221-01; Arrowpoint Blvd.

COMMENTS: No trees can be removed from the public right of way of any existing (Arrowpoint Blvd.) or newly created city maintained street without explicit authorization from the City Arborist or his designee. The location of structures, driveways, and other items illustrated on the site plan are conceptual in nature; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

Trees cannot be planted in the right of way of all City of Charlotte maintained streets (Arrowpoint Blvd.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

Trees cannot be removed from nor planted in the right of way of any state maintained streets (Arrowood Rd.) without permission of NC Department of Transportation and the City Arborist's office.



Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-199 Parcel No. 125-121-01, 125-121-02, 125-121-03, 125-121-05; 600 S. College St., 122 E. Stonewall St., 601 and 615 S. Tryon St.

COMMENTS: No trees can be removed from the public right of way of any existing (E. Stonewall, S. College, Hill, and S. Tryon Sts.) or newly created city maintained street without explicit authorization from the City Arborist or his designee. The location of structures, driveways, and other items illustrated on the site plan are conceptual in nature; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

Trees cannot be planted in the right of way of all existing (E. Stonewall, S. College, Hill, and S. Tryon Sts.) or newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-200 Parcel No. 087-041-07; 920 Craighead Rd.

COMMENTS: Trees cannot be planted in nor removed from the right of way of all existing (Craighead Rd.) and newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way of any public street (Craighead); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches



(DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-201 Parcel No. 109-151-06, 109-151-07, 109-151-10; 7705/7815 E. W.T. Harris Blvd.,

COMMENTS: Trees cannot be removed from nor planted in the right of way of any state maintained streets (E. W.T. Harris Blvd.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

Trees cannot be planted in nor removed from the right of way of all existing and newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way of any public street (E. W.T. Harris Blvd.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-203 Parcel No. 119-076-23, 119-076-24, 119-076-22; 1900, 1916 S. Tryon St. and 401 W. Worthington Ave.

COMMENTS: No trees can be planted in the right of way of any state maintained street (S. Tryon St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

No trees can be planted in the right of way of any city maintained street (Worthington Ave. and Woodcrest Ave.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City



Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

Petition Number: 2017-205 Parcel No. portion of 143-131-08; Yorkmont Rd.

COMMENTS: The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way (Hive Dr.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any existing or created city maintained street without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.