



REZONING MEMORANDUM  
ARBORIST OFFICE

Reviewer: Laurie Reid Dukes  
Phone: 704.336.5753  
E-Mail: ldukes@charlottenc.gov

Date: 20 Nov 2017

**Petition Number: 2017-159 Parcel No. 071-022-22, 071-022-23, 071-022-24; 817, 819, 821 Walnut Ave, 1516 W. Morehead St.**

**COMMENTS:** No trees can be removed from the right of way of any City maintained street (Walnut Ave) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

If trees are to be planted in the right of way on a City of Charlotte maintained street, contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted; species must be approved before planting.

Trees cannot be removed from or planted in the right of way of any state maintained streets (W. Morehead St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



**Petition Number: 2017-160 Parcel No. 187-061-35; 4548 Providence Rd.**

**COMMENTS:** Trees cannot be removed from or planted in the right of way of any state maintained streets (Providence Rd.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

Per the Tree Ordinance, "a continuous perimeter planting strip, located between the street and sidewalk, with a minimum width of eight (8) feet, shall be required." A five foot planting strip is not permitted per the Tree Ordinance. Update Development Standards E. 1. to reflect this requirement.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-161 Parcel No. 080-194-01, 080-194-03, 080-194-04, 080-194-05, 080-194-07, 080-194-14, 080-194-15; Charlottetowne Ave, Elizabeth Ave, and E. 5th Street.**

**COMMENTS:** No trees can be removed from the right of way of any City maintained street (Charlottetowne Ave, Elizabeth Ave, and E. 5th Street) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



**Petition Number: 2017-162 Parcel No. 119-077-08; 1816 Wickford Pl.**

**COMMENTS:** No trees can be removed from the right of way of any City maintained street (Wickford Pl and W. Worthing Av.) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-163 Parcel No. 083-085-12, 083-085-13, 083-085-14; 3316, 3320, 3322 N. Davidson St.**

**COMMENTS:** Trees cannot be planted in the right of way of any City maintained streets (N. Davidson St.) without permission of the City Arborist's office. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss species to be planted.

**Petition Number: 2017-164 Parcel No. 061-141-03; 2110 Alleghany St.**

**COMMENTS:** Trees cannot be removed from or planted in the right of way of any state maintained streets (I-85) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



**Petition Number: 2017-165 Parcel No. Portion of 025-091-25; 6801 Northlake Mall Dr.**

**COMMENTS:** No trees can be removed from the right of way of any City maintained street (Wickford Pl and W. Worthing Av.) without permission of the City Arborist's office. The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-166 Parcel No. 061-151-09; 1706 Queen City Dr.**

**COMMENTS:** No trees can be removed from the public right of way of any city maintained street without explicit authorization from the City Arborist or his designee. The location of structures, driveways, and other items illustrated on the site plan are conceptual in nature; City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way.

Trees cannot be planted in the right of way of all City of Charlotte maintained streets (Tuckaseegee Rd.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

Trees cannot be removed from or planted in the right of way of any state maintained streets (Queen City Dr. and I-85) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit before planting trees in the NCDOT right of way once plans have been approved by the City and before planting trees in the NCDOT right of way.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



**Petition Number: 2017-167 Parcel No. 131-111-12, 131-111-10, 131-111-01; 4001 E. Independence Blvd, 4812 Bamboo St.**

**COMMENTS:** No trees can be planted in the right of way of any state maintained street (Independence Blvd and Bamboo St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

Trees cannot be planted in the right of way of all existing and newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

**Petition Number: 2017-168 Parcel No. 119-074-27, 119-074-28; 601, 607, 615 West Blvd. and 541 W. Worthington Ave.**

**COMMENTS:** No trees can be planted in the right of way of any state maintained street (Independence Blvd and Bamboo St.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way of any public street (West Blvd.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

Trees cannot be planted in the right of way of all existing and newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-169 Zoning Ordinance Text Amendment**

**COMMENTS:** No Comments.



**Petition Number: 2017-170 Parcel No. 121-077-04, 121-077-05, 121-077-06; 2425, 2442, 2501 South Blvd.**

**COMMENTS:** No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee. Trees cannot be planted in the right of way of all existing and newly created City of Charlotte maintained streets without authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-171 Parcel No. 229-021-19, 229-021-14, 229-021-05, 229-021-13, 229-021-87, 229-021-03, 229-021-22; 11000, 11026 Beau Riley Rd., 10115, 10027 Ardrey Kell Rd., 9034 Wade Ardrey Rd.**

**COMMENTS:** The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way (Ardrey Kell, Beau Riley, and Wade Ardrey Rds. ); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any state maintained street (Ardrey Kell and Wade Ardrey Rds.) without permission of NC Department of Transportation and the City Arborist's office. Trees must be planted to meet NCDOT planting guidelines. Contact Laurie Reid (704-336-5753) at the City Arborist's office for a tree planting permit once plans have been approved by the City and before planting trees in the NCDOT right of way.

No trees can be planted in the right of way of any city maintained street (Beau Riley Rd.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.



**Petition Number: 2017-172 Parcel No. 081-124-10, 081-129-02; 1035 Harrill St. and 923 Belmont Ave.**

**COMMENTS:** No trees can be removed from or planted in the right of way of any city maintained street (Belmont Ave. and Harrill St.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-173 Parcel No. portion of 121-012-10; 240 Doggett St.**

**COMMENTS:** The location of structures/driveways/other items illustrated on the site plan are conceptual in nature and do NOT confirm or imply authorization by the City to remove any City trees located in street right of way (Doggett St. and Hawkins St.); City Council approval of the rezoning site plan does not confirm or imply authorization by the City Arborist to remove any tree located in a public street right of way. No trees can be removed from the right of way without explicit authorization from the City Arborist or his designee.

No trees can be planted in the right of way of any city maintained street (Doggett St. and Hawkins St.) without explicit authorization from the City Arborist or his designee. Contact Laurie Reid (704-336-5753) at the City Arborist's office to discuss trees species to be planted in the right of way on a City of Charlotte maintained street; species must be approved before planting.

The petitioner shall submit a tree survey for all trees two (2) inches in diameter at breast height (DBH) or larger located in the public right of way. In addition, the survey shall include all trees eight (8) inches (DBH) or larger in the setback. Tree survey may be completed by landscape architect, surveyor, or other land development professional.

**Petition Number: 2017-174 Zoning Ordinance Text Amendment**

**COMMENTS:** No comments.