

Date: 2/20/2019

Staff Contact: John Howard

Petition: 2019-004


Telephone: 704-336-5994

Email: jghoward@charlottenc.gov

Attachments: N/A

I. SUMMARY REMARKS:

The site is located along CATS #56 bus route on West Hebron Street. CATS is requesting the installation of a concrete waiting pad at a location to be determined with the CATS bus operations staff.



- LEGEND**
- TRASH RECEPTACLE
 - SIGN
 - ADA SPACE
 - NEW CONCRETE WAITING PAD 4" THICK

- NOTES:**
1. DIMENSIONS REPRESENT MINIMUM STANDARDS; VARIATIONS MUST BE APPROVED THROUGH CATS AND CDOT PROJECT MANAGER.
 2. SEE SHEETS NO. 07A AND 07B FOR ADDITIONAL DETAILS AND NOTES.
 3. WIDTH OF SIDEWALK PLUS PLANTING STRIP MUST EQUAL 8'. IF WIDTH IS LESS THAN 8', EXISTING SIDEWALK MUST BE REPLACED WITH WIDER SIDEWALK TO OBTAIN 8'.

APPROVED DATE _____



**WAITING PAD ONLY
WITH PLANTING STRIP
STANDARD**

STD. NO.	REV.
60.01B	1