

## CHARLOTTE HISTORIC DISTRICT COMMISSION

## **CERTIFICATE OF APPROPRIATENESS**

**CERTIFICATE NUMBER:** HDCADMC-2018-00517

DATE: 21 September 2018

**ADDRESS OF PROPERTY: 200 West Trade Street** 

**HISTORIC DISTRICT:** Fourth Ward

TAX PARCEL NUMBER: 07801501

**OWNER(S):** First Presbyterian Church of Charlotte

**APPLICANT:** Jesse Hite

**DETAILS OF APPROVED PROJECT:** Fence. The project is the installation of a new metal fence and three new gates at the 5<sup>th</sup> Street entrance to the Weekday School. The fence/gates will be approximately four feet in height and in a style to match the existing metal fence, see attached exhibits labeled 'Fence/Gate – Design - September 2018,' and 'Site Plan - September 2018.'

- 1. Applicable Policy & Design Guidelines and Approval Authority Projects Eligible for Administrative Approval, page 2.6 Fences
- 2. The applicable Policy & Design Guidelines for Fences and Walls (page 8.6) have been met.
- This Certificate of Appropriateness (COA) indicates that this project proposal has been determined to comply with the standards and policies of the Charlotte Historic District Commission.
- Display the blue COA placard in a visible location along with any required permits.
- No other approvals are to be inferred.
- > No demolition other than that specifically indicated on any attached plans is authorized under this approval.
- All work must be completed in accordance with all other applicable state and local codes.
- Any changes from or additions or deletions to the plans referenced herein will void this Certificate, and a new application must be filed with the Historic District Commission.

This Certificate is valid for a period of twelve (12) months from the date of issuance. Failure to obtain a building permit in that time will be considered as a failure to comply with the Certificate and the Certificate will become invalid. If a building permit is not required, then the approved work must be completed within twelve (12) months of the date of issuance of this Certificate. In either situation, the Certificate can be renewed for an additional twelve (12) months by Historic District Commission staff by written request within the first twelve (12) months from the date of issuance.

<del>l</del>Chairman

Kustina a. Harpst

## Site Man-September 2018

FIRST PRESBYTERIAN CHURCH

7-10-18

(6) 3" SQUARE GATE POSTS (1) 3" SQUARE END POSTS (1) PANEL TO BE CUT TO FIT AND MAGNA -LATCHES SELF-CLOSING MINGES 1. - 3 GATES WITH GOOD

2.- 1 MORE MAGNA LATCH FOR EXISTING GATE

WALL MOUNTS FOR 5 WALLS

3.-(2) GOOD SELF-CLOSING HINGES FOR EXISTING GATE AT FRONT PLAYGROUND

AROUND LATCH ON GATE AT PLAYGROUND 4.- (1) - PC PLEXIGLASS TO BE CUT TO FIT

MCHOMIC-2018-60517 Charlotte Historic District Certificate of Appropriatence. Commission

5 st STROOT

3'-0" WIDE GATE

(P)



4'-0" WIDE GATE

FOR EXISTING GATE

MAGNA LATCH

WILL NEED TO CORE

5'-3" WIDE GATE

モュナルルへの 30100100

AMPRILI FENCE CO. INC.

Ameristar Standard 2" (Latch Clearance) -2" (Hinge Clearance) Leaf Widths (2) 11/2" 11/2" MONTAGE PLUS" Rail (See Cross- Section on Panel Drawing) Post size varies with Height (See MONTAGE PLUS" Post-Sizing chart) (4) Varies with Height Gate Upright 7 1¾" x 14 ga. Standard Heights ¾" Øx 18ga. Picket 3', 31/2', 4', 5', 6' Weld on Box Hinge 3 2" Nom. 315/16" TYP. APPROVED ŀ 36" Min. Footing depth Charlotte Historic District Commission Certificate of Appropriateness Single gate Arrangement NOTES: Post size depends on fence height, weight and wind loads. See MONTAGE PLUS<sup>TI</sup> specifiations for post sizing chart.
See Ameristar gate table for standard out to outs. Custom gate openings available for special out to out/leaf widths. 3.) Additional styles of gate hardware are available on request. This could change the Latch & Hinge Clearance. 4.) Third rail required for Double Rings. - Over all Out to Out (2) Ameristar Standard 2" (Hinge Clearance) 2" (Hinge Clearance) 3" (Latch Clearance) -Leaf Widths (2) 1/2" MONTAGE PLUS" Rail (See Cross- Section on Panel Drawing) Post size varies with Height (See MONT.IGE PLUS" Post-Sizing chart) (4) ① Varies with Gate Upright Height 1¾" x 14 ga. Standard Heights 3', 31/2', 4', 5', 6' ¼" □ x 18ga. Picket Weld on Box Hinge 313/6" TYP. 36" Min. Footing depth :11: 11: Double gate Arrangement Values shown are nominal and not to be used for installation purposes. See product specification COMMERCIAL STRENGTH WELDED STEEL GATES for installation requirements. TRMISOG MONTAGE PLUS MAJESTIC 2/3-RAIL SGL & DBL GATE 1555 N. Mingo **AMERISTA** Tulsa, OK 74116 DR: CI SH. lof I SCALE: DO NOT SCALE 1-888-333-3422 www.ameristarfence.com CK: ME Date 6/28/10 REV: e