

City Crossing  
Retail-Oriented Mixed Use Center  
Development Standards  
October 5, 2007

1. General Provision

1.1 This petition relates to approx 13.072 acres of land at the corner of South Tryon Street and Tyvola Road in Charlotte, NC. The site is currently zoned B-1(CD) pursuant to petition #89-52.

1.2 The purpose of this petition is to rezone approx. 9.632 acres of the site to CC(CD) and a approx. 3.44 acres of the site to BD (CD) as a part of a newly planned Retail-Oriented Mixed Use Center.

1.3 Unless more stringent standards are established by The Technical Data Sheet or these Development Standards, all applicable development standards established by the Charlotte Mecklenburg Planning Commission for a Retail-Oriented Mixed / Multi Use Center under Commercial Center Zoning and Distributive Business shall be followed with respect to the site.

2. Guiding Principles

2.1 The location of the development was chosen due to the existing retail and associated zoning classifications of the immediate surrounding areas, planning expectations of the site and multiple accesses to existing thoroughfares.

2.2 The development plan will contain a mixture of retail oriented uses along with pedestrian pathways and public open spaces.

2.3 The development aims to be both externally and internally convenient to different modes of transportation and will accentuate pedestrian pathways to connect to the various uses including any freestanding single tenant building.

3. Permitted Size and Uses

3.1 This proposal is intended to accommodate a development of a maximum of 140,000 sf for the CC(CD) portion of the site. A maximum of 110,000 sf may be devoted to Retail uses. The maximum ground floor square footage of a single retail tenant use may be 50,000 sf, with an expansion area of up to 10,000 sf. A maximum of 30,000 sf may be devoted to Office uses.

3.2 A portion of the site as indicated on the Technical Data Sheet is proposed for BD(CD) zoning. The petitioner is proposing an internally serviced mini storage use and any allowed additional buildings on the BD (CD) portion of the site with a maximum FAR of 0.7.

3.3 The BD (CD) portion of the site may be used for any or all of the following uses: mini storage, retail, office, restaurant and parking.

3.4 A maximum of one independent freestanding single tenant building shall be allowed on th CC (CD) portion of the site. Petitioner will design freestanding outparcel to minimize drive-thru impacts, maintain pedestrian safety and provide access to shared amenities. See Illustrative Site Plan for the 2.5k sf. retail building as an example of the single independent freestanding single tenant building.

3.5 There shall be no limit to the number of interconnected (pedestrian) freestanding uses. Petitioner will design freestanding outparcel to minimize drive-thru impacts, clearly define interconnectivity with pedestrian access paths and provide access to shared amenities.

3.6 Petitioner is proposing an attended full service car wash use for the CC(CD) portion on the site as part of the maximum allowed retail square footage.

3.7 The final configuration of multi tenant and/or single tenant buildings subject to change based on final leasing plans.

4. Multiple Access Points

4.1 The total number of vehicular ingress / egress points to South Tryon Street and Tyvola Road shall be as indicated on the Technical Data Sheet. The exact locations may vary somewhat from those depicted based on the final design and review as regulated by CDOT and where applicable, NCDOT.

4.2 Access Point #1: Access Point #1 on Tyvola Road will be a full access driveway. DOT will determine the location of the driveway adjacent to the eastern property line. There will be some reworking of the existing curb line to separate the existing westbound right turn lane from the driveway. There will be pavement marking changes that will be required of the developer to incorporate an eastbound left-turn lane to serve the driveway. A westbound right-turn lane will be provided to serve the driveway.

4.3 Access Point #2: Access point #2 on South Tryon Road will be a full access driveway. There will be a double row with 200 feet of storage per lane for the southbound left-turn lane to Tyvola Road. A southbound left turn lane with a minimum of 160 feet of storage will be provided for the site driveway.

4.4 The NCDOT may require right turn lanes into access point 1 on West Tyvola Road. The petitioner will coordinate these roadway improvements with NCDOT prior to the submittal for a driveway permit.

4.5 Pedestrian access to the site from surrounding neighborhoods shall connect to the site through the network of pedestrian sidewalks which extend to the existing sidewalk along South Tryon Street and Tyvola Road as illustrated on the Illustrative Site Plan. Pedestrian movements will be well defined and buffered from vehicular traffic by the use of planting strips, defined pathways, curbs and bollards.

4.6 Bicycle facilities which are safe and secure shall be provided on site in accordance with the guidelines provided in the Charlotte-Mecklenburg Bicycle Transportation Plan.

4.7 A transit shelter pad will be constructed per CATS Development Standards 60.03 on Tyvola Road.

5. ROW, Setbacks, Sideyards and Rearyards

5.1 In accordance with the existing conditional site plan for this property (PR 89-52) approved by City Council on July 12, 1989, the petitioner will maintain the commitment to dedicate the following right of way along the site's street frontages:

South Tryon Street: 60 feet from the centerline for a distance of 500 feet as measured in a northerly direction from the West Tyvola Road right-of-way described below, then tapering at a rate of 45:1 to a location that is 500 feet from the centerline

West Tyvola Road: 70 feet from the centerline for a distance of 500 feet as measured in an easterly direction from the South Tryon Street right-of-way described above, then tapering at a rate of 45:1 to a location that is existing or a minimum of 50 feet from the centerline, whichever is greater.

5.2 The development will adhere to a 20' setback from ROW and/or dedicated ROWs as indicated on The Technical Data Sheet.

5.3 The minimum sideyard and rearyard shall be 25' for the CC (CD) portion of the site and 10' for the BD (CD) portion of the site.

6. Screening, Landscaping and Existing Natural Environment

6.1 The Site development will address guidelines set forth in the General Development Policies for the Natural Environment. Items of consideration will include the preservation of existing slopes adjacent to streams, maintaining a meaningful amount of public open space and to retain as much existing landscaping as feasible.

6.2 Screening will conform to the applicable standards of Section 12.303 of the Charlotte Zoning Ordinance along with section 11.405(5) of the Commercial Center District design standards.

6.3 Landscaping along the Site's frontage on both South Tryon Street and Tyvola Road shall meet or exceed the requirements of the City of Charlotte Tree Ordinance.

6.4 A class B landscaped buffer shall be provided adjacent to single family zoning according to table 12.302(a) and section 11.405(5).

6.5 The Petitioner will expcort best efforts to provide a 10% tree save. The actual percentage + or - and tree save locations, will be based upon the actual existing tree coverage, final site engineering of grades, retention areas and recommended curb cut locations by DOT and/or NCDOT.

6.6 Petitioner will work with City of Charlotte Engineering and Duke Power to provide for an alternate buffer within the 200' Duke Power ROW.

6.7 An 8'-0" wide planting strip and 6'-0" wide sidewalk planted with large maturing trees will be provided along South Tryon Street and West Tyvola Road.

7. Building Height and Area

7.1 The maximum retail square footage for the CC(CD) portion of the site is calculated based on 110,000 total area with an expansion area up to 10,000 sf for single large tenant. Maximum area is based on the chart provided in the Development Standards for a Neighborhood Retail Oriented Mixed Use Center.

7.2 The maximum office square footage for the CC(CD) portion of the site is calculated based on 30,000 total area. Maximum area is based on the chart provided in the Development Standards for a Neighborhood Retail Oriented Mixed Use Center.

7.3 The maximum square footage for the BD(CD) portion of the site will maintain a maximum FAR of 0.7.

7.4 The maximum building height for the mini storage use will be of 48' from grade + required parapet to screen rooftop equipment.

8. Vehicular Parking

8.1 Off street parking shall meet or exceed the minimum standards as set forth in the Charlotte Zoning Ordinance.

8.2 Minimum parking standards for the CC(CD) portion of the site shall be 1 space per 250 sf. per Table 12.202 for shopping centers greater than 50,000 sf.

8.3 Minimum mini storage use parking standards for the BD(CD) portion of the site shall be 25 spaces per 1,000 sf of storage area and 1 / 400 sf of office and other areas. Up to 50% of parking may be shared with adjacent CC(CD) portion of the site. Any sharing of required parking between the two zoning areas will be guaranteed by a legally binding written agreement between owners of both areas.

8.4 Bicycle racks shall be provided per Table 12.202 for shopping centers greater than 50,000 sf.

8.5 Bicycle racks shall be provided at 1 per 12,000 sf for Long Term Bicycles and 5% of auto parking for Short Term Bicycles.

9. Lighting

9.1 Lighting affiliated with the proposed mini-storage use will not negatively impact the adjacent residentially zoned properties.

9.2 All freestanding streetscape lighting fixtures installed within the Development will be uniform in design. The maximum height of any freestanding lighting fixture, including its base, shall be 30' in height.

9.3 Pedestrian lighting will be provided at focal areas throughout the site.

10. Signage

10.1 A coordinated and well designed signage system will be designed for the site. Detached project master identification signage will be installed at locations throughout the site generally as depicted on The Technical Data sheet. The size and number of attached and detached signs for the building walls facing South Trade Street and Tyvola Road, shall be as allowed by a shopping center in a CC District as per section 13.108 and 3.109(4)(b).

10.2 The master signage system will accommodate one detached sign per street frontage. Detached signs will not exceed 30' in height. The design of the architectural pylon signs shall be substantially similar to the Conceptual Imagery set forth in this petition.

10.3 The master signage system will accommodate one detached outparcel sign for the Independent Freestanding Single Tenant use. One detached outparcel sign may be provided for each interconnected Single Tenant Use. The size and number of detached outparcel signs shall be as allowed by Section 13.109(c).

10.4 The master signage system will accommodate a system of clear way-finding signage per Development Standards.

10.5 All other signage not specifically mentioned in this petition, shall conform to the design standards as set forth in Chapter 13 of the Charlotte Zoning Ordinance.

11. Architectural Controls

11.1 Buildings will be designed to minimize and/or eliminate blank walls and provide for appropriate building massing and interconnected pedestrian spaces for all facades facing public streets. Dumpsters shall be screened and located as far away from pedestrian paths as possible.

11.2 Multitenant buildings facing South Tryon Street and West Tyvola Road will be designed in a way to provide a minimum width of 20' of articulated storefront systems on the endcaps facing the roads.

11.3 Building facades facing South Tryon Street and West Tyvola Road will incorporate clear glass, murals, or spandrel glass storefront system openings.

11.4 Buildings will be constructed of brick, stone, synthetic stone, stucco, synthetic stucco, architectural metal panel, concrete block or other architectural materials.

11.5 Pedestrian pathways will be clearly differentiated from vehicular traffic with the use of colored and/or patterned concrete/asphalt treatment, site lighting locations and / or curb lines.

11.6 Exterior lights will be fully shielded. Wall pack lighting is not allowed in the development.

11.7 All utility meters to be located on the sides of the buildings facing South Tryon Street and West Tyvola Roads.

12. Statements with respect to the graphics depicted on the exhibits accompanying the Technical Data Sheet

12.1 The ultimate layout of the development proposed for each component of the site and the parcels or lots forming parts thereof, the exact alignment of streets, the configuration and placements of parking areas and the precise locations, heights and masses of the buildings (and parking decks, if required) to be constructed have not been determined. As a consequence, the graphics which accompany the Technical Data Sheet are schematic in nature and are not to be considered as specific site development plans but rather as preliminary graphic representations of the types and quality of development proposed for each component.

13. Plan Review

13.1 The development shall satisfy the requirements for plan review imposed by Section 11.405 of the Charlotte Zoning Ordinance and attempt to design within the guidelines as set forth in The Development Standards for a Retail Oriented Mixed Use Center.

14. Amendments to Rezoning Plan

14.1 Future amendments to the Technical Data Sheet and the Development Standards may be applied for by the then owner or owners of the parcel or parcels involved in accordance with The Charlotte Zoning Ordinance.

15. Binding Effect

15.1 If this rezoning petition is approved, the development program established under these Development Standards and The Technical Data Sheet shall, unless amended in the manner provided under the Ordinance, be binding and inure to the benefit of the Petitioner and the owners (from time to time) and their respective heirs, devisees, personal representatives, successors in interest and assigns.

15.2 Throughout this Rezoning Petition, the terms "Petitioner", "Owner" or "Owners," shall, with respect to each parcel within the site, be deemed to include the heirs, devisees, personal representatives, successors in interest and assignees of the owner or owners of the Site who may be involved in its development from time to time.

16. Land Use and Environmental

16.1 The proposed development may be subject to certain air quality permit requirements in accordance with Mecklenburg County Air Pollution Control Ordinance (MCAPCO) Regulation 2.0805 - Parking Facilities.

16.2 There is a closed landfill located within 100 feet of the site.

16.3 A solid waste management plan will be submitted prior to initiating demolition and/or construction activities to include procedures to recycle all clean wood, metal, and concrete generated during demolition and construction activities. A monthly report of all tonnage disposed and recycled will be made to the Mecklenburg County Solid Waste Program. The report will include the identification and location of facilities receiving disposed or recycled materials.



16.4 Any separate, defined drainage area within a project that will have greater than 24% built-upon area is to have water quality best management practices (BMP's) to treat storm water runoff from the entire built upon area within the separate, defined drainage area. The BMP's are to be constructed to achieve 85% Total Suspended Solid (TSS) removal for the entire post-development runoff volume for the first 1 inch of rainfall. The BMP's must be designed and constructed in accordance with the NC Department of Environmental and Natural Resources (NCDENR) Best Management Practices Manual, April 1999, Section 4.0. Low Impact Design systems may be employed in whole or part, to meet the 85% TSS treatment standard for storm water runoff. LID systems to be designed and constructed per the NCDENR Best Management Practices Manual, April 1999, Section 4.0.

16.5 Any separate, defined drainage area within a project that will have greater than 24% built-upon area is to have best management practices (BMP's) to control the entire runoff volume for the 1 year, 24 hour storm. The runoff volume drawdown time for the BMP's shall be a minimum of 24 hours, but not more than 120 hours. Control the peak runoff rates to match the predevelopment runoff rates for the 10-yr, 6-hr storm and perform a downstream flood analysis to determine whether additional peak control is needed and if so, for what level of storm frequency, or if a downstream analysis is not performed, control the peak for the 10-yr and 25-yr, 6-hour storms.

16.6 The petitioner acknowledges that other standard development requirements imposed by other city ordinances, standards, policies, and appropriate design manuals will exist. Those criteria (for example, those that require buffers, regulate streets, sidewalks, trees, stormwater, and site development, etc.) will apply to the development site. This includes chapters 6, 8, 12, 17, 18, 19, 20 and 21 of the city code. Conditions set forth in this petition are supplemental requirements imposed on the development in addition to other standards. Where conditions on this plan differ from ordinances, standards, policies, and approaches in existence at the time of formal engineering plan review submission, the stricter condition or existing requirements shall apply.

16.7 Location, size, and type of any stormwater Management systems depicted on the rezoning site plan is subject to review and approval with full development plan submittal and is not implicitly approved with this rezoning. Adjustments may be necessary in order to accommodate actual stormwater treatment requirements and natural site discharge points.

16.8 Any jurisdictional wetlands or streams, if present, need to be protected or proper environmental permits obtained prior to their disturbance.



Architects, p.a.

ADW Architects, p.a.  
1401 West Morehead Street, Suite 100  
Charlotte, NC 28208  
704.379.1919 Fax 704.379.1920  
www.adwarchitects.com




Mixed Use  
Development

CITY  
CROSSING

THE GHAZI COMPANY

South Tryon Street  
& Tyvola Road  
Charlotte, NC



TECHNICAL DATA  
SHEET

DATE: 05/16/07 JOB NO: 06135-00

REVISIONS:	
NO.	DATE DESCRIPTION:
1	05/16/07 REVISED PER DOT COMMENTS & ZONING DESIGNATION
2	10/05/07 REV. PER CITY/DOT COMMENTS




SHEET NUMBER

RZ-1







Architects, p.a.

ADW Architects, p.a.  
1401 West Morehead Street, Suite 100  
Charlotte, NC 28208  
704.379.1919 Fax 704.379.1920  
www.adwarchitects.com

Mixed Use  
Development

CITY  
CROSSING



South Tryon Street  
& Tyvola Road  
Charlotte, NC

ILLUSTRATIVE  
SITE PLAN

DATE: 05/16/07 JOB NO: 06135-00

NO.	DATE	DESCRIPTION
1	05/16/07	REVISED PER DOT COMMENTS & ZONING DESIGNATION
2	09/21/07	REV. PER CITY/DOT COMMENTS
3	10/30/07	REVISED PER CITY COMMENTS

SHEET NUMBER

RZ-2

## SITE DATA

TOTAL ACREAGE: 13.0 ACRES  
EXISTING ZONING: B-1(CD)  
PROPOSED ZONING: CC(CD) +/-9.63 ACRES AND BD(CD) +/-3.4

### BUILDING SQUARE FOOTAGE:


MAX. ALLOWED ON CC(CD) PORTION OF THE SITE  
RETAIL 110,000 SF  
OFFICE 30,000 SF  
AS SHOWN ON ILLUSTRATIVE SITE PLAN: 87,500 SF

MAX. ALLOWED ON BD(CD) PORTION OF THE SITE  
105,000 SF (MAX. FAR 0.7)  
AS SHOWN ON THE ILLUSTRATIVE SITE PLAN: 102,000 SF

### PARKING REQUIREMENTS:

RETAIL/OFFICE  
REQUIRED: 4 SPACES PER 1,000 SF  
AS SHOWN ON THE ILLUSTRATIVE SITE PLAN 4 / 1,000 FOR 3E

MINI STORAGE .25 SPACES PER 1,000 SF  
+ 1 SPACE PER 400 SF FOR OTHER AREAS  
AS SHOWN ON THE ILLUSTRATIVE SITE PLAN: 30 TOTAL MIN.




ILLUSTRATIVE SITE PLAN

SCALE 1" = 50'-0"

01





Architects, p.a.


ADW Architects, p.a.  
1401 West Morehead Street, Suite 100  
Charlotte, NC 28208  
704.379.1919 Fax 704.379.1920  
www.adwarchitects.com

Mixed Use  
Development

## CITY CROSSING

THE GHAZI COMPANY

South Tryon Street  
& Tyvola Road  
Charlotte, NC



CONCEPTUAL  
IMAGERY

DATE: 05/16/07 JOB NO: 06135-00

REVISIONS:

NO.	DATE	DESCRIPTION
1	05/16/07	REVISED PER DOT COMMENTS & ZONING DESIGNATION
3	10/30/07	REVISED PER CITY COMMENTS

SHEET NUMBER


RZ-3

CONCEPTUAL IMAGERY



NTS

01





**SITE DATA**  
 PETITION # - 2007-052  
 TOTAL SITE ACREAGE - 13.0 ACRES  
 10% TREE SAVE AREA - 13 ACRES REQUIRED AND PROVIDED



**ADW**  
 Architects, p.a.  
 ADW Architects, p.a.  
 1401 West Morehead Street, Suite 100  
 Charlotte, NC 28208  
 704.379.1919 Fax 704.379.1920  
 www.adwarchitects.com

Mixed Use  
 Development

CITY  
 CROSSING

South Tryon Street  
 & Tyvola Road  
 Charlotte, NC

ALTERNATE BUFFER  
 AND TREE SAVE PLAN

DATE:	10/04/07	JOB NO:	06135-00
NO. DATE		DESCRIPTION	
1	10/04/07	REV. PER CITY DOT COMMENTS	
2			
3			
4			
5			
6			
7			
8			
9			
10			

SHEET NUMBER  
 RZ-4



# LEGAL DESCRIPTION

BEING 12.227 acres located at the southeast quadrant of the intersection of Tyvola Road Extension and N.C. Hwy 49 (South Tryon St.) in the City of Charlotte, Mecklenburg County, North Carolina, and being a part of those certain tracts of land recorded in deed book 4278, page 927, tract 29 and in deed book 5208, page 520 in the Mecklenburg County Registry, and being more particularly described as follows:

BEGINNING at an existing iron pin found marking the northwest corner of lot 1 of Yorkmont Park as recorded in map book 8, page 133 and a common corner with the right-of-way of N.C. Hwy 49 and tract 29 of deed book 4278, page 927;

THENCE with the western line of lots 1, 2, 3, 4 and 5 of Yorkmont Park as recorded in map book 8, page 133, also being the center of a Duke Power Company 200' R/W, S 53°28'33" E 472.69 feet to an existing iron pin found marking the common southwest corner of lots 5 and 6;

THENCE with the northwestern line of lot 18 and 19 of Yorkmont Park as recorded in map book 9, page 375, S 53°50'37" W 345.87 feet to an existing iron pin;

THENCE with the western line of Yorkmont Park, recorded in map book 9, page 375, S 04°19'35" W 763.82 feet to a new iron pin set marking the common westerly corner of lot 28 of Yorkmont Park and the terminus of the northern right-of-way line of Sleepy Hollow Road;

THENCE S 05°56'30" W 27.68 feet to a new iron pin set near the centerline of Sleepy Hollow Road;

THENCE N 55°41'28" W 423.29 feet to a new iron pin set in the eastern right-of-way line of Tyvola Road Extension;

THENCE with the eastern right-of-way line of said road the following seven calls: (1) with the arc of a circular curve to the left having a radius of 2920.29 feet, a length of 56.86 feet, and a chord of N 11°21'52" W 56.86 feet to a concrete monument; (2) N 78°04'40" E 11.00 feet to a concrete monument; (3) with the arc of a circular curve to the left having a radius of 2931.29 feet, a length of 257.11 feet, and a chord of N 14°26'06" W 257.03 feet to a concrete monument; (4) N 38°04'37" E 72.80 feet to a concrete monument; (5) N 18°05'57" W 27.18 feet to a concrete monument; (6) S 36°29'20" W 73.72 feet to a concrete monument; (7) and with the arc of a circular curve to the left having a radius of 2931.29 feet, a length of 241.94 feet, and a chord of N 19°45'17" W 241.88 feet to a concrete monument;


THENCE with the right-of-way intersection taper N 14°08'46" E 171.89 feet to a concrete monument on the southern right-of-way line of N.C. Hwy 49 (South Tryon St);

THENCE with the southern right-of-way line of N.C. Hwy 49 the following five calls: (1) N 53°30'02" E 97.35 feet to a concrete monument; (2) S 36°29'06" E 95.30 feet to a concrete monument; (3) N 53°30'54" E 15.00 feet to a concrete monument; (4) N 36°29'06" W 95.00 feet to a concrete monument; (5) and N 53°24'54" E 410.03 feet to the point of beginning.

NOTE: SEE CITY OF CHARLOTTE PLANS OF TYVOLA ROAD EXTENSION

ALSON COURT, INC.  
4278 / 927  
TRACT 28

SLEEPY HOLLOW  
ROAD



REV. 1, 5/7/90, PER CITY ENGR. AMEND EXIST. R/W

## ZONED B-1 (CD) REZONING PETITION #89-52



### LEGEND

674.7	BACK-OF-CURB	SWALE OR DITCH
674.3	GUTTER	TELE. MH. TELEPHONE MANHOLE
CB	STORM DRAINAGE CATCH BASIN	
LP	LIGHT POLE	
PP	POWER POLE/OVHD LINE	
TL	OVHD TELEPHONE LINE	
	TREE	
F	FENCE	
EV	ELEC. VAULT	
WV	WATER VALVE	
WL	WATER LINE	
632J	SPOT ELEVATION	
R/W	RIGHT OF WAY	
MW #2	GROUND WATER MONITORING WELL	
BH	BORE HOLE	
TSC	TRAFFIC SIGNAL CONT.	
EIP	EXISTING IRON PIPE OR PIN	
NP	NEW IRON PIN SET	
EW	EXISTING R/W MONUMENT	
620	2' CONTOURS	

### TREE LEGEND

P	PINE
O	OAK
W.O.	WILLOW OAK
M	MAPLE
T.W.	TWIN TRUNK
TR	TRIPLE TRUNK

NOTE: ALL UNDER GROUND UTILITY AND STORM DRAINAGE STRUCTURES ARE SHOWN AS APPROXIMATE AND WERE TAKEN FROM CITY OF CHARLOTTE PLANS FOR TYVOLA ROAD EXTENSION, SHEET 30 ALL ABOVE GROUND WERE FIELD LOCATED.



**ALLIANCE**  
ENGINEERING & SURVEYING, P.A.  
(704) 289-4712  
1516 WALKUP AVE., MONROE, N.C. 2810

TOPOGRAPHIC SURVEY  
FOR  
**CRESCENT LAND & TIMBER CORP.**  
CITY OF CHARLOTTE

MECKLENBURG COUNTY, NORTH CAROLINA  
DATE: 3/16/89  
SCALE: 1" = 12'

DRAWN BY: CPO  
PROJ. NO.

SURVEY C-11



**APPROVED**

Signed: Raymond E. Williams Jr.  
Date: 10-18-07

KING'S COLLEGE OF  
 BUSINESS  
 CHARLOTTE, NC 28202  
 T 704.334.7025  
 F 704.334.7505  
[www.kings-college.edu](http://www.kings-college.edu)



**SOUTH TRYON STREET &  
TYVOLA ROAD  
THE GHAZI COMPANY  
CHARLOTTE, NORTH CAROLINA**

## SITE PLAN

DATE: 10-12-97

**SCALE:** HORIZ : 1" = 20'

JO# NO. X7030.00

**SHEET: 1**