GENERAL PROVISIONS

THESE DEVELOPMENT STANDARDS FORM A PART OF THE REZONING PLAN FOR THE "MOREHEAD CENTER" DEVELOPMENT SUBMITTED BY INSITE PROPERTIES, LLC (THIS "REZONING PLAN"). DEVELOPMENT OF THE PROPERTY IDENTIFIED ON THIS REZONING PLAN (THE "PROPERTY" OR THE "SITE") AND THE INDIVIDUAL COMPONENTS TO BE LOCATED THEREON WILL BE GOVERNED BY THE CONDITIONS OF THIS REZONING PLAN AND THOSE PLANS AND DRAWINGS EXPRESSLY INCORPORATED HEREIN BY REFERENCE AND THE APPLICABLE PROVISIONS OF THE CITY OF CHARLOTTE ZONING ORDINANCE (THE "ORDINANCE"). UNLESS MORE STRINGENT STANDARDS ARE ESTABLISHED BY THIS REZONING PLAN, THE DEVELOPMENT STANDARDS ESTABLISHED UNDER THE ORDINANCE FOR THE MIXED USE DEVELOPMENT DISTRICT (MUDD-O) CLASSIFICATIONS SHALL BE FOLLOWED IN CONNECTION WITH DEVELOPMENT TAKING PLACE ON THE

THE DEVELOPMENT DEPICTED ON THE REZONING PLAN (THIS SHEET) IS SCHEMATIC IN NATURE AND IS INTENDED ONLY TO DESCRIBE THE POSSIBLE ARRANGEMENT OF USES ON THE SITE AND ILLUSTRATE DESIGN PRINCIPALS. ACCORDINGLY, THE CONFIGURATION, PLACEMENT AND SIZE OF THE BUILDING FOOTPRINTS OUTLINED ON THE REZONING PLAN ARE SCHEMATIC AND, SUBJECT ONLY TO THE PROVISIONS SET FORTH BELOW MAY BE ALTERED OR MODIFIED DURING DESIGN, DEVELOPMENT AND CONSTRUCTION PHASES WITHIN THE MAXIMUM BUILDING/PARKING ENVELOPE LINES ESTABLISHED ON THIS SHEET. PARKING LAYOUTS MAY ALSO BE MODIFIED TO ACCOMMODATE FINAL BUILDING LOCATIONS AND OFF-STREET PARKING SPACES MAY BE LOCATED INSIDE AND OUTSIDE BUILDING ENVELOPES TO THE EXTENT PERMITTED BY THE ORDINANCE. ALL SUCH CHANGES ARE SUBJECT TO APPROVAL PER THE ORDINANCE.

THE PETITIONER ACKNOWLEDGES THAT OTHER STANDARD DEVELOPMENT REQUIREMENTS IMPOSED BY OTHER CITY ORDINANCES, STANDARDS, POLICIES, AND APPROPRIATE DESIGN MANUALS WILL EXIST. THOSE CRITERIA (FOR EXAMPLE, THOSE THAT REQUIRE BUFFERS, REGULATE STREETS, SIDEWALKS, TREES, STORMWATER, AND SITE DEVELOPMENT, ETC.) WILL APPLY TO THE DEVELOPMENT SITE. THIS INCLUDES CHAPTERS 6, 9, 12, 17-21 OF THE CITY CODE. CONDITIONS SET FORTH IN THIS PETITION ARE SUPPLEMENTAL REQUIREMENTS IMPOSED ON THE DEVELOPMENT IN ADDITION TO OTHER STANDARDS. WHERE CONDITIONS ON THIS PLAN DIFFER FROM ORDINANCES, STANDARDS, POLICIES, AND APPROACHES IN EXISTENCE AT THE TIME OF FORMAL ENGINEERING PLAN REVIEW SUBMISSION, THE STRICTER CONDITION OR EXISTING REQUIREMENTS SHALL APPLY.

PERMITTED USES

THE SITE MAY BE DEVELOPED FOR RETAIL, RESTAURANT, AND OFFICE WHICH ARE PERMITTED BY RIGHT UNDER THE ORDINANCE FOR MIXED USE DEVELOPMENT DISTRICT; SUBJECT, HOWEVER, TO THE FOLLOWING VARIATION(S) FROM THE MIXED USE DEVELOPMENT DISTRICT (MUDD) MINIMUM STANDARDS FOR DESIGN AND DEVELOPMENT AS PART OF THIS MUDD (OPTIONAL) APPLICATION IN CONNECTION WITH DEVELOPMENT OF THE SITE IN ACCORDANCE WITH THIS REZONING PLAN TO WHICH THESE DEVELOPMENT STANDARDS ARE ATTACHED

. THE PETITIONER REQUESTS A DEVIATION FROM SECTION 9.8505(5) OF THE ORDINANCE FOR THE BUILDING LOCATED ON THIS SHEET (RZ .0). THIS BUILDING MAY EXTEND UP TO 160-FEET IN HEIGHT AS SHOWN ON THE SCHEMATIC BUILDING EXHIBITS (SHEET RZ 3.0 - 6.0). BUILDING HEIGHT SHALL BE MEASURED FROM THE AVERAGE GRADE ALONG EAST MOREHEAD STREET TO THE ROOF LINE. INCLUSIVE OF ANY PARAPETS. MECHANICAL SCREENING/PENTHOUSES, ROOF STAIRWELLS, AND ELEVATOR PENTHOUSES ARE EXCLUSIVE OF THIS HEIGHT.

SETBACKS, SIDE YARDS AND REAR YARDS , ALL BUILDINGS CONSTRUCTED WITHIN THE SITE SHALL SATISFY THE SETBACK, REAR YARD AND SIDE YARD REQUIREMENTS ESTABLISHED ON THIS REZONING PLAN- WHICHEVER IS MORE RESTRICTIVE.

SCREENING AND LANDSCAPING AREAS I. SITE WILL COMPLY WITH CHAPTER 21 OF THE TREE ORDINANCE

2. LANDSCAPE AREAS WILL BE PLANTED ON THE SITE TO MEET OR EXCEED THE REQUIREMENTS OF THE ORDINANCE.

3. STREET TREES SHALL BE INSTALLED ALONG ALL PUBLIC STREETS PER SECTION 21-14 C(3) OF THE CHARLOTTE TREE ORDINANCE.

4. SCREENING SHALL CONFORM WITH THE STANDARDS AND TREATMENTS SPECIFIED IN THE ORDINANCE. REQUIRED LANDSCAPE OF REES AND SHRUBS LOCATED WITHIN THE BUFFER AREA SHALL CONFORM TO THE ORDINANCE.

5. ANY FENCE OR WALL CONSTRUCTED ALONG OR ADJACENT TO ANY SIDEWALK OR STREET RIGHT-OF-WAY REQUIRES A CERTIFICATE ISSUED BY THE CHARLOTTE DEPARTMENT OF TRANSPORTATION.

I. PETITIONER AGREES TO INSTALL PEDESTRIAN SCALE LIGHTING ALONG PUBLIC STREETS. THE MAXIMUM HEIGHT OF ANY FREESTANDING LIGHTING FIXTURE, INCLUDING ITS BASE, SHALL NOT EXCEED 15 FEET.

2. ALL DIRECT LIGHTING WITHIN THE SITE SHALL BE FULL CUT-OFF AND DESIGNED SUCH THAT DIRECT ILLUMINATION DOES NOT EXTEND PAST ANY EXTERIOR PROPERTY LINE. CONSIDERATION WILL BE GIVEN TO THE IMPACT OF LIGHTING BOTH WITHIN AND OUTSIDE OF THE PERIMETER OF THE SITE. ITEMS FOR CONSIDERATION WILL INCLUDE INTENSITY, CUTOFF ANGLES, COLOR, ENERGY EFFICIENCY AND SHIELDING OF SOURCES OF LIGHT, THE INTENT BEING TO ELIMINATE GLARE TOWARDS ADJACENT PROPERTIES.

3. NO WALL PACK LIGHT FIXTURES WILL BE ALLOWED ON ANY STRUCTURES PLACED ON THE SITE.

, ALL SIGNS PLACED ON THE SITE SHALL BE ERECTED IN ACCORDANCE WITH THE REQUIREMENTS OF THE ORDINANCE. 2. TEMPORARY CONSTRUCTIONS SIGNAGE CANNOT BE LOCATED WITHIN THE REQUIRED SETBACK, AND MUST BE REMOVED NO LATER

HAN 60 DAYS FOLLOWING THE RECEIPT OF THE CERTIFICATE OF OCCUPANCY FOR THE STRUCTURE ADDRESSED BY THE SIGNAGE.

ACCESS POINTS (DRIVEWAYS . TWO PROPOSED PUBLIC STREET CONNECTIONS ARE PLANNED ON ROYAL COURT AS DEPICTED ON THE REZONING PLAN. THE ETITIONER SHALL COORDINATE THIS LOCATION WITH CHARLOTTE DEPARTMENT OF TRANSPORTATION DURING THE CONSTRUCTION

SOLID WASTE

DOCUMENTATION PROCESS.

THE PETITIONER SHALL SUBMIT A SOLID WASTE MANAGEMENT PLAN PRIOR TO INITIATING DEMOLITION AND/OR CONSTRUCTION ACTIVITIES TO INCLUDE, AT A MINIMUM, THE PROCEDURES THAT WILL BE USED TO RECYCLE ALL CLEAN WOOD, METAL, AND CONCRETE GENERATED DURING DEMOLITION AND CONSTRUCTION ACTIVITIES. THE PLAN SHALL SPECIFY THAT MONTHLY REPORTING OF ALL TONNAGE DISPOSED AND RECYCLED WILL BE MADE TO THE MECKLENBURG COUNTY SOLID WASTE PROGRAM. THE REPORT SHALL

INCLUDE THE IDENTIFICATION AND LOCATION OF FACILITIES RECEIVING DISPOSED OR RECYCLED MATERIALS.

THE DEVELOPMENT MUST MEET ALL REQUIREMENTS AS STATED IN THE CHARLOTTE CITY CODE REGARDING SOLID WASTE DUMPSTER. COMPACTOR AND RECYCLING AREAS.

SIDEWALKS . PETITIONER SHALL INSTALL A 6 FOOT WIDE SIDEWALK WITH A MINIMUM 8 FOOT WIDE PLANTING STRIP ALONG THE PROJECT SIDE OF ROYAL COURT, FOR MOREHEAD STREET, THE EXISTING 8 FOOT PLANT STRIP AND 6 FOOT SIDEWALK SHALL REMAIN. FOR ANY PORTIONS OF SIDEWALKS LOCATED OUTSIDE OF THE PUBLIC RIGHT-OF-WAY, THE PETITIONER SHALL CONTACT THE CHARLOTTE DEPARTMENT OF ANSPORTATION AND DEDICATE A PUBLIC ACCESS AND MAINTENANCE EASEMENT.

FIRE PROTECTION

ALL NEW BUILDINGS SHALL COMPLY WITH THE LAND USE REQUIREMENTS OF THE CHARLOTTE FIRE DEPARTMENT.

ALL NEW BUILDINGS SHALL COMPLY WITH THE WATER SUPPLY REQUIREMENTS OF THE CHARLOTTE FIRE DEPARTMENT. . ALL NEW BUILDINGS SHALL COMPLY WITH THE ACCESS REQUIREMENTS OF THE NORTH CAROLINA STATE FIRE CODE AND THE CHARLOTTE FIRE DEPARTMENT.

AIR QUALITY

I. DEVELOPMENT OF THIS SITE MAY REQUIRE SUBMISSION OF AN ASBESTOS NOTIFICATION OF DEMOLITION AND RENOVATION TO MCAQ DUE TO POSSIBLE DEMOLITION OR RENOVATION OF AN EXISTING STRUCTURE. A LETTER OF NOTIFICATION AND THE REQUIRED FORMS WILL BE MAILED DIRECTLY TO THE PETITIONER BY MCAQ.

2. THE PROPOSED PROJECT MAY BE SUBJECT TO CERTAIN AIR QUALITY PERMIT REQUIREMENTS IN ACCORDANCE WITH MECKLENBURG COUNTY AIR POLLUTION CONTROL ORDINANCE (MCAPCO) REGULATION 2.0805 - "PARKING FACILITIES". A LETTER OF NOTIFICATION AND COPY OF THE REGULATIONS WILL BE MAILED DIRECTLY TO THE PETITIONER BY MCAQ.

STORM WATER MANAGEMEN

THE PETITIONER ACKNOWLEDGES THAT OTHER STANDARD DEVELOPMENT REQUIREMENTS IMPOSED BY OTHER CITY ORDINANCES, STANDARDS, POLICIES, AND APPROPRIATE DESIGN MANUALS WILL EXIST. THOSE CRITERIA, (FOR EXAMPLE THOSE THAT REGULATE STREETS, SIDEWALKS, TREES, STORM WATER, POST CONSTRUCTION CONTROLS, AND SITE DEVELOPMENT, ETC.) WILL APPLY TO THE DEVELOPMENT SITE. CONDITIONS SET FORTH IN THIS PETITION ARE SUPPLEMENTAL REQUIREMENTS IMPOSED ON THE DEVELOPMENT IN ADDITION TO OTHER STANDARDS. WHERE CONDITIONS ON THIS PLAN DIFFER FROM ORDINANCES, STANDARDS, POLICIES, AND APPROACHES IN EXISTENCE AT THE TIME OF FORMAL ENGINEERING PLAN REVIEW SUBMISSION THE STRICTER CONDITION OR EXISTING REQUIREMENTS SHALL APPLY.

TORM WATER OUAN

THE PETITIONER SHALL TIE-IN TO THE EXISTING STORM WATER SYSTEM(S). THE PETITIONER SHALL HAVE THE RECEIVING DRAINAGE SYSTEM(S) ANALYZED TO ENSURE THAT IT WILL NOT BE TAKEN OUT OF STANDARD DUE TO THE DEVELOPMENT. IF IT IS FOUND THAT DEVELOPMENT WILL CAUSE THE STORM DRAINAGE SYSTEM(S) TO BE TAKEN OUT OF STANDARD, THE PETITIONER SHALL PROVIDE ALTERNATE METHODS TO PREVENT THIS FROM OCCURRING.

TORM WATER QUALITY TREATMENT - SOURCE: BMP RECOMMENDATION TAKEN FROM "POST-CONSTRUCTION ORDINANCE

TAKEHOLDERS' GROUP FINAL REPORT FOR PROJECTS WITH DEFINED WATERSHEDS GREATER THAN 24% BUILT-UPON AREA AND GREATER THAN ONE ACRE OF DISTURBED AREA, CONSTRUCT WATER QUALITY BEST MANAGEMENT PRACTICES (BMPS) TO ACHIEVE 85% TOTAL SUSPENDED SOLID (TSS) REMOVAL FOR THE NTIRE POST-DEVELOPMENT RUNOFF VOLUME FOR THE RUNOFF GENERATED FROM THE FIRST I-INCH OF RAINFALL BMPS MUST BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH THE MECKLENBURG COUNTY BMP DESIGN MANUAL, JULY 2007 OR NORTH CAROLINA DIVISION OF WATER QUALITY STORMWATER BEST MANAGEMENT PRACTICES MANUAL, JULY 2007. (DESIGN STANDARDS SHALL BE MET ACCORDING TO THE CITY OF CHARLOTTE BEST MANAGEMENT PRACTICES MANUAL, WHEN AVAILABLE). USE OF OW IMPACT DEVELOPMENT (LID) TECHNIQUES IS OPTIONAL

OLUME AND PEAK CONTROL - SOURCE: VOLUME CONTROL AND PEAK CONTROL DOWNSTREAM ANALYSIS TAKEN FROM POST-CONSTRUCTION ORDINANCE STAKEHOLDERS' GROUP FINAL REPORT".

FOR PROJECTS WITH DEFINED WATERSHEDS GREATER THAN 24% BUILT-UPON AREA, CONTROL THE ENTIRE VOLUME FOR THE I-YEAR 24-HOUR STORM, RUNOFF VOLUME DRAWDOWN TIME SHALL BE A MINIMUM OF 24 HOURS, BUT NOT MORE THAN 120 HOURS.

FOR RESIDENTIAL PROJECTS WITH GREATER THAN 24% BUA, CONTROL THE PEAK TO MATCH THE PREDEVELOPMENT RUNOFF RATES FOR THE 10-YEAR AND 25-YEAR, 6-HOUR STORMS OR PERFORM A DOWNSTREAM ANALYSIS TO DETERMINE WHETHER PEAK CONTROL IS NEEDED, AND IF SO, FOR WHAT LEVEL OF STORM FREQUENCY. "RESIDENTIAL" SHALL BE DEFINED AS "A DEVELOPMENT CONTAINING DWELLING UNITS WITH OPEN YARDS ON AT LEAST TWO SIDES WHERE LAND IS SOLD WITH EACH DWELLING UNIT.

FOR COMMERCIAL PROJECTS WITH GREATER THAN 24% BUA, CONTROL THE PEAK TO MATCH THE PREDEVELOPMENT RUNOFF RATES FOR THE 10-YR, 6-HR STORM AND PERFORM A DOWNSTREAM FLOOD ANALYSIS TO DETERMINE WHETHER ADDITIONAL PEAK CONTROL IS NEEDED AND IF SO, FOR WHAT LEVEL OF STORM FREQUENCY, OR IF A DOWNSTREAM ANALYSIS IS NOT PERFORMED, CONTROL THE PEAK FOR THE 10-YR AND 25-YR, 6-HOUR STORMS.

FOR COMMERCIAL PROJECTS WITH LESS THAN OR EQUAL TO 24% BUA, BUT GREATER THAN ONE ACRE OF DISTURBED AREA, CONTROL THE PEAK TO MATCH THE PREDEVELOPMENT RUNOFF RATES FOR THE 2 AND 10-YR, 6-HR STORM.

THE S.W.I.M. STREAM BUFFER REQUIREMENTS APPLY DESCRIBED IN THE CITY OF CHARLOTTE ZONING ORDINANCE, CHAPTER 12. IN ADDITION, INTERMITTENT AND PERENNIAL STREAMS WITHIN THE PROJECT BOUNDARY SHALL BE DELINEATED BY A CERTIFIED PROFESSIONAL USING U.S. ARMY CORPS OF ENGINEERS AND N.C. DIVISION OF WATER QUALITY METHODOLOGY AND SHALL BE SHOWN IN THE SITE PLAN SUBMITTAL ALONG WITH ALL BUFFER AREAS.

ALL PERENNIAL AND INTERMITTENT STREAMS DRAINING LESS THAN 50 ACRES SHALL HAVE A MINIMUM 30-FOOT VEGETATED BUFFER INCLUDING A 10-FOOT ZONE ADJACENT TO THE BANK, DISTURBANCE OF THE BUFFER IS ALLOWED; HOWEVER, ANY DISTURBED AREA MUST BE RE-VEGETATED AND DISTURBANCE OF THE 10-FOOT ZONE ADJACENT TO THE BANK SHALL REQUIRE STREAM BANK STABILIZATION USING BIOENGINEERING TECHNIQUES AS SPECIFIED IN THE DESIGN MANUAL

ALL STREAMS DRAINING GREATER THAN OR EQUAL TO 50 ACRES AND LESS THAN 300 ACRES SHALL HAVE A 35-FOOT BUFFER WITH TWO (2) ZONES, INCLUDING STREAM SIDE AND UPLAND. STREAMS DRAINING GREATER THAN OR EQUAL TO 300 ACRES AND LESS THAN 640 ACRES SHALL HAVE A 50-FOOT BUFFER WITH THREE (3) ZONES, INCLUDING STREAM SIDE, MANAGED USE AND UPLAND.

STREAMS DRAINING GREATER THAN OR EQUAL TO 640 ACRES SHALL HAVE A 100-FOOT BUFFER, PLUS 50% OF THE AREA OF THE FLOOD FRINGE BEYOND 100 FEET. THIS BUFFER SHALL CONSIST OF THREE (3) ZONES, INCLUDING STREAM SIDE, MANAGED USE AND UPLAND.

ALL BUFFERS SHALL BE MEASURED FROM THE TOP OF THE BANK ON BOTH SIDES OF THE STREAM. THE USES ALLOWED IN THE DIFFERENT BUFFER ZONES AS DESCRIBED IN THE S.W.I.M. STREAM BUFFER REQUIREMENTS IN THE ZONING ORDINANCE. CHAPTER 12, AS WELL AS THE OTHER PROVISIONS OF THE S.W.I.M. ORDINANCE SHALL APPLY (EXCEPT BUFFER WIDTHS).


, PROPOSED LOCATIONS OF UNDERGROUND SAND FILTER(S) AND UNDERGROUND DETENTION ARE ILLUSTRATIVE IN NATURE AND SUBJECT TO CHANGE UPON DESIGN DEVELOPMENT.

2. THE FOLLOWING AGENCIES MUST BE CONTACTED PRIOR TO CONSTRUCTION REGARDING WETLAND AND WATER **OUALITY PERMITS:**

SECTION 401 PERMIT NCDEHNR - RALEIGH OFFICE (919) 733-1786 SECTION 404 PERMIT US ARMY CORPS OF ENGINEERS (704) 271-4854

WATER QUALITY

THE PROPOSED PROJECT WILL INCLUDE A SUBSTANTIAL AMOUNT OF IMPERVIOUS AREA, WHICH WILL DIRECTLY AFFECT SURFACE WATER QUALITY DUE TO STORM WATER RUNOFF FROM THE PROJECT. STORM WATER RUNOFF BECOMES CONTAMINATED WITH POLLUTANTS ASSOCIATED WITH THE IMPERVIOUS AREA USAGE, TRANSPORTING THESE POLLUTANTS to surface waters. In addition, this impervious area acts to increase the volume and velocity of storm WATER ENTERING SURFACE WATERS, WHICH AFFECTS STREAM CHANNEL STABILITY AND NEGATIVELY IMPACTS WATER OUALITY AND AQUATIC HABITAT. IN ORDER TO MITIGATE THE IMPACTS OF THESE POLLUTANTS AND TO PROTECT WATER OUALITY CONDITIONS, THE PROPOSED PROJECT SHOULD INCORPORATE THE CRITERIA SPECIFIED BELOW.



GENERAL RECOMMENDATIONS: STORM WATER QUALITY TREATMENT

APRIL 1999, SECTION 4.0.

ANY SEPARATE, DEFINED DRAINAGE AREA WITHIN A PROJECT THAT WILL HAVE GREATER THAN 24% BUILT-UPON AREA IS TO HAVE WATER QUALITY BEST MANAGEMENT PRACTICES (BMPS) TO TREAT STORM WATER RUNOFF FROM THE ENTIRE BUILT-UPON AREA WITHIN THE SEPARATE, DEFINED DRAINAGE AREA. THE BMPS ARE TO BE CONSTRUCTED TO ACHIEVE 85% TOTAL SUSPENDED SOLID (TSS) REMOVAL FOR THE ENTIRE POST-DEVELOPMENT RUNOFF VOLUME FOR THE FIRST 1-INCH OF RAINFALL. THE BMPS MUST BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH THE N.C. DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES (NCDENR) BEST MANAGEMENT PRACTICES MANUAL,

THE USE OF LOW IMPACT DESIGN (LID) SUCH AS IBIORETENTION SYSTEMS IN TREE ISLANDS, GRASSED SWALES. VEGETATED BUFFERS. LEVEL SPREADERS, AND OTHER INNOVATIVE SYSTEMS IN A "TREATMENT TRAIN" IS OPTIONAL AND ENCOURAGED, WHERE APPLICABLE. LID SYSTEMS CAN BE EMPLOYED IN WHOLE OR IN PART, TO MEET THE 85% TSS TREATMENT STANDARD FOR STORM WATER RUNOFF. LID MUST BE DESIGNED AND CONSTRUCTED PER THE NCDENR BEST MANAGEMENT PRACTICES MANUAL, APRIL 1999, SECTION 4.0.

STORM WATER VOLUME AND PEAK CONTROLS

ANY SEPARATE, DEFINED DRAINAGE AREA WITHIN A PROJECT THAT WILL HAVE GREATER THAN 24% BUILT-UPON AREA IS TO HAVE BEST MANAGEMENIT PRACTICES (BMPS) TO CONTROL THE ENTIRE RUNOFF VOLUME FOR THE I-YEAR, 24-HOUR, THE RUNOFF VOLUME DRAWDOWN TIME FOR THE BMPS SHALL BE A MINIMUM OF 24 HOURS, BUT NOT MORE THAN 120 HOURS. THE PEAK RUNOFF RATES SHOULD BE CONTROLLED WITH BMPS TO MATCH THE PREDEVELOPMENT RUNOFF RATES FOR THE 10-YEAR AND 25- YEAR, 6-HR STORMS OR PERFORM A DOWNSTREAM ANALYSIS TO DETERMINE WHETHER PEAK CONTROL IS NEEDED, AND IF SO, FOR WHAT LEVEL OF STORM FREQUENCY.

STORM WATER RUNOFF FROM THE DEVELOPMENIT SHALL BE TRANSPORTED FROM THE SITE BY VEGETATED CONVEYANCES TO THE MAXIMUM EXTENT PRACTICABLE.


AMENDMENTS TO REZONING PLAN

FUTURE AMENDMENTS TO THE REZONING PLAN AND THESE DEVELOPMENT STANDARDS MAY BE APPLIED FOR BY THE OWNER OR OWNERS OF THE SITE IN ACCORDANCE WITH SECTION 6.206 OF THE ORDINANCE.

BINDING EFFECT OF THE REZONING APPLICATION

I. IF THE PETITIONER'S REZONING PETITION IS APPROVED, THE DEVELOPMENT PROGRAM ESTABLISHED UNDER THE REZONING PLAN AND OTHER SUPPORTIVE DOCUMENTS SHALL, UNLESS AMENDED IN THE MANNER PROVIDED UNDER THE ORDINANCE, BE: BINDING UPON AND INURE TO THE BENEFIT OF THE PETITIONER AND THE CURRENT AND SUBSEQUEINT OWNERS OF THE SITE AND THEIR RESPECTIVE HEIRS, DEVISEES, PERSONAL REPRESENTATIVES, SUCCESSORS IN INTERESTS AND ASSIGNS.

2. THROUGHOUT THESE DEVELOPMENT STANDAIRDS, THE TERM "PETITIONER" OR "OWNER", SHALL BE DEEMED TO INCLUDE THE HEIRS, DEVISEES, PERSONAL REPIRESENTATIVES, SUCCESSORS IN INTEREST AND ASSIGNS OF THE PETITIONER AND OWNER.



NOTES:

LEGEND:

ACU - AIR CONDITIONING UNIT BFP - BACK FLOW PREVENTOR

CMP CORRUGATED METAL PIPE

CPP - CORRUGATED PLASTIC PIPE

ECM - EXISTING CONCRETE MONUMENT

EMM - EXISTING METAL MONUMENT

C&G - CURB & GUTTER

DIP - DUCTILE IRON PIPE

EIP - EXISTING IRON PIPE

EIR - EXISTING IRON ROD

EN - EXISTING NAIL

EU - END UNKNOWN

FH - FIRE HYDRANT FY - FIRE VALVE GM - GAS METER

GV - GAS VALVE GW - GUY WIRE

LMP - LAMP POST

LP - LIGHT POLE

(M) - MEASURED

MRX - MAILBOX M.B. - MAP BOOK

(P) - PLATTED PB - POWER BOX

PG. - PAGE

NIR - NEW IRON ROD NN - NEW NAIL O/HANG - OVERHANG

PM - POWER METER

PVC - PLASTIC PIPE (R) - RECORDED R/W - RIGHT-OF-WAY

TB - TELEPHONE BOX

TVB - CABLE TV BOX WB - WATER BOX

WM - WATER METER

WY - WATER VALVE

LINE LEGEND:

PROPERTY LINE

RIGHT-OF-WAY

CABLE TV LINE

FIBER OPTIC LINE

SANITARY SEWER PIPE

STORM DRAIN PIPE

TELEPHONE LINE

EASEMENT

SETBACK

GAS LINE

POWER LINE

WATER LINE

TERR - TERRACOTTA PIPE

TMH - TELEPHONE MANHOLE

RIGHT-OF-WAY (NOT SURVEYED)

POWER LINE (UNDERGROUND)

APPROXIMATE ZONING LINE

PMH - POWER MANHOLE PP POWER POLE

P.O.B. POINT OF BEGINNING

EOG - EDGE OF GRAVEL

FC - FIRE CONNECTION

GRND L. GROUND LIGHT

ICV. IRRIGATION CONTROL VALVE

N.C.G.S. - NORTH CAROLINA GEODETIC SURVEY

PIN - PARCEL IDENTIFICATION NUMBER

RCP - REINFORCED CONCRETE PIPE

SSMH - SANITARY SEWER MANHOLE

PROPERTY LINE (NOT SURVEYED)

SDMH - STORM DRAIN MANHOLE

EOP - EDGE OF PAVEMENT

CB - CATCH BASIN CI - CURB INLET

C/O - CLEAN OUT D.B. DEED BOOK

DI - DROP INLET

1. THIS PLAT IS NOT FOR RECORDATION AS PER G.S. 47-30 AS AMENDED.

2. ALL CORNERS MONUMENTED AS SHOWN.

3. NO RECOVERABLE NCGS MONUMENT LOCATED WITHIN 2,000 FEET OF SUBJECT PROPERTY.

4. THE LOCATION OF UNDERGROUND UTILITIES SHOWN ON THIS MAP IS APPROXIMATE, BASED ON INFORMATION PROVIDED BY OTHERS OR BY FIELD LOCATION. UTILITY LOCATIONS AS SHOWN HEREON ARE INTENDED FOR PLANNING ONLY. ACTUAL LOCATION, SIZE, OR DEPTH OF LINE SHOULD BE VERIFIED WITH THE INDIVIDUAL UTILITY COMPANY BEFORE CONSTRUCTION.

5. THIS SURVEY WAS PERFORMED WITHOUT BENEFIT OF A TITLE COMMITMENT REPORT. R.B. PHARR & ASSOCIATES, P.A. DOES NOT CLAIM THAT ALL MATTERS OF RECORD WHICH MAY OR MAY NOT AFFECT THE SUBJECT PROPERTY ARE SHOWN HEREON.

6. ELEVATIONS BASED ON NAVD 88, THE SITE IS LOCALIZED AT R.B. PHARR UPTOWN CONTROL "NAIL 23" HAVING AN ELEVATION OF 745.59 FT.

7. BROKEN LINES INDICATE PROPERTY LINES NOT SURVEYED.

8. E. MOREHEAD ST. IS SHOWN AS A "MAJOR THOROUGHFARE" ON THE MECKLENBURG-UNION METROPOLITAN PLANNING ORGANIZATION THOROUGHFARE PLAN OF 2004 AND MAY BE SUBJECT TO A FUTURE RIGHT-OF-WAY OF 40' FROM CENTERLINE

9. THE OFF-SITE RIGHT-OF-WAY SHOWN HEREON IS FOR ILLUSTRATIVE PURPOSES ONLY. THE UNDERSIGNED CERTIFIES ONLY TO THE RIGHT-OF-WAYS SURVEYED, AND DOES NOT CERTIFY TO THE RIGHT OF WAY WIDTH OF ANY ADJACENT PROPERTIES.

ZONING:

ZONING RESTRICTIONS AS PER ZONING ORDINANCE: SUBJECT PROPERTY ZONED: B-1\H-2

MINIMUM SETBACK: 20' MINIMUM SIDE YARD: O' FOR NONRESIDENTIAL BUILDINGS


MINIMUM REAR YARD: 20" MAXIMUM BUILDING HEIGHT: 40"

FOR FURTHER INFORMATION CONTACT THE CHARLOTTE-MECKLENBURG ZONING DEPARTMENT

AT 704-336-3569. PARKING:

REGULAR PARKING SPACES = 51

HANDICAPPED PARKING SPACES = 4 TOTAL PARKING SPACES = 55



UTILITIES: POWER

DUKE POWER CO. 1800-357-3853

TELEPHONE BELL SOUTH TELECOMMUNICATIONS (704) 357-6974 NEW CONNECTIONS (704) 357-9580 EXISTING SERVICES

TELEPHONE LINE (UNDERGROUND)

WATER & SEWER CHAR-MECK. UTILITY DEPT. (CMUD) (704) 399-2221

PIEDMONT NATURAL GAS CO. (704) 525-5585 NEW CONNECTIONS (704) 525-5585 EXISTING CONNECTIONS CABLE TELEVISION

1-8(K)-632-4949

GAS



and a state of a state

an arana 🖉 mirranananin 🛔 amin'nya katala

anter trans Constanting Constanting Street States

فنسب يعينيه حميهه

FLOOD CERTIFICATION THIS IS TO CERTIFY THAT THE SUBJECT PROPERTY & NOT LOCATED IN A SPECIAL FLOOD HAZARD AREA AS SHOWN ON MAPS PREPARED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY, FEDERAL INSURANCE ADMINISTRATION, DATED

THIS IS TO CERTIFY THAT ON THE 9 DAY OF NOVEMBER 20 07 AN ACTUAL SURVEY WAS MADE UNDER MY SUPERVISION OF THE PROPERTY SHOWN ON THIS PLAT, AND THAT THE BOUNDARY LINES AND THE IMPROVEMENTS, IF ANY, ARE AS SHOWN HEREON. THIS PLAT MEETS THE MINIMUM STANDARDS OF PRACTICE FOR LAND SURVEXING IN NORTH CAROLINA, BOARD RULE . 1600 (21 NCAC 36) AND THE RATIO OF PRECISION DOES NOT EXCEED AN ERROR OF CLOSURE OF ONE (1) FOOT PER 10,000 FEET OF PERIMETER SURVEYED NOR 20 SECONDS TIMES THE SQUARE ROOT OF THE NUMBER OF ANGLES TURNED.

SIGNED

Legal Description 716 Royal Court, 720 Royal Court, & 727 E. Morehead Street

That certain parcel of land, situated, lying and being in the City of Charlotte; Meddenburg County, North Carolina and being more particularly described as follows:

Si.

d

andI

ວົຊັ

Ζè

ลีร

 \mathbf{m}

M

b0

CONDITIONS

EXISTING

 \cup

COMMENCING at R.B. Pharr Uptown Control "Nail 23" having ground coordinates of N:541,454,87 ft, E:1,447,356.79 ft; thence S 29*24'55" E a horizontal ground distance of 3.153.12 feet to a new iron rod said point being located on the western right of way of Royal Court (40' Public R/W); which is the POINT OF BEGINNING; having ground coordinates of N:538,708.24 R, E:1,448,905.41 ft, said point also being located at the southeast corner of Lot 4 - Block 18 of The Royal Land & Investment Company Subdivision as described in Map Book 332, Page 2 of the Mecklenburg County Registry. thence with the right of way of Royal Court the following 4 courses and distances: 1) with the arc of a circular curve turning to the right with a rackus of 276.11 feet, and an arc length of 50.35 feet, (chord: \$ 28*36'06* E a distance of \$0.28 feet) . to an existing iron pipe; 2) with the arc of a circular curve turning to the right with a radius of 276.11 feet, and an arc length of 50.00. (chord: \$ 18°11'22" E a distance of 49.93 feet), to a new iron rod; 3) with the arc of a circular curve turning to the right with a radius of 276.11 feet, and an arc length of 144.15, (chord: 5.01*57'17" W a distance of 142.52 feet), to a new nail: 4) 5.54°03'08" W a distance of 210.19 feet to a new iron nod said point being located on the eastern right of way of E. Morehead Street (60' Public R/W); thence with the right of way of E. Morehead Street N 35*56'52* W a distance of 209.88 feet to an existing iron rod said point being located at the southwest corner of the Kennington Family Limited Partnership Property as described in Deed Book 8433, Page 499 of the Mecklenburg County Registry, thence with the aforesaid Kennington Family Limited Partnership Property N 54°03'08" E crossing a new iron rod at a distance of 200.00 feet for a total distance of 319.40 feet to the POINT OF BEGINNING: Containing 59,816 square feet or 1 3732 acres as shown on a survey by R.B. Pharr and Associates P.A. dated November 9, 2007, (Map File W-3561), (Job No. 72175).

G37211\72175\Doc\Legal\72175tracti doc

Legal Description 717 Royal Court


That certain parcel of land, situated, tying and being in the City of Charlotte, Mecklenburg County, North Carolina, and being more particularly described as follows:

COMMENCING at RB. Pharr Uptown Control "Nail 23" having ground coordinates of N:541,454.87 ft, E:1,447,356.79 ft; thence \$ 29*45'17" E a horizontal ground distance of 3,290.72 feet to an existing iron rod said point being located on the eastern right of way of Royal Court (40' Public R/W); which is the POINT OF BEGINNING; having horizontal ground coordinates of N:538,598.00 ft, E1,448,989.93 ft, said point also being located at the southwest comer of the Royal Court, LLC. Property as described in Deed Book 21220, Page 433 of the Meddenburg County Registry, thence with the aforesaid Royal Court, LLC. Property N 82°05'29" E a distance of 119.48 feet to an existing iron rod said point being located at a northwest corner of the Zimmerman Commercial, LLC. Property as described in Deed Book 22531. Page 46 of the Meddenburg County Registry, thence with the aforesaid Zimmerman Commercial, LLC. Property with the arc of a circular curve turning to the right with a radius of 436.11 feet. and an arc length of 68.04. (chord: 5 04"24'30" E a distance of 67.97 feet) , to an existing iron rod, said point being located at a northeast comer of the MS. Newton Property as described in Deed Book 7942, Page 973 of the Mecklenburg County Registry: thence with the aforesaid Jill 5. Newton Property N 89°20'01" W a distance of 120.79 feet to an existing iron pipe said point being located on the eastern right of way of Royal Court, thence with the eastern right of way of Royal Court with the arc of a circular curve turning to the left with a radius of 316.11 feet, and an arc length of 50.05. (chord: N 03°11'54" W a distance of 50.00 feet), to the POINT OF BEGINNING. Containing 7,093 square feet or 0.1628 acres as shown on a survey by R.B. Pharr and Associates P.A. dated November 9, 2007, (Map File W-3561), (job No. 72175).


G172111721751Doc1Lega172175tract2.doc

ALTA CERTIFICATION: TO: INSITE PROPERTIES

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE (I) IN ACCORDANCE WITH "MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS," JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS IN 2005, AND (ii) INCLUDES ITEMS 1, 2, 3, 4, 5, 6, 7(a), 7(b)(1), 7(c), 8, 9, 10, 11(a), 11(b), 13, 16, 17 AND 18 OF TABLE A THEREOF. PURSUANT TO THE ACCURACY STANDARDS AS ADOPTED BY ALTA AND NSPS AND IN EFFECT ON THE DATE OF THIS CERTIFICATION. (iii) UNDERSIGNED FURTHER CERTIFIES THAT IN MY PROFESSIONAL OPINION, AS A LAND SURVEYOR REGISTERED IN THE STATE OF NORTH CAROLINA, THE RELATIVE POSITIONAL ACCURACY OF THE SURVEY DOES NOT EXCEED THAT WHICH IS SPECIFIED




SE-**INSITE PROPERTIES** 716, 717, & 720 ROYAL CT and 727 E. MOREHEAD ST. CITY OF CHARLOTTE, MECKLENBURG COUNTY, NORTH CAROLINA 0 DEED REFERENCE: 1109-505, 1970-311, 2316-378, 3104-86, & 3237-216 TAX PARCEL #: 125-174-05, 06, 07, & 18 N R.B. PHARR & ASSOCIATES, P.A. SURVEYING & MAPPING 420 HAWTHORNE LANE CHARLOTTE, N.C. 28204 TEL (704) 376-2186 Ĭ DRAWN REVISED: DATE FILE NO. W-3561 SCALE: CH NOVEMBER 9, 2007 108 NO. 72175 CEB 1"=30'




OI-OI = AVERAGE GRADE ON MOREHEAD

FABRIC - CANOPY	



TOP OF CROWN	the states of th	m F-2			
€ <u>L 348-4*</u> ROOF					
CL 133-40 T2th FLOOR					
EL 120-00 THE PLOOR					
€ <u>L 108-8</u> * 10th FLOOR					
CL 83-4*					
2 0 EL 80-0" Sch PLOOR					
PL 56-63 7th FLOOR					
CL 53'-4" 6th PLOOR					
Sin FLOOR					
+ EL 33-47 48 PLOOR					
EL 13-4ª					
	RAGE GRADE ON MOREHEAD				
		FAI CAI	BRIC		

-





an de part an succession and a succession of the succession

ACCENT #2 MASONRY, ARCH-PRECAST, or STONE

ARCH-PRECAST,

ARCHITECTURAL GRILLE SYSTEM

MASONRY or ARCH-PRECAST

MASONRY or ARCH-PRECAST


ACCENT #1 MASONRY,


or STONE

WINDOW

METAL ACCENT or STUCCO

	聚聚 医	医斑 医		XXX XXX
HICI				
田口				
₩-				
		and the second		
4	1		SOUTH ELEV	ATION
V	area a		SCALE	3/32ª-Y-0ª





ì

ARCHITECTURAL GRILLE

-


North State

service survey

BKBK



SYSTEM WINDOW SYSTEM



MASONRY or ARCH-PRECAST

MASONRY or ARCH-PRECAST

ACCENT #1


MASONRY, ARCH-PRECAST, or STONE


ACCENT #2 MASONRY, ARCH-PRECAST, or STONE


METAL ACCENT or STUCCO

NK NK NK XXXX XXXX and the state and a second second


						- - - - - -						-						-	01122244303	*******************************			
								10. 101 U	C	Les 161 - 201.		the state of the state			ana							97 1996 27 1997 (1997) National Indiana (1997) National Indiana (1997)	a succes
												totoris Ventes											
														1)//									
						and the second se			TT		<u> </u>					1							
	6 A1107 143			+							1		L		Č.		21						








	Building
ROYAL COURT STREET LEVEL	
ROYAL COURT STREET LEVEL	








	BBHM Berhamburget Meternely attention 2008 south boulevand 2008 sout
	MOREHEAD CENTER Office Building - MUDD-O Rezoning Petitoner Insite Properties, LLC; Charlotte, NC Building Sections
	DATE: November 26, 2007 DESIGNED BY: BPB, TRM DRAWN BY: TRM CHECKED BY: O.C. BY: O.C. BY: SCALE: 1"=20' PROJECT #: 1007303 SHEFT #: SHEFT #: SHEFT #: SHEFT #: CHECKED BY: DRAWN BY: TRM 0.1-18-08: Revisions per City Comments 0.2-19-08: Revisions per City Comments



VIEW FROM MYRTLE LOOKING NORTH



VIEW FROM ROYAL COURT LOOKING SOUTH

VIEW FROM MOREHEAD LOOKING EAST



