

Site Development Data:

- --Acreage: ± 193.73 acres --Tax Parcel: 229-171-01
 - 229-171-10 229-171-11 229-171-12 229-171-13
- --Existing Zoning: R-3 and NS
- --Proposed Zoning: MUDD-O; and MX-1 Innovative with five (5) year vested rights.
- --Existing Uses: Abandoned golf course, office.
- --Proposed Uses: Uses permitted by right and under prescribed conditions together with accessory uses, as allowed in the MUI specifically described below in Section 3).
- --Maximum Gross Square feet of Development:
 - Within the MUDD-O zoning district
 - up to 900,000 square feet of gross floor area of office, retail, restaurant, daycare, personal services, and other co
 - up to 265,000 square feet of Institutional uses;
 - up to 250,000 square feet of Indoor and Outdoor Recreational uses;
 - up to 500 residential dwelling units of all types;
 - up to 300 dwelling units within an Adult Care Center or Nursing Home; and
 - up to 54,000 square feet of commercial floor area within Development Area H only.
 - Within the MX-1 Innovative zoning district:
 - up to 200 detached or attached dwelling units

--Maximum Building Height: As allowed by the Ordinance in the area zoned MX-Innovative. In the area zoned MUDD-O, building Height: architectural features, (such as parapets, spires, mansards, domes and dormers), roof top mechanic equipment will not be considered for the calculation of allowed building height when located on a

--Parking:

- As required by the Ordinance for the MX-1 Innovative portion of the Site; and
- as required by the Ordinance for the portion of the Site zoned MUDD-O.

General Provisions:

Site Description. These Development Standards and the Technical Data Sheet form the rezoning plan (hereafter Petition filed by Lincoln Harris ("Petitioner") to accommodate development of a mixed use commercial and reside the northwest quadrant of the intersection between Providence Road and Ardrey Kell Road (the "Site").

On February 13, 2015, the Petitioner filed and Amended Rezoning Application to added three parcels on the north totaling approximately 3.85 acres to the Rezoning Plan (referred to herein as Development Area H). The purpose Providence Road. Development activity within Development Area H shall be governed by the site plan and develo

Zoning Districts/Ordinance. Development of the Site will be governed by the Rezoning Plan as well as the applied

Unless the Rezoning Plan establishes more stringent standards,

- the regulations established under the Ordinance for the MUDD-O zoning classification for the portion of the place on such portion of the Site, subject to the Optional Provisions provided below; and
- the regulations established under the Ordinance for the MX-1 Innovative zoning classification for the portion taking place on such portion of the Site, subject to the Innovative Provisions provided below.
- **Conceptual Master Plan.** The Technical Data Sheet is also accompanied by: a Conceptual Master Plan. Inasmu beyond the formative stage, the ultimate layouts of the development proposed, the configurations and placement buildings in each quadrant have not yet been determined. As a consequence, the configurations, placements, number Conceptual Master Plan and any building designs depicted are conceptual in nature and therefore are subject to ref modified, in accordance with Section 6.207 of the Ordinance, during design development and construction doc limitations established on the Technical Data Sheet are not violated and the proposed alterations or modifications and under the Ordinance for the MUDD District.
- Planned/Unified Development. The Site shall be viewed as a planned/unified development plan as to the element setbacks, side and rear yards, buffers, building height separation standards, FAR requirements, and other similar zo site elements located on the Site nor between the areas zoned MUDD-O and MX-Innovative. Furthermore, the Pet the Site and create lots within the interior of the Site without regard to any such internal separation standards, however, that all such separation standards along the exterior boundary of the Site shall be adhered to and all H Section IV below as to the Site as a whole and not individual portions or lots located therein.
- Five Year Vested Rights. Pursuant to the provisions of Section 1.110 of the Ordinance and N.C.G.S. Section and/or redevelopment, the level of investment, the timing of development and/or redevelopment and certain infr includes vesting of the approved Rezoning Plan and conditional zoning districts associated with the Petition for a f

II. Optional Provisions for the MUDD-O Area.

The following optional provisions shall apply to Development Area A, B, D, E, F and G. Optional provisions related to I

- To allow vehicular parking, maneuvering and service areas between the proposed buildings and: (i) Ardrey Ke Additional detail on where and how parking and maneuvering is allowed to occur between the buildings and street
- To allow up to four (4) uses with accessory drive-through windows to be located within Development Areas A, B a
- To allow the existing cellular telephone tower within Development Area F to remain.
- To allow along Providence Road, two (2) ground mounted shopping center/development identification signs up to 2 may be used to identify any of the uses located on the Site.
- To allow along Ardrey Kell Road, two (2) ground mounted shopping center/development identification signs up to may be used to identify any of the uses located on the Site.
- To allow one (1) detached ground mounted identification sign for each nonresidential building located within Development Areas A, B, D, E and G. These detached identification signs may be up to five (5) feet in height and contain up to 36 square feet of sign area.
- To allow wall signs having up to 200 square feet of sign surface area per wall or 10% of the wall area to which they are attached, whichever is less, within Development Areas A, B, D, E, and G.

		h.	Site's	llow special event sign s main north/south stree not be allowed; and no
		i.		llow any of the detach in landscape areas indic
		j.		llow, at the Petitioner's ne Ordinance.
				optional provisions reg odified by these optiond
DD-O zoning district and the MX-1 innovative zoning district (as more		k.	To n	ot require doorways to
DD-O zonnig district and the WIX-1 ninovative zonnig district (as more		1.	To a	llow required long term
		m.	To a	llow deviations from ty
commercial uses (as more specifically described below in Section 3):	III.	Inno	ovative	Development Standa
		The	follow	ing provisions shall app
		a.		Petitioner hereby seeks hs and other developme
			1.	Minimum lot size for
			2.	Minimum lot widths
building height will be limited to 95 feet (for the purposes of this height limit,			3.	Minimum side yards
nical equipment, and screens or devices used to screen roof top structures or n a multi-story office building).			4.	Minimum rear yards
			5.	Minimum front setba
			6.	Minimum lot widths B;
			7.	Residential uses may
er collectively referred to as the "Rezoning Plan") associated with the Rezoning dential community on an approximately 193.73 acre site located south of 1-485 in		b.		ddition, the Petitioner is icable process set forth
h side of Golf Links Drive (Tax Parcels 229-171-10, 229-171-12 and 229-171-13)	IV.	Pern	nitted	Uses, Development Ar
ose of incorporating Development Area H is to allow the Site to have signage on lopment conditions on RZ-5.		a.		Rezoning Plan sets fort ectively the "Developme
licable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance"). the Site so designated on the Rezoning Plan shall govern all development taking		b.	deve area	ect to the restrictions, loped: (i) with up to 9 of Institutional Uses; (sing Home or Adult Car
tion of the Site so designated on the Rezoning Plan shall govern all development		c.	Pern less	nitted uses within Devel that 200 dwelling units lling unit not developed
such as planning for the proposed redevelopment of the Site has not yet advanced ents of open space areas and buildings, and the heights, masses and number of nber and sizes of the buildings and treatment of open space areas depicted on the efinements as part of the total design process. They may, therefore, be altered or ocument phases so long as the maximum building envelope lines and intensity		d.	For j floor park or er	purposes of the developed of a principal building ing facilities, areas used inclosed), outdoor cooler e development standard
ns do not exceed the parameters established under these Development Standards		e.		nitted uses within Deve age, together with any a
nents and portions of the Site generally depicted on the Rezoning Plan. As such, zoning standards will not be required internally between improvements and other Petitioner and/or owner of the Site reserve the right to subdivide portions or all of		f.	Pern	nitted uses within Deve lling units per acre base
ls, public/private street frontage requirements and FAR requirements, provided, FAR requirements will be regulated by any development limitations set forth in		g.		nitted uses within Deve overall gross acreage, to
on 160A-385.1, due to the master planned large scale nature of the development		h.	The	total square feet of gros
frastructure improvements, economic cycles and market conditions, this Petition			1.	the total square feet c
five (5) year period.			2.	the total square feet c
Development Area H are provided on Sheet RZ-5.			3.	in the event that a h developed; and
Kell Road; (ii) Golf Links Drive; and (iii) the interior public and private streets. ts is contained in Sections VI and VII below. and G.			4.	the total square feet purposes of these De may also sell product barber shops, spas, ye
o 20 feet in height and containing up to 150 square feet of sign area. These signs			5.	Office uses may exc exceed 10% of the st office uses for every
to 20 feet in height and containing up to 150 square feet of sign area. These signs		i.	v	ect to the limitations set the design guidelines set

gns and banners not to exceed 100 square feet in sign area, at the intersection of Providence Road and Golf Links Drive and at the intersection of Ardrey Kell and the reet connection. Any banners located at these intersections will be well-designed, professionally fabricated banners made of fabric or plastic of any type. Paper banners no more than two (2) banners will be allowed at a time at these intersections.

ched signs permitted by the Ordinance or these Optional Provisions to be placed within the setback provided along Ardrey Kell Road or Providence Road, including dicated on the Rezoning Plan, as long as signage is no closer than fourteen feet from back of curb

r's discretion, the ability to have one unified construction sign on Ardrey Kell Road up to 200 square feet in sign area in lieu of multiple construction signs as permitted

egarding certain signs are additions/modifications to the standards for signs in the MUDD zoning district and are to be used with the remainder of MUDD standards for onal provisions.

to be recessed into the face of buildings when the abutting sidewalk width is greater than twelve (12) feet.

rm bike parking spaces to be located within parking structure.

typical streetscape standards upon the determination and mutual agreement of Petitioner, CDOT, and Planning Director.

lards for the MX-1 Area.

pply to the portions of the Site designated MX-1 on the Technical Data Sheet

eks the following Innovative Development Standards in connection with development taking place within MX-1 areas, to accommodate a variety of setback and yard ment elements so as to allow for a pedestrian friendly residential development:

for single family lots of 3,800 square feet, however lots abutting Stone Creek Ranch shall exceed 9,000 square feet;

hs for single family lots of 35 feet; however lots abutting Stone Creek Ranch shall be at least 60 feet in width;

ds for single family lots of 5 (five) feet;

ds for single family lots of 20 (twenty) feet, however lots abutting Stone Creek Ranch shall provide rear yards of at least 35 feet;

backs for single family lots of 14 (fourteen) feet as measured from proposed right-of-way or back of sidewalk (whichever is greater)

hs for attached dwellings of 22 (twenty two) feet; however attached dwellings shall only be permitted adjacent to Public Street C and along the extension of Public Street

ay front on private streets as long as they are publicly accessible.

reserves the right to modify the innovative development standards described above or seek other innovative development standards in the future pursuant to the th in the Ordinance.

Area Limitations, Transfer & Conversion Rights:

orth seven (7) development areas as generally depicted on the Technical Data Sheet as Development Areas A, B, C, D, E, F, G and H (each a "Development Area" and ment Areas").

, limitations, and transfer/conversion rights listed below, the principal buildings constructed within Development Areas A, B, D, E, F and G on the Site may be 900,000 square feet of gross floor area of commercial non-residential uses permitted by right and under prescribed conditions, (ii) up to 265,000 square feet gross floor ; (iii) up to 250,000 square feet of gross floor area of Indoor and Outdoor Recreational uses; (iv) 500 residential dwelling units of all types together; and (v) up to 300 Care Center units, along with any accessory uses allowed in the MUDD zoning district

velopment Area C shall be limited to detached or attached dwelling units. No more that 200 dwelling units may be developed within Development Area C. However, if its are developed within Development Area C, then one additional detached or attached dwelling may be developed within Development Area A, D, E and F for each ed within Development Area C.

opment limitations set forth in these Development Standards (the term "gross floor area" or "GFA" shall mean and refer to the sum of the gross horizontal areas of each ng on the Site measured from the outside of the exterior walls or from the center line of party walls: provided, however, such term shall exclude any surface or structured sed for building and equipment access (such as stairs, elevator shafts, vestibules, roof top equipment rooms and maintenance crawl spaces), all loading dock areas (open blers and outdoor dining areas whether on the roof of the building(s) or at street level (parking for outdoor dining areas will be provided as required by the Ordinance or

velopment Area D shall be limited to institutional uses and detached or attached dwelling units not to exceed four (4) dwelling units per acre based on the overall gross accessory uses typically associated with residential development

velopment Area E shall be limited to indoor and outdoor recreation, nursing homes, adult care centers, and detached or attached dwelling units not to exceed four (4) used on the overall gross acreage, together with any accessory uses typically associated with residential development.

velopment Area F shall be limited to nursing homes, adult care centers, and detached or attached dwelling units not to exceed four (4) dwelling units per acre based on together with any accessory uses typically associated with residential development.

coss floor area devoted to office uses and other commercial uses such as retail, restaurant and personal service uses shall be interchangeable provided that:

t of gross floor area of all such office and other commercial uses does not exceed 900,000 square feet of gross floor area;

t of gross floor area of all office uses does not exceed 650,000 square feet of gross floor area;

hotel use is developed, the total allowable square footage for office and other commercial uses shall be reduced by 1,000 square feet for each hotel room that is

eet of gross floor area for non-office commercial uses such as retail, restaurant and personal service uses shall not exceed 250,000 square feet of gross floor area in Development Standards (Personal Service uses are defined as uses that primarily provide or sell a service to customers versus the selling of goods. A personal service use ucts or merchandised but the sale of products and merchandise is typically ancillary. Examples of Personal Service uses include but are not limited to: beauty salons and yoga and exercise studios, nail salons, massage shops, martial art training studios, laundries and dry cleaning establishments, locksmiths, and alike).


exceed the limitations described in Paragraph IV.h.2. and non-office commercial uses may exceed the limitations described in Paragraph IV.h.4. up to an amount not to stated amounts by converting office uses into non-office commercial uses such as retail, restaurant and personal services at a ratio of 1 square foot of gross floor area of ry 1 square foot of gross floor area of such non-office uses so converted and vice-versa, subject to the limitation described in item (i) above.

set forth below, up to four (4) uses with accessory drive-through windows may be developed within Development Areas A, B and G, subject to the following restrictions and the design guidelines set forth in Section VI below:

No more than three (3) restaurants with accessory drive-through windows may be located within Development Areas A, B and G;

No more than two (2) banks/financial institutions with accessory drive-through windows may be located within Development Areas A, B and G.

One (1) retail pharmacy with accessory drive-through windows may be located within Development Areas A, B or G.



Transportation V.

- All public roadway improvements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, to the roadway improvements within their respective road system authority. It is understood that such improvements may be undertaken by the Petitioner on its own or in conjunction with other development or roadway projects taking place within the broad south Mecklenburg area, by way of a private/public partnership effort or other public sector project support.
- Access, Internal Streets and Phasing of Transportation Improvements:
 - Access to the Site will be from Ardrey Kell Road, the proposed extension of Golf Links Drive and future streets as generally depicted on the Rezoning Plan, subject to adjustments as set forth below.
 - The total number of access points to Ardrey Kell Road will be limited to four (4).
 - Golf Links Drive shall be extended through the Site as generally depicted on the Rezoning Plan (labelled Public Street B). Public Street B, extending from the existing Golf Links Drive to the proposed Public Street C shall be substantially completed prior to the issuance of a Certificate of Occupancy for the first building developed within the Site. Refer to Paragraph V.d.3. below for related roadway improvements. Public Street B will be designed for at least an Office/Commercial wide cross-section with right-of-way width of at least 77 feet, subject to alterations that may be approved by CDOT. Petitioner shall comply with planting strip and sidewalk standards effective at the time of construction as long as the total width of sidewalk and planting strip area does not exceed sixteen (16) feet.
 - Public Street C extending from Ardrey Kell Road through the Site to Public Street B shall be substantially completed prior to the issuance of a Certificate of Occupancy for the first building developed within the Site. Refer to Paragraph V.d.6. below for related roadway improvements
 - A public street connection from Public Street B extending north through Development Area D to connect to Red Rust Lane shall be substantially completed prior to the issuance of a certificate of Occupancy for the first building developed within the Site.
 - Public Street A, located between Development Area A and Development Area B, connecting Public Street B and Ardrey Kell Road, shall be substantially completed prior to the development of more that 50,000 square feet of non-residential uses within Development Area A or Development Area B. Refer to Paragraphs V.d.5. and V.d.7. below for related roadway improvements
 - The roadway improvements noted in Paragraphs V.d.1., V.d.2.ii., V.d.4. and V.d.8. shall not be required until 100,000 square feet of retail uses and 150,000 square feet of office uses are developed on the Site.
 - The roadway improvements noted in Paragraph V.d.2.i. shall not be required until up to 200,000 square feet of retail uses and 300,000 square feet of office uses are developed on the Site.
 - The proposed street connections to adjoining properties along the western boundary of the property shall be provided at the locations specified on the Technical Data Sheet in order to ensure that connections align with existing stub streets or proposed streets on adjoining properties. These street connections along the western property boundary shall be designed with careful consideration of existing and future single family neighborhoods. The design and layout of street connections from those external access points to the internal street network will be determined during the design process and efforts will be made to discourage through traffic on Raffia Road and Wheat Road.
 - "Choker" road shall be installed connecting the Site to Wheat Road and Raffia Road in order to discourage and slow traffic through the adjacent Stone Creek Ranch neighborhood. A Conceptual Cross-Section of the proposed choker connections is illustrated on Sheet RZ-4.
 - The street connection to Raffia Road shall not be completed until Certificates of Occupancy have been issued for homes on at least 50% of the single-family lots proposed within Development Area C or until a Certificate of Occupancy is issued for a public school within the Site.
 - The street connection to Wheat Road shall not be completed before Certificates of Occupancy have been issued for homes on at least 85% of the single-family lots proposed within Development Area C.
 - 13. The number and location of internal streets not depicted on the Rezoning Plan will be determined during the design process and thereafter with approval from appropriate governmental authorities, subject to applicable statutes, ordinances and regulations such as subdivision and driveway regulations. While some individual blocks may be longer, the average block length for all blocks within Development Areas A, B and G, shall not exceed 650 feet.
 - Vehicular access to the residential dwellings located within Development Area C may be from private alleys or private streets. 14.
 - The Petitioner reserves the right to request the installation of pavers and/or stamped or colored asphalt within the Site's public streets in order to designate and define pedestrian cross-walks. 15. The Petitioner will coordinate the design of any decorative pavement elements proposed within the public right-of-way with CDOT during the driveway permit process. Furthermore, the Petitioner understands that an encroachment and maintenance agreement must be obtained from CDOT before any for any decorative pavers and/or stamped pavement proposed in the public right-of-way may be installed.
 - The alignment of the internal public and private streets, vehicular circulation and driveways may be modified by the Petitioner, subject to CDOT's final approval, to accommodate minor changes in traffic patterns, parking layouts and any adjustments required for approval by the Charlotte Department of Transportation (CDOT) in accordance with published standards and industry best practices so long as the street network set forth on the Rezoning Plan is not materially altered.
- Substantial Completion. Reference to "substantially complete" for certain improvements as set forth in the provisions of Section V.b above shall mean completion of the roadway improvements in accordance with the standards set forth in Section V.a. above provided, however, in the event certain non-essential roadway improvements (as reasonably determined by CDOT) are not completed at the time that the Petitioner seeks to obtain a certificate of occupancy for building(s) on the Site in connection with related development phasing described above, then CDOT will instruct applicable authorities to allow the issuance of certificates of occupancy for the applicable buildings, and in such event the Petitioner may be asked to post a letter of credit or a bond for any improvements not in place at the time such a certificate of occupancy is issued to secure completion of the applicable improvements.

Site/Offsite Roadway Improvements:

Petitioner plans to provide or cause to be provided on its own or in cooperation with other parties who may implement portions of the improvements, the improvements set forth below to benefit overall traffic patterns throughout the area in accordance with the following implementation provisions:

- Providence Road (NC 16) & I-485 Inner Loop Ramps:
 - Re-mark the existing westbound combined left-thru lane on the Inner Loop Exit Ramp to a left turn lane.
 - Re-mark the existing westbound right turn lane on the Inner Loop Exit Ramp to a combined left-thru-right turn lane.
 - Construct a westbound right turn lane on the Inner Loop Exit Ramp with 525 feet of storage and appropriate bay taper. 111.
- Providence Road (NC 16) & I-485 Outer Loop Ramps:
 - Construct a northbound right turn lane on Providence Road with 900 feet of storage and an appropriate bay taper.
 - Modify the existing southbound right turn lane on Providence Road to a combined thru-right turn lane. This will also require a minor amount of widening on the west side south of the intersection to receive this 3rd lane of traffic.
- Providence Road (NC 16) & Reconfigured Golf Links Drive/Waverly Offsite Access (reconfigured signalized intersection):
 - Construct a second eastbound left turn lane on Golf Links Drive with 525 feet of storage and appropriate bay taper.
 - With the installation of the traffic signal (upon approval by CDOT and NCDOT), install high-visibility crosswalks with pedestrian signal heads and pushbuttons across all four legs of the intersection.
- Install 425 feet of storage and a southbound right turn lane on Providence Road with appropriate bay taper. 111.
- 4. Providence Road (NC 16) & Ardrey Kell Road/Future Ardrey Kell Road Extension (reconfigured signalized intersection)

	i.	Construct a second
	ii.	If feasibly possib southbound right Drive.
	iii.	If feasibly possibl turn lane on Provi
5. A	rdrey	Kell Road & Provid
	i.	Construct dual eas
	ii.	Construct a secon Providence Road
	 111.	On Access "A" co
	iv.	Dual northbound
	V.	Dual southbound
	vi.	Combination sout
	vii.	With the installati Access "A" leg of
6. A	rdrey	Kell Road & Propo
	i .	Construct an eastb
	ii.	Construct a secon Providence Road
	iii.	With the installati Access "B" leg of
7. A	rdrey	Kell Road & Propo
	i.	The Proposed Rig
	ii.	A raised median (
	iii.	The additional we at intersection #8)
8. A	rdrey	Kell Road & Propo
	iij.	The Proposed Rig
	ii.	A raised median (
	iii.	The additional we at intersection #8)
exerci Depar of Ch the ap for an of ad	se of tment, arlotte plicabl y such ditiona	y Availability. It diligent good faith the Petitioner is ur Engineering Divis le agency, departme land and the expen il right-of-way as y matches the scal

t is understood that some of the public roadway improvements referenced herein may not be possible without the acquisition of additional right of way. If after the efforts, as specified by the City of Charlotte right-of-way acquisition process as administered by the City of Charlotte's Engineering & Property Management inable to acquire any land necessary to provide for any such additional right of way upon commercially reasonable terms and at market prices, then CDOT, the City sion or other applicable agency, department or governmental body agree to proceed with acquisition of any such land. In such event, the Petitioner shall reimburse nent or governmental body for the cost of any such acquisition proceedings including compensation paid by the applicable agency, department or governmental body enses of such proceedings. Furthermore, in the event public roadway improvements referenced in subsection a above are delayed because of delays in the acquisition contemplated herein above, then the Petitioner will contact the Planning Department and CDOT regarding an appropriate infrastructure phasing plan that scale of the development proposed to the public infrastructure mitigations. If after contacting the Planning Department and CDOT to determine the appropriate infrastructure phasing plan, delays in the acquisition of additional right-of-way extends beyond the time that the Petitioner seeks to obtain a Certificate of Occupancy for building(s) on the Site in connection with related development phasing described above, then CDOT will instruct applicable authorities to allow the issuance of certificates of occupancy for the applicable buildings; provided, however, Petitioner continues to exercise good faith efforts to complete the applicable road-way improvements; in such event the Petitioner may be asked to post a letter of credit or a bond for any improvements not in place at the time such a Certificate of Occupancy is issued to secure completion of the applicable improvements. Alternative Improvements. Changes to the above referenced roadway improvements can be approved through the Administrative Amendment process upon the determination and mutual agreement of Petitioner, CDOT, Planning Director, and as applicable, NCDOT, provided, however, the proposed alternate transportation improvements provide (in the aggregate) comparable

transportation network benefits to the improvements identified in this Petition.

Design Guidelines:

Statement of Overall Design Intent.

- open space area at the core of the Site.

nd eastbound right turn lane on Ardrey Kell Road with 350 feet of storage and appropriate bay taper.

ble (with an appropriate design that does not impact the retaining wall at the golf course located on the west side of Providence Road): modify the existing t turn lane on Providence Road to a 3rd thru lane and construct a receiving lane on Providence Road that terminates as a right turn lane at Providence Country Club

ole (with an appropriate design that does not impact the retaining wall at the golf course located on the west side of Providence Road): construct a southbound right vidence Road with 200 feet of storage and appropriate bay taper.

idence Row Lane/Proposed Access "A" (future signal)

astbound left turn lanes on Ardrey Kell Road with 325 feet of storage each and an appropriate bay taper.

ond westbound combined thru-right turn lane on Ardrey Kell Road that commences at the existing drop right turn lane located approximately 500 feet west of and terminates at the existing right turn lane at Avaly Road (along the entire site frontage - a length of approximately ³/₄ of a mile) construct the following:

l receiving lanes.

l left turn lanes where the outside left turn lane is a termination of the southbound through lane and the inside left turn lane provides 400 feet of storage.

thbound through/right turn lane.

tion of the traffic signal (upon approval by CDOT and NCDOT), install a high-visibility crosswalk with pedestrian signal heads and pushbuttons across the Proposed of the intersection.

osed Access "D" (future signal)

tbound left turn lane on Ardrey Kell Road with 400 feet of storage and an appropriate bay taper.

ond westbound combined thru-right turn lane on Ardrey Kell Road that commences at the existing drop right turn lane located approximately 500 feet west of l and terminates at the existing right turn lane at Avaly Road (along the entire site frontage - a length of approximately ³/₄ of a mile).

tion of the traffic signal (upon approval by CDOT and NCDOT), install a high-visibility crosswalk with pedestrian signal heads and pushbuttons across the Proposed f the intersection. In addition, construct a pedestrian refuge island within the painted-out median on the east side of the intersection. osed Right-In/Right-Out Only Access "B" (unsignalized)

ght-in/Right-Out Only Access "B" should include one ingress lane and one egress lane that terminates as a right turn exit lane.

(minimum four-foot width) should be installed in Ardrey Kell Road a minimum of 50 feet on either side of the access to restrict left entering and exiting movements.

restbound through lane along the site frontage (discussed previously) will create a westbound combined through-right turn lane (which terminates as a right turn lane

osed Right-In/Right-Out Only Access "C" (unsignalized)

ght-in/Right-Out Only Access "C" should include one ingress lane and one egress lane that terminates as a right turn exit lane.

(minimum four-foot width) should be installed in Ardrey Kell Road a minimum of 50 feet on either side of the access to restrict left entering and exiting movements.


restbound through lane along the site frontage (discussed previously) will create a westbound combined through-right turn lane (which terminates as a right turn lane

Land Use: The site plan for the Site contemplates an integrated, pedestrian friendly development through a horizontal mixture of uses including office, retail, service, civic, recreational, and open space as well as a variety of residential uses.

Open Space: The Site will incorporate a system of public and private open spaces throughout that will be interconnected by sidewalks and walking trails and linked to an active amenitized

Community Design: The site plan for the Site will seek to emphasize pedestrian connections between uses and create a strong link between the commercial core of the development and adjacent uses. Additionally, streetscapes, landscaping and high-quality building materials will be used in a manner that creates a unified development pattern. Where opportunities exist, a vertical mix of uses will be encouraged but not required. Buildings will orient and provide prominent entrances along frontages on Public Street A and the Public Green.

Transportation and Mobility: The Site's internal street network will establish new connections between existing developments on adjoining properties providing multiple route options and creating new opportunities for non-automobile travel while also incorporating traffic calming devices in order to mitigate adverse impacts on adjacent residential neighborhoods.



b. General Design Guidelines.

- The principal buildings constructed on the Site may use a variety of building materials. The building combination of the following: glass, brick, stone, simulated stone, pre-cast stone, architectural precast cond EIFS as a building material will not be allowed, except as back-up for architectural trim on stucco clad soffits.
- The Site will include a series of publicly accessible open spaces and plazas as focal points. These focal points will include some combination of landscaping, monumentation, water feature, seating areas and/or art work features.
- Streetscape treatment will be a unifying element through the use of consistent paving, lighting, landscaping, and, when provided, site furnishings, throughout Development Areas A, B and
- Specialty pavers, stained and patterned concrete/paving or other similar means will be used to call attention to amenity areas, gathering spaces, plazas and as a method of way-finding.
- Circulation paths will be provided along the Site's Public and Private Streets from parking areas and decks to building entries and areas of interest.
- Meter banks will be screened where visible from public view at grade level.
- Rooftop HVAC and related mechanical equipment will be screened from public view at grade level
- All dumpster areas shall be enclosed by walls and opaque gates utilizing materials similar in nature and complimentary in design to adjacent buildings.

c. Development Area A Design Guidelines.

- Freestanding retail uses shall not exceed 24,000 square feet.
- During the initial phases of development, uses within Development Area A may be served by surface parking areas. Structured parking facilities shall be required when/if office square footage within Development Area A exceeds 240,000 square feet.
- Buildings shall not exceed six (6) stories.
- The Rezoning Plan provides for a signature Public Green with significant building frontage in order to create a well-defined edge for that public open space. Surface parking areas shall be designed to minimize their visibility from the Public Green.
- Surface parking may be located along Ardrey Kell Road, Golf Links Drive or other internal if adequately screened from those streets by landscaping. However, off-street parking and maneuvering areas may not be located between Ardrey Kell Road and proposed buildings, but vehicular parking and maneuvering may be located to the side or behind such buildings, behind the established setback.
- Drive-through uses within Development Area A shall only be permitted on parcels with frontage on Ardrey Kell Road.
- Multifamily buildings with facades in excess 250 linear feet that front on public or private streets shall be articulated in one or more of the following methods to visually break down the buildings potentially monolithic mass and achieve an appropriate pedestrian scale along the street wall:
 - Façade Modulation varying the plane of the building street wall to break up the mass of the building.
 - Minimum width of 15'-0" and a minimum depth of 5'-0"
 - No single section of the façade shall exceed 150'-0" in length
 - May be achieved through multiple modulations
 - Building Mass Separation at a depth of at least 25'-0" from the street wall and a width of at least 25'-0" open to the sky. No single section of the façade shall exceed 150'-0" in length
 - Architectural Façade Variations along the street wall to visually break down the building's mass with intervals not exceeding 150'-0". These façade variations shall include at least 111. two of the following techniques:
 - Varied Architectural Styles
 - Varied Roof Pitches
 - Varied Window Arrangement and Sizes
 - Significant Exterior Façade Materials Changes
 - Offset Wall Planes
- Buildings fronting Public Street A, that house street level retail uses shall provide a ground floor Fenestration Zone having a minimum of 60% fenestration of the ground floor fenestration area measured between 2' and 10' above the sidewalk along Public Street A. Up to 40% of the required Fenestration Zone may be comprised of display windows. These display windows must maintain a minimum of 3'-0" clear depth between window and rear wall. Windows within the Fenestration Zone shall not be screened by film, decals and other opaque material, glazing finishes or window treatments. The maximum sill height for required fenestration shall not exceed 4'-0" above the Public Street A sidewalk.
- Entries into individual retail spaces fronting Public Street A shall be recessed 3'-0" for a minimum width of 5'-0" in those locations with sidewalks less than 12'-0" in width.
- The primary entry (entries) of any office buildings or multifamily buildings fronting the Public Green shall open to the Public Green. 10.

d. Development Area B Design Guidelines.

- Individual retail uses shall not exceed 60,000 square feet. However, in the event that a grocery store use is developed, that use may occupy up to 85,000 square feet.
- Buildings shall not exceed three (3) stories in height.
- Service areas shall be designed to face existing service areas within the adjacent Rea Village Shopping Center.
- Any drive-through uses within Development Area B shall be internally oriented and drive-through facilities shall not be visible from Public Street A.
- Retail areas in buildings fronting Public Street A shall provide a ground floor Fenestration Zone having a minimum of 60% fenestration of the ground floor façade area measured between 2' and 10' above the sidewalk along Public Street A. Up to 40% of the required fenestration may be comprised of display windows. These display windows must maintain a minimum of 3'-0" clear depth between window and rear wall. Windows within the Fenestration Zone shall not be screened by film, decals or other opaque material, glazing finishes or window treatments. The maximum sill height for required fenestration shall not exceed 4'-0" above the sidewalk.
- The primary entrance to buildings along Public Street A shall be on the Public Street A façade of those buildings. These entries shall be recessed a minimum of 3'-0" deep with a minimum width of 5'-0" unless fronting a sidewalk with a minimum width of 12'-0".
- Parking Areas for the retail buildings along Public Street A shall be located behind the buildings fronting Public Street A and shall be screened by the buildings, except at pedestrian ways providing access from parking areas to the street.
- The facades of the retail buildings along the Public Street A fronting the parking areas shall provide a Ground Floor Fenestration Zone of 30% of the ground façade area as defined in Paragraph 5 above unless a particular façade directly abuts a required service area. Up to 40% of the required Fenestration Zone may be display windows as defined in paragraph 5 of this Section.
- The main retail anchor shall comply with Paragraph 5 of this Section above along its primary facade directly facing Public Street A but shall only be required to meet facade design

. 1 1	C	.1	٦.	
standards	tor	the	Μ	UDI

g materials used for buildings (other than structured parking facilities) will be a	
ncrete, synthetic stone, stucco, cementatious siding (such as hardi-plank), or wood.	
buildings. Vinyl, as a building material, will only be allowed on windows and	

	exterior finish materia		
e. Developn	nent Area C Design Gu		
1.	Buildings shall not exc		
2.	A buffer area at least Petitioner shall provid sufficient, the buffer ar		
3.	Attached, front loading width.		

f. Development Area D Design Guidelines.

- the Zoning Ordinance.

g. Development Area E Design Guidelines.

- MUDD District per the Zoning Ordinance.

h. Development Area G Design Guidelines.

VII. Parking Areas, Access and Circulation Design Guidelines.

- consideration differences associated with parking structures.
- as part of the parking deck structure.

VIII. Pedestrian Access and Circulation Design Guidelines.

- streets.
- they are located.

IX, Open Space, Public Green and Amenity Areas.

- whichever occurs first.

DD District per the Zoning Ordinance on all other facades.

Required service areas with Development Area B shall be screened per requirements of the Zoning Ordinance. Those service areas directly abutting retail buildings along Public Street A shall be located to the rear facades of these building, away from the street and within the parking areas. These service areas shall have screen walls constructed to match the building's exterior finish materials and be accessed through opaque gates.

uidelines.

xceed three (3) stories in height.

twenty five (25) feet wide shall be maintained along that portion of the Site's western property boundary which touches the Stone Creek Ranch neighborhood. ide plantings within the buffer area in accordance with the requirements for a Class C buffer under the Ordinance. However, in areas where existing vegetation is area shall remain undisturbed.

ng garages shall be recessed at least two (2) feet behind the front façade of the residential structure and the width of the garage shall not exceed 50% of the front façade

Buildings shall not exceed three (3) stories in height.

Vehicle parking, circulation and maneuvering areas may be located between proposed buildings and adjacent streets.

Institutional uses shall not exceed three (3) stories in height, unless additional height is approved by the Planning Director.

The mass of any institutional buildings shall be placed to create a strong built edge along Public Street B.

Fenestration along Public Street B shall constitute a minimum of 25% of the surface area of the street façade. Non-fenestrated areas shall meet the requirements of the MUDD district per

Primary parking and driveway areas shall be located to the rear or sides of the building and screened per Ordinance requirements.

A primary pedestrian entrance to the sidewalk along Public Street B shall be provided to enhance pedestrian connectivity within the Site.

Buildings shall not exceed three (3) stories in height.

Parking areas shall be located to the rear or side of buildings.

A primary building entrance fronting on Public Street B shall be provided to enhance pedestrian and activity. The entrance shall be connected to the sidewalk along Public Street B by a sidewalk that terminates at the axis of Public Street A.

A Ground Floor Fenestration Zone as defined above shall be provided along Golf Links Drive. This Fenestration Zone shall represent 30% of the ground floor façade. Those functional areas of any recreational use that cannot accommodate fenestration (i.e., certain gyms, racquetball courts, locker rooms, etc.) shall meet the guidelines for Façade Articulation for the

Buildings shall not exceed three (3) stories in height.

Drive-through uses shall only be allowed immediately adjacent to Public Street A and within the portion of Development Area G lying east of Public Street A.

Drive-through uses shall be designed to facilitate safe pedestrian crossings.

Drive-through uses shall be designed to be internal to the Site where possible.

Site design shall encourage pedestrian travel between Development Area G and the remainder of the Site.

If drive-through lanes are installed between the buildings and the adjacent streets, low walls and low accent plantings will be provided between the drive through lanes and the adjacent streets, such walls may be intermittent but shall be constructed of building materials generally compatible with the buildings to which they relate. Alternate screening and landscaping treatments may be approved by the Planning Director.

Off-street parking areas may not be located between Ardrey Kell Road and proposed buildings, but vehicular parking may be located to the side or behind such buildings, behind the established setback. In areas adjacent to and lying east of Public Street A, vehicle circulation and maneuvering areas may be located between Ardrey Kell Road and the proposed buildings.

Building materials associated with facades on parking structures shall be generally compatible in character and quality with materials used on nearby buildings, plazas and streetscapes, taking into

Parking structures shall be designed to materially screen the view of parked cars from adjacent public or private streets or publicly accessible open spaces or plazas. Screening of cars on the ground level will be accomplished primarily through the use of landscaping; and screening of cars parked on the upper level will be accomplished by a wall, at least 36 inches in height, designed

On-site loading docks and waste areas shall be separated and/or screened from view at ground level from primary building entrances.

Along the Site's internal streets, the Petitioner will provide a sidewalk and a cross-walk network that links the buildings, parking areas and areas of interest on the Site with one another by way of links to sidewalks along the abutting public and private streets and/or other pedestrian features. Street trees will also be provided within planting strips along the Site's internal public and private

Walkways through plazas or publicly accessible open space areas will be at least six (6) feet in width and shall be appropriately designed for the intended use and type of open space area in which


Where walkways occur along building walls, a walkway width of at least six (6) feet must be maintained clear of door swings, shopping cart storage, and temporary trash or similar impediments

Deviations from typical sidewalk and planting strip requirements may be approved upon the determination and mutual agreement of Petitioner, CDOT and Planning Director as applicable.

The Petitioner will provide a "Public Green," at least three (3) acres in size, located within Development Area A and Development Area B in the location generally depicted on the Technical Data Sheet. The Public Green will be designed as a significant pedestrian focal point and an amenity for that portion of the development. The Public Green will include elements such as: water features, specialty graphics, landscaping, specialty paving, seating areas, signage (e.g. way-finding, directional, special event) art work and/or other site elements that help create a vibrant Public Green area. Portions of the Public Green may be used for outdoor dining associated with restaurants.

The Public Green shall be completed prior to the issuance of a certificate of occupancy for the retail anchor with Development Area A or a multi-family building within Development Area B,

Open spaces associated with water quality/storm water detention ponds may be improved as amenity areas with seating areas, naturalized paths and landscaping.



SHEET #:

X. Buffers:

- A buffer area at least twenty five (25) feet wide shall be maintained along that portion of the Site's western property boundary which touches the Stone Creek Ranch neighborhood. Petitioner shall provide plantings within the buffer area in accordance with the requirements for a Class C buffer under the Ordinance. However, in areas where existing vegetation is sufficient, the buffer area shall remain undisturbed.
- Petitioner shall provide a landscaped setback along Ardrey Kell Road, as measured from the back of the existing curb or back of the future curb line. This area off of Ardrey Kell Road will be landscaped with a variety of landscape materials (trees, shrubs, ornamental grasses, grass, and/or areas of seasonal color). A minimum of 25 shrubs and 5 trees per 100 linear feet will be planted within this area. A six (6) foot wide sidewalk will be provided within the landscaped setback. This planted sidewalk may meander or be located at a consistent distance (minimum 8 feet) from the back of curb.

XI. Environmental Feature:

The Petitioner shall comply with the Charlotte City Council approved and adopted Post Construction Controls Ordinance. The location, size, and type of storm water management systems depicted on the Rezoning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be necessary in order to accommodate actual storm water treatment requirements and natural site discharge points.

XII. <u>Signage</u>

- Signage as allowed by the Ordinance and by the Optional Provisions set forth under Section II above may be provided. Because the Site will be viewed as a Planned/Unified-Development as a. defined by the Ordinance, shopping center signs may be located throughout that portion of the Site zoned MUDD-O as allowed by the Ordinance and the Optional Provisions. In addition, uses located on the interior of the Site may be identified on the allowed shopping center/development signs (by way of example, the multi-family developments and single-family developments may be identified on the signs allowed along Ardrey Kell Road and Providence Road). The allowed signs may contain identification signage for any of the uses located on the Site.
- Master signage and graphics systems may be adopted.
- Information and Advertising Pillar Signs as defined by the Ordinance may be provided on the portion of the Site zoned MUDD-O. C.
- On premises directional and instructional signs may be located throughout the Site per the standards of the Ordinance. d.
- Temporary Banners as allowed by the Ordinance may be provided. e.

XIII. Lighting:


- All new lighting shall be full cut-off type lighting fixtures excluding lower, decorative lighting that may be installed along the driveways, sidewalks, and parking areas. a.
- Detached lighting on the Site, except street lights located along public and private streets, will be limited to 30 feet in height in the portions of the Site used for non-residential uses and 25 feet in height in the portions of the Site used for residential uses.


XIV. Amendments to the Rezoning Plan:


Future amendments to the Rezoning Plan may be applied for by the then Owner or Owners of the applicable Development Area portion of the Site affected by such amendment in accordance with the provisions herein and of Chapter 6 of the Ordinance.


XV. Binding Effect of the Rezoning Application:

If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site or Development Areas, as applicable, and their respective heirs, devisees, personal representatives, successors in interest or assigns.











CONCEPTUAL MONUMENT SIGNAGE



Development Area H

Development Area H was developed in accordance with the Technical Data Sheet and Development Standards related to Rezoning Petition 2004-134. There is no intent to permit new development within Development Area H or to alter the basic zoning conditions of Rezoning Petition 2004-134. The purpose of including Development Area H in current rezoning is to request MUDD Optional provisions that will allow additional signage within Development Area H and to address any nonconformities that would otherwise be created when the existing development is rezoned to the MUDD zoning district.

Therefore, the Technical Data Sheet and Development Standards set forth herein are identical to the Technical Data Sheet and Development Standards submitted and approved in Rezoning Petition No. 2004-134 except for the conceptual rendering of a proposed monument sign, proposed sign locations and the following MUDD Optional provisions.




DEVELOPMENT AREA H


Optional Provisions:

- 1. To allow along Providence Road, two (2) ground mounted shopping center/development identification signs up to 20 feet in height and containing up to 150 square feet of sign area. These signs may be used to identify any of the uses located on the Site.
- 2. To allow wall signs having up to 200 square feet of sign surface area per wall or 10% of the wall area to which they are attached, whichever is less.
- 3. To allow a drive-through window as an accessory to a financial service use.
- 4. To allow vehicular parking, maneuvering and service areas between buildings and streets.
- 5. To allow non-standard sidewalks and planting strips along Golf Links Drive.


CONDITIONAL NOTES:


- 1. THE SITE PLAN CONSISTS OF THE TECHNICAL DATA SHEET AND THE ILLUSTRATIVE PLAN. THE TECHNICAL DATA SHEET CONTAINS ALL DEVELOPMENT NOTES AND CONDITIONS REGARDING SUCH THINGS AS VEHICULAR ACCESS POINTS, BUFFERS, SETBACK/YARD DIMENSIONS, GENERALIZED BUILDING/PARKING/CIRCULATION AREAS, DEVELOPMENT INTENSITY, ETC. THE ILLUSTRATIVE PLAN DEPICTS A DEVELOPMENT SCENARIO BASED UPON THE CONDITIONS IMPOSED BY THE TECHNICAL DATA SHEET. HOWEVER, OTHER DEVELOPMENT SCENARIOS ARE PERMITTED AS A MATTER OF RIGHT, WHICH ALLOWS ALTERNATIVES TO THE ARRANGEMENT OF BUILDING/PARKING/CIRCULATION AREAS. BUILDING FOOTPRINTS AND SHAPES, ÉTC. SUCH CHANGES SHALL STILL REFLECT THE "NEO-TRADITIONAL" STYLE LAYOUT OF THE SITE AS GENERALLY DEPICTED ON THE PLAN.
- 2. THE PROPOSED DEVELOPMENT SHALL COMPLY WITH ALL APPLICABLE CITY OF CHARLOTTE REGULATIONS PERTAINING TO OFF-STREET PARKING, SIGNAGE, BUFFERS/LANDSCAPING, SCREENING, DRAINAGE, TREE ORDINANCE,
- 3. PARKING FOR THE OVERALL SITE SHALL BE CONSIDERED AS A UNIFIED DEVELOPMENT AND SHALL BE CALCULATED AS IF THE SITE IS ZONED 0-1. NO REDUCTION IN PARKING AS PERMITTED BY NS ZONING SHALL BE ALLOWED.
- 4. THE NUMBER OF VEHICULAR ACCESS TO THE SITE SHALL BE LIMITED TO THE POINTS OF INGRESS/EGRESS AS SHOWN ON THE SITE PLAN. HOWEVER, HE LOCATIONS MAY VARY SOMEWHAT FROM THAT DEPICTED. THE LOCATION AND DESIGN SHALL COMPLY WITH ALL APPLICABLE STANDARDS AND REQUIREMENTS OF THE CHARLOTTE DEPARTMENT OF TRANSPORTATION
- 5. MAXIMUM BUILDING HEIGHTS SHALL BE TWO STORIES (MAY INCLUDE ATTIC AND/OR FINISHED SPACE WITHIN THE AREA HEIGHT OF THE ROOF.
- 6. A CLASS "C" BUFFER SHALL BE ESTABLISHED WHERE THERE IS INSUFFICIENT NATURAL VEGETATION TO COMPLY WITH MINIMUM BUFFER STANDARDS, THE BUFFER SHALL BE IMPROVED WITH NEW LANDSCAPING IN ACCORDANCE WITH APPLICABLE STANDARDS.
- 7. A 30 FOOT SETBACK MEASURED FROM THE R/W LINE SHALL BE ESTABLISHED ALONG THE SITE'S PROVIDENCE ROAD FRONTAGE. A R/W MEASURING 50 FEET FROM THE CL OF PROVIDENCE ROAD SHALL BE ESTABLISHED AS SHOW. PETITIONER HAS DEDICATE THE NEW R/W AREA
- 8. STORM WATER DETENTION SHALL NOT BE LOCATED IN THE SETBACK AREAS OR THE BUFFER AREAS. STORM WATER DETENTION FOR PORTIONS OF THE SITE MAY BE PROVIDED IN A COMMON DETENTION FACILITY LOCATED ON ANY LOT CREATED BY FUTURE SUBDIVISION. CROSSING OF THE PROPOSED PUBLIC ROAD TO CONNECT TO THE DETENTION SYSTEM WILL BE ALLOWED AS WELL AS DIVERTING STORM DRAINAGE FROM THE PUBLIC ROAD TO THE PROPOSED DETENTION FACILITY WHILE DISCHARGING NON DETAINED FLOW FROM A LIKE AREA OF IMPERVIOUS DEVELOPMENT TO THE EXISTING WETLAND AREA TO MAINTAIN DRAINAGE TO SUCH WETLANDS AREA.
- 9. MAXIMUM HEIGHT OF BUILDING LIGHTING SHALL BE 30 FEET. LIGHTING SHALL BE DESIGNED IN A MANNER TO SHIELD/DIRECT LIGHTING GLARE AWAY FROM RESIDENTIAL AREAS.
- O. BUFFERS AREAS SHALL NOT BE REDUCED IN DEPTH FROM THAT DEPICTED ON THE PLAN.
- 11. SCREENING SHALL BE PROVIDED IN ACCORDANCE WITH SECTION 12.303 OF THE CITY OF CHARLOTTE ZONING ORDINANCE.
- 12. BUFFERS SHALL REMAIN UNDISTURBED EXCEPT THAT ANY AREA WHICH ARE SPARSELY VEGETATED (VEGETATION LESS THAN 2 INCHES IN CALIPER) MAY BE CLEARED IF NECESSARY TO PROVIDE FOR THE DEVELOPMENT OF THE SITE, AND TO ACCOMMODATE UTILITY EXTENSIONS ASSOCIATED WITH DEVELOPMENT. ANY CLEARED AREAS SHALL BE REPLANTED IN ACCORDANCE WITH APPLICABLE BUFFER REQUIREMENTS.
- 13. TREES LOCATED WITHIN THE FRONT SETBACK AREA WHICH ARE 6 INCHES OR GREATER IN CALIPER SHALL BE PRESERVED OR MITIGATED PER CITY OF CHARLOTTE TREE ORDINANCE.
- 14. THE MAXIMUM HEIGHT OF DETACHED POLE LIGHTS SHALL BE RESTRICTED TO
- 15. WALL PACK TYPE LIGHTING SHALL NOT BE ALLOWED. 16. ALL PLENPSITE'S SHALL BE LOCATED WITHIN A SOLID ENCLOSURE WITH
- 17. BUILDINGS ON THE SITE WILL BE CONSTRUCTED WITH BRICK AND/OR OTHER MASONRY FINISHING MATERIALS ON 80% OF THE EXTERIOR WALLS OF
- ANY EQUILDING. 18. THE PETITIONER/DEVELOPER SHALL INSTALL OR PAY THE CITY OF CHARLOTTE FOR FUTURE INSTALLATION DURING PROVIDENCE ROAD WIDENING OF A 5 FOOT SIDEWALK WITH AN 8 FOOT PLANTING STRIP ALONG THE SITE'S PROVIDENCE ROAD FRONTAGE. THIS SIDEWALK SHALL LINK TO OTHER INTERNAL SIDEWALKS ON THE SITE.
- 19. PROPOSED USES FOR THE SITE SHALL INCLUDE THOSE ALLOWED IN THE 0-1 DISTRICT, EXCEPT THAT HOTELS OR MOTELS, AND RESTAURANTS (EXCEEDING 3,000 SF) ALLOWED SHALL NOT BE PERMITTED. FURTHERMORE. ANY MEDICAL OFFICE USE (S) SHALL BE RESTRICTED TO A MAXIMUM OF 34,000 SQUARE FEET.
- 20. BUILDINGS CONSTRUCTED ON THE SITE SHALL BE DESIGNED IN A MANNER WHICH REFLECTS A RESIDENTIAL STYLE AND SCALE: SPECIFICALLY UTILIZING RESIDENTIAL STYLE DOORS AND WINDOWS, PITCHED ROOF, ETC.
- 21. THE PETITIONER/DEVELOPER SHALL INSTALL A FIRE HYDRANT WITHIN 750 FEET OF THE MOST REMOTE BUILDING AS A FIRE TRUCK TRAVELS IF SUCH HYDRANT DOES NOT EXIST. FURTHERMORE, IF REQUIRED BY FIRE DEPARTMENT REGULATIONS, 4-HOUR FIRE WALLS AND/OR SPRINKLER SYSTEMS SHALL BE INSTALLED IN EACH BUILDING TO OFFSET ANY POTENTIAL MARGINAL WATER SUPPLY IN THE AREA.
- 22. THE DEVELOPER SHALL DESIGN AND CONSTRUCT THE PROPOSED PUBLIC ROAD THROUGH THE SITE TO CITY OF CHARLOTTE STANDARDS. THE DEVELOPER SHALL DEDICATE SUCH ROAD AND RELATED 60 FOOT RIGHT OF WAY TO THE CITY OF CHARLOTTE FOR OWNERSHIP AND MAINTENANCE
- 23. EXISTING DRIVES ARE PERMITTED BY RIGHT AS CONSTRUCTED. 7 SEE SHEET 1 OF 4 EXISTING CONDITION. NO MODIFICATIONS WILL B
- REQUIRED AS PART OF FUTURE DRIVEWAY PROCESS.












400



VILLAGE MAIN STREET ZONE

- BUILDINGS PULLED TO STREET OR TO THE VIL ALONG MAIN STREET
- BUILDINGS TO HAVE GROUND FLOOR FENESTR 60% OF GROUND FLOOR FACADE AREA
- PRIMARY BUILDING ENTRIES TO BE ON MAIN S VILLAGE GREEN
- ASIDE FROM ON-STREET PARKING, PARKING AND LOCATED BEHIND AND SCREENED BY STREET IN BUILDINGS (EXCEPT AT PEDESTRIAN WAYS TO THE STREET)
- REQUIRED SERVICE AREAS NOT ON STREET AN
- MULTI-FAMILY BUILDING FACADES OVER 250'I BE ARTICULATED TO VISUALLY BREAK DOWN
- THE BUILDING(S) THAT TERMINATES MAIN STE NORTH SHALL HAVE A 30% GROUND FLOOR FE ZONE ALONG MAIN STREET AND A PRIMARY PE ENTRY TO THE STREET
- OTHER THAN ABOVE, ALL BUILDINGS SHALL M STANDARDS AT A MINIMUM

VILLAGE GREEN FRONTAGE

- ALL BUILDINGS ALONG VILLAGE GREEN TO BE STREETS FLANKING THE GREEN TO CREATE A TO THE GREEN
- PRIMARY ENTRIES OF BUILDINGS FRONTING T OPEN TO THE GREEN
- PARKING FIELDS SHALL BE BEHIND OR TO THE BUILDINGS FRONTING THE GREEN. ALL PARKING VISIBLE FROM THE GREEN SHALL BE SCREENE LANDSCAPING AND WALLS
- MULTI-FAMILY BUILDING FACADES OVER 250' I BE ARTICULATED TO VISUALLY BREAK DOWN
- OTHER THAN ABOVE, ALL BUILDINGS SHALL M STANDARDS AT A MINIMUM

GOLF LINKS DRIVE FRONTAGE

- ALL BUILDINGS FRONTING GOLF LINKS DRIVE PARKING STRUCTURES) SHALL HAVE A PRIMAR ENTRY ON STREET CONNECTING TO GOLF LINI SIDEWALKS
- NO PRIMARY SURFACE PARKING AREAS WILL BETWEEN BUILDINGS AND THE STREET
- PARKING STRUCTURES ALONG GOLF LINKS DR SETBACK A MINIMUM OF 40' BEHIND THE REQU THIS AREA WILL BE LANDSCAPED TO SCREEN T STRUCTURE OR FOR RESIDENTIAL UNITS DESIGN THOSE FACADES
- GROUND LEVEL OF PARKING STRUCTURES WII TO SCREEN THE VIEW OF CARS BY DECORATIV GREEN SCREENS, OR OTHER ELEMENTS THAT I INTEREST AT GROUND LEVEL. AT UPPER LEVEI MINIMUM OF 36" TALL SHALL SCREEN CARS FR
- PARKING FIELDS SHALL BE BEHIND OR TO THE BUILDINGS FRONTING THE GREEN. ALL PARKIN VISIBLE FROM THE GREEN SHALL BE SCREENE LANDSCAPING AND WALLS
- MULTI-FAMILY BUILDING FACADES OVER 250' I BE ARTICULATED TO VISUALLY BREAK DOWN
- OTHER THAN ABOVE, ALL BUILDINGS SHALL M

LLAGE GREEN RATION ZONE OF STREET OR AREAS TO BE FRONTING PARKING FROM ND SCREENED IN LENGTH SHALL MASSING REET TO THE ENESTRATION EDESTRIAN	425 PIEDMONT ROW DRIVE 27 W. TRADE STREET 27 W. TRADE STREET
E PULLED TO DEFINING EDGE THE GREEN WILL E SIDE OF ING THAT MAY BE ED WITH IN LENGTH SHALL MASSING MEET MUDD	09 FEBRUARY, 2015
E (EXCEPT RY PEDESTRIAN KS DRIVE BE LOCATED RIVE SHALL BE UIRED SIDEWALK. THE PARKING IGNED TO ABUT ILL BE DESIGNED VE LOUVERS, PROVIDE LS, WALLS AT A ROM VIEW E SIDE OF ING THAT MAY BE ED WITH	IONS: REA FARMS REZONING PETITION No. 2015-022 SUPPLEMENTAL FRONTAGE DIAGRAM
IN LENGTH SHALL MASSING MEET MUDD	REVISION REVISION SHEELE #: