

## MECKLENBURG COUNTY

# Land Use and Environmental Services Agency

July 24, 2015

Ms. Zenia Duhaney Charlotte-Mecklenburg Planning Commission 600 East Fourth Street Charlotte, North Carolina 28202

**Re:** Rezoning Petition 2015-096

**Location**: 1.68 acres located on the northwest corner at the intersection of North Caswell Road and East 7th St

Dear Ms. Duhaney:

Representatives of the Air Quality (MCAQ), Groundwater & Wastewater Services (MCGWS), Solid Waste (MCSW), Storm Water Services (MCSWS), and Water Quality (MCWQ) Programs of the Mecklenburg County Land Use and Environmental Services Agency (LUESA) have reviewed the above referenced rezoning petition.

#### **Programs with No Comment at this Time**

Solid Waste Water Quality

#### **Recommendations and/or Ordinance Requirement Reminders**

#### **Air Quality**

Development of this site may require submission of an asbestos Notification of Demolition and Renovation to MCAQ due to possible demolition or relocation of an existing structure. A letter of notification and the required forms have been mailed directly to the petitioner by MCAQ.

#### **Groundwater & Wastewater Services**

GWS records indicate a contamination site exist within the bounds of the properties included in the petition. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination site. Municipally supplied water is available to these properties. In ARGU where municipally supplied water is available water supply wells for water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites.

GWS request the following statement be added to the site plan notes:

### Page 2

No water supply wells including irrigation wells and open loop geothermal wells will be constructed on the properties.

No further comments on the above petition at this time.

Please contact the staff members who conducted the reviews if you have any questions. The reviews were conducted by, Megan Green (Megan.Green@mecklenburgcountync.gov) with MCAQ, Dennis Tyndall (Dennis.Tyndall@mecklenburgcountync.gov) with GWS, Joe Hack (Joe.Hack@mecklenburgcountync.gov) with MCSW, and Rusty Rozzelle (Rusty.Rozzelle@mecklenburgcountync.gov) with MCWQ.

Respectfully,

Jeanne Quinn, Administrative Support Supervisor Jeanne.quinn@mecklenburgcountync.gov