



STREET SECTIONS




ORIGINAL SHEET SIZE: 24" X 36"



SECTION C - KENILWORTH AVE SITE




SECTION D - WAVERLY AVE SITE SCALE: <u>1</u>" = 1'-0"




PLAN ENLARGEMENT A - KENILWORTH AVE SITE SCALE: 1" = 10'


SCALE: 1" = 10'




TREATMENT OF EXPOSED PARKING GARAGE FACADE




l	




3/12/2019 4:27 PM LAUREN CLINE N:_2018\1018359\CAD\EXHIBITS\ZONING PLANS\8359-RZ-5.DWG





		SUNCAP PROPERTY GROUP, LLC REZONING PETITION NO. 2018-163	
		DEVELOPMENT STANDARDS	
	<u>Development Data Table:</u>		
	Site Area: Tax Parcels:	+/- 1.752 acres 12312521, 12312522, 12312523, 12312524, 12312525, 12312512, 12312513	
	Existing Zoning: Proposed Zoning:	R-22MF and R-8 MUDD(CD) and UR-2R-3(CD)	
	Existing Use: 23 Proposed Uses: Maximum Building Heigh	Residential Up to 66 kingle-family attached (townhome) units and 550 multi-family residential units nt: 7058 feet (5 stories) in Development Area A and 45 feet (3 stories) per Ordinance Standards for the R-8 zoning district in Development Area B	
	Parking: Shall satisfy or exceed Ordinance requirements		
	development of a re particularly depicted	Standards form a part of the Rezoning Plan associated with the Rezoning Petition filed by Suncap Property Group, LLC (the "Petitioner") to accommodate the esidential community on that approximately 1.752-acre site located on the north-west side of Kenilworth Avenue, north of the intersection with Pierce Street, more on the Rezoning Plan (the "Site"). The Site is comprised of Tax Parcel Numbers 12312521, 12312522, 12312523, 12312524, 12312525, 12312512, and 12312513. Site will be governed by the Rezoning Plan, these Development Standards and the applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance").	
	 shall govern the development an Accordingly, the ulti elements, and they m provided, however, the 5. Future amendments 	Plan or these Development Standards establish more stringent standards, the regulations established under the Ordinance for the MUDD and UR-2R-3 zoning districts elopment and use of the Site. and layout depicted on the Rezoning Plan are schematic in nature and are intended to depict the general arrangement of such uses and improvements on the Site. inate layout, locations and sizes of the development and site elements depicted on the Rezoning Plan are graphic representations of the proposed development and site hat any such alterations and modifications shall be minor in nature and not materially change the overall design intent depicted on the Rezoning Plan. to the Rezoning Plan and/or these Development Standards may be applied for by the then owner(s) of the Site in accordance with the provisions of Chapter 6 of the	
	II.Permitted Uses The Site may be devote accessory uses relating	terations to the Rezoning Plan are subject to Section 6.207 of the Ordinance. ed only to a residential community containing a maximum of: (i) fifty-fivefifty (5550) multi-family residential units in Development Area A, and any incidental and thereto that are allowed in the MUDD zoning district, and (ii) eightsix (86) single-family attached (townhome) units in Development Area B, and any incidental and thereto that are allowed in the URD zoning district.	
	modifications require	l be as generally depicted on the Rezoning Plan. The placements and configurations of the vehicular access points shown on the Rezoning Plan are subject to any minor ed to accommodate final site and construction plans and designs and to any adjustments required by CDOT for approval. cate all rights-of-way in fee simple conveyance to the City of Charlotte before the Site's first building certificate of occupancy is issued or phased per the Site's	
	3. Petitioner shall substa	antially complete all transportation improvements before the Site's first building certificate of occupancy is issued or phased per the Site's development plan.	
	roadway improv connection with buildings, and in	apletion shall mean completion of the roadway improvements in accordance with the standards set forth herein provided, however, in the event certain non-essential vements (as reasonably determined by CDOT) are not completed at the time that the Petitioner seeks to obtain a certificate of occupancy for building(s) on the Site in a related development phasing described above, then CDOT will instruct applicable authorities to allow the issuance of certificates of occupancy for the applicable n such event the Petitioner may be asked to post a letter of credit or a bond for any improvements not in place at the time such a certificate of occupancy is issued to on of the applicable improvements.	
	IV. Architectural Star	ndards uilding Materials: All principal and accessory buildings fronting a public street shall be comprised of a minimum of 50% of the following materials on that building's	
		such public street (excluding window and door areas): brick, natural stone (or its synthetic equivalent), stucco or other material approved by the Planning Director.	
	a. Vinyl Siding (bu	ut not vinyl hand rails, windows, soffits, garages, or door trim); and ary units not architecturally finished.	
A	3. Driveways intended t	to serve single units shall be prohibited on Kenilworth Avenue. res, cornices, chimneys, gutters, vents, bay windows, pilasters, pillars, open porches (if provided), and other architectural elements may project up to twenty-four (24)	
$\overline{3}$	inches into the requir		
	materials and design to be all above grade perimeter	compatible with principal structures. Such design shall include a minimum 20% Preferred Exterior Building Materials or a Class B buffer not less than 10' in depth at not paved for access.	
$\sqrt{3}$	\mathcal{N}	ment Area A (requesting MUDD(CD) zoning district) (multi-family residential), the following additional standards shall apply:	
	b. All residential	Kenilworth Avenue ground floor units fronting Kenilworth Avenue will have entrances facing the stree and when within fifteen (15) feet of a street shall be raised a minimum ps shall be provided on all public and private streets.	
	c. Sidewalk extensd. Building Massir	isions shall be provided between all street trees on all public and private network required streets when parking is adjacent.	
	minimum of 10	eding 120 feet in length shall include modulations of the building massing/façade plane (such as recesses, projections, and architectural details). Modulations shall be a feet wide and shall project or recess a minimum of one (1) foot extending through at least a full floor.	
	i. Building elevati projections, rece	ions shall be designed with vertical bays or articulated architectural façade features which may include but not be limited to a combination of exterior wall offsets, esses, pilasters, banding and change in materials or colors;	
	Exterior Buildin	be designed with recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of Preferred ng Materials or articulated architectural façade features and color changes; and vations facing network required public or private streets shall not have expanses of blank walls greater than 20' in all directions and architectural features such as but not	
	limited to bandin f. Building Placen	ng, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls. nent and Site Design shall focus on and enhance the pedestrian environment through the following:	
	ii. Buildings shall	be placed so as to present a front or side façade to all network required streets (public or private); front a minimum of 70% of the total network required street frontage on the site (exclusive of driveways, pedestrian access points, accessible open space, tree save or ee replanting areas and storm water facilities); and	
	iii. Parking lots	shall not be located between any building and any network required public or private street. Articulation - roof form and lines shall be designed to avoid the appearance of a large monolithic roof structure as follows:	
Z	Rezoning Plan.	shall provide notched corners with a minimum dimension of twelve (12) feet by twelve (12) feet at the top of the building in the areas as generally depicted on the	
~ (parapets;	Tat root times shall avoid continuous expanses without variation by including changes in height and/or root form, to include but not be limited to gables, mps, dormers or and related mechanical equipment will be screened from public view at grade from the nearest street; and	
(3)	iv. iii. For pitched roof	fs, the minimum allowed pitch is 4:12, excluding buildings with a flat roof and parapet walls. ment Area B (requesting UR-2R-3 (CD) zoning district) (single-family attached residential/townhomes), the following additional standards shall apply:	
	than 2:12, unles	f provided, shall be symmetrically sloped of no less than 5:12, with the exception of flat roof accents, roofs for porches, attached sheds, or parapets, which may be no less is a flat roof architectural style is employed.	
. (front porches sh	or stoops shall form a predominant feature of the building design and be located on the front and/or side of the building, where feasible based on Site grading. Usable all be covered and be at least six (6) feet deep. Stoops and entry-level porches may be covered but shall not be enclosed. d units that face a public or private street Waverly Avenue, goons shall face the public realm and corner units will have enhanced side elevations with a front stoop where	
\mathbb{A}	forsible. Roof overhangs, inches into the required se	eaves, connices, chimneys, gutters, vents, bay windows, pilasters, pillars, open porches (if provided), and other architectural elements may project up to twenty-four (24)	
,		ronting Waverly Avenue hall not contain blank wall expanses greater than ten (10) feet on all building levels. to side elevations may include, but shall not be limited to, usable doors, decorative lighting/sconces, architectural details or protrusions, transom windows, awnings,	
	d. Townhome buil	dings shall have a minimum transparency of 30% on all upper level stories.	
	g. Garage doors vi additional archit h. Walkways shall	acy, all residential entrances within fifteen (15) feet of the sidewalk must be raised from the average sidewalk grade a minimum of twenty-four (24) inches. isible from public or private streets shall minimize the visual impact by providing a setback of twelve (12) to twenty-four (24) inches from the front wall plane and tectural treatments such as translucent windows or projecting elements over the garage door opening. be provided to connect all residential entrances to sidewalks along public and private streets. Irres, Streetscape & Landscaping	
	depicted on the Rezo necessary in order to	comply with the Charlotte City Council approved and adopted Post Construction Stormwater Ordinance. The location, size, and type of stormwater management systems oning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be accommodate actual storm water treatment requirements and natural site discharge points. the PCSO Buffer shall be coordinated with and subject to approval by Charlotte-Mecklenburg Storm Water Services and mitigated if required by City ordinance.	
		comply with tree save requirements in the area as generally depicted on the Rezoning Plan. construct an eight (8) foot planting strip and eight (8) foot sidewalk along all public and private streets.	
3	\sim	pace and amenity area adjacent to Kenilworth Avenue, the Petitioner shall provide enhanced landscaping and/or a series of planters or low walls to break up the building	
<u> </u>	VI. Lighting		
	capped and shielded a 2. The maximum height	ting fixtures installed on the Site (excluding lower, decorative lighting that may be installed along the driveways and sidewalks as landscaping lighting) shall be fully and the illumination downwardly directed so that direct illumination does not extend past any property line of the Site. t of any pedestrian scale, freestanding lighting fixture installed on the Site, including its base, shall not exceed twenty-one (21) feet.	
		attached to the buildings to be constructed on the site shall be decorative, capped and downwardly directed. the Rezoning Documents and Definitions	
	If this Rezoning Petitic	on is approved, all conditions applicable to development of the Site imposed under the Rezoning Plan and these Development Standards will, unless amended in the the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site and their respective successors in interest and assigns.	
	Throughout these Deve	clopment Standards, the terms, "Petitioner" and "Owner" or "Owners" shall be deemed to include the heirs, devisees, personal representatives, successors in interest and r or the owner or owners of any part of the Site from time to time who may be involved in any future development thereof.	

⁺) ie)



DEVELOPMENT NOTES AND STANDARDS



ORIGINAL SHEET SIZE: 24" X 36"