To:	Michael Russell
	Charlotte Planning, Design & Development

From:	Mavis	Gant
From:	Mavis	Gant

Date: August 28, 2019

RE: Rezoning Petitions 2019-105 through 2019-121 – SWS Comments

### <u>2019-105</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)	
For each subsequent group of 80 units, space for one recycling station must be added.			

Space for recycling stations shall be allocated as follows:

Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-106</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and		
accommodate five 96-gallon carts.		

Space for recycling stations shall be allocated as follows:

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-107</u>

No comments - non-residential

Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-108</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service

on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

		tions in multi-family developments
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		

Space for recycling stations shall be allocated as follows:

Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-109</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)	
For each subsequent group of 80 units, space for one recycling station must be added.			
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.			
Space for recycling stations may be distributed throughout the development, however, space for			
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and			

accommodate five 96-gallon carts.

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-110</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)	
For each subsequent group of 80 units, space for one recycling station must be added.			
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.			
Space for recycling stations may be distributed throughout the development, however, space for			

Required space allocation for recycling stations in multi-family developmentsNumber of UnitsAllocate space for:Approximate Sq. footage requiredeach individual station must equal 144 sq. ft. with a minimum width of 34 inches and<br/>accommodate five 96-gallon carts.Approximate Sq. footage required

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-111</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Allocate space for:	Approximate Sq. footage required		
No space required	No space required		
One recycling station	144 sq. ft.		
Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)		
Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)		
Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)		
Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)		
Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)		
	Allocate space for:No space requiredOne recycling stationTwo recycling stationsThree recycling stationsFour recycling stationsFive recycling stationsFive recycling stations		

Space for recycling stations shall be allocated as follows:

For each subsequent group of 80 units, space for one recycling station must be added. Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-112</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)	
For each subsequent group of 80 units, space for one recycling station must be added.			
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.			
Space for recycling stations may be distributed throughout the development, however, space for			
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and			
accommodate five 96-gallon carts.			

Space for recycling stations shall be allocated as follows:

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-113</u>

No review required.

### <u>2019-114</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)	
For each subsequent group of 80 units, space for one recycling station must be added.			

Space for recycling stations shall be allocated as follows:

Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-115</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
0—11	No space required	No space required	
12—80	One recycling station	144 sq. ft.	
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)	
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)	
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)	

Required space allocation for recycling stations in multi-family developments			
Number of Units	Allocate space for:	Approximate Sq. footage required	
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)	
401—480 Six recycling stations $6 \times 144$ sq. ft. (864 sq. ft. total)			
For each subsequent group of 80 units, space for one recycling station must be added.			

Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-116</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and		
accommodate five 96-gallon carts.		

# Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-117</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and		
accommodate five 96-gallon carts.		

Space for recycling stations shall be allocated as follows:

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-118</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		

Space for recycling stations shall be allocated as follows:

Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-119</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
		$6 \times 144$ sq. ft. (864 sq. ft. total)

For each subsequent group of 80 units, space for one recycling station must be added. Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft. Space for recycling stations may be distributed throughout the development, however, space for each individual station must equal 144 sq. ft. with a minimum width of 34 inches and accommodate five 96-gallon carts.

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-120</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and		
accommodate five 96-gallon carts.		

## Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.

### <u>2019-121</u>

The City of Charlotte does <u>not</u> provide individual rollout carts for garbage and recycling to multifamily properties with over 11 units. The City does provide garbage and recycling service on the City's multifamily collection contract; however, the property must provide a dumpster(s)/compactor. The multifamily collection vendor provides the recycle carts, placed at the dumpster(s)/compactor area, for properties utilizing the contract for service.

Space requirements for dumpster(s)/compactor and recycling is required to be set aside even if property owner and/or developer elects to use a private hauler for individual rollout cart service.

For City solid waste services for twelve (12) units or more, the minimum space allocation shall be an eight (8) cubic yard dumpster-type of large waste container per every thirty (30) units or an eight (8) cubic yard compactor-type of large waste container per every ninety (90) units.

Required space allocation for recycling stations in multi-family developments		
Number of Units	Allocate space for:	Approximate Sq. footage required
0—11	No space required	No space required
12—80	One recycling station	144 sq. ft.
81—160	Two recycling stations	$2 \times 144$ sq. ft. (288 sq. ft. total)
161—240	Three recycling stations	$3 \times 144$ sq. ft. (432 sq. ft. total)
241—320	Four recycling stations	$4 \times 144$ sq. ft. (576 sq. ft. total)
321—400	Five recycling stations	$5 \times 144$ sq. ft. (720 sq. ft. total)
401—480	Six recycling stations	$6 \times 144$ sq. ft. (864 sq. ft. total)
For each subsequent group of 80 units, space for one recycling station must be added.		
Each recycling station represents space for five 96-gallon carts and is approximately 144 sq. ft.		
Space for recycling stations may be distributed throughout the development, however, space for		
each individual station must equal 144 sq. ft. with a minimum width of 34 inches and		
accommodate five 96-gallon carts.		

Space for recycling stations shall be allocated as follows:

Any retail/office/restaurant (non-residential) space within development must contract trash and recycling collection services with vendor of choice, it cannot be combined with residential garbage and recycling.