



**MECKLENBURG COUNTY**  
Land Use and Environmental Services Agency

March 15, 2011

Mr. Michael Cataldo  
Charlotte-Mecklenburg Planning Commission  
600 East Fourth Street  
Charlotte, North Carolina 28202

**Re: Rezoning Petition 2011-024**

Approximately 2.38 acres located at the north corner of the intersection of Mt. Holly-Huntersville Road, Harwood Lane, and Mountain Aire Circle

Dear Mr. Cataldo,

Representatives of the Air Quality (MCAQ), Groundwater & Wastewater Services (MCGWS), Solid Waste (MCSW), Storm Water Services (MCSWS), and Water Quality (MCWQ) Programs of the Mecklenburg County Land Use and Environmental Services Agency (LUESA) have reviewed the above referenced rezoning petition.

**Programs with No Comment at this Time**

Solid Waste  
Groundwater & Wastewater Services  
Air Quality

**Recommendations and/or Ordinance Requirement Reminders**

**Storm Water Services**

The requirements of the post-construction storm water ordinance for the City of Charlotte should be applied to the proposed rezoning. More detailed information regarding ordinance requirements is available at the following website:

<http://charmeck.org/stormwater/regulations/Pages/Post-ConstructionStormWaterOrdinances.aspx> and click on City of Charlotte.

Please contact the staff members who conducted the reviews if you have any questions.

The reviews were conducted by, Leslie Rhodes  
(Leslie.Rhodes@mecklenburgcountync.gov) with MCAQ, Dennis Tyndall  
(Dennis.Tyndall@mecklenburgcountync.gov) with GWS, Joe Hack  
(Joe.Hack@mecklenburgcountync.gov) with MCSW, Bill Tingle  
(Bill.Tingle@mecklenburgcountync.gov) with MCSWS, and Rusty Rozzelle  
(Rusty.Rozzelle@mecklenburgcountync.gov) with the MCWQ.

Page 2

Respectfully,

Heidi Pruess, Environmental Policy Administrator  
[Heidi.Pruess@mecklenburgcountync.gov](mailto:Heidi.Pruess@mecklenburgcountync.gov)