



ELEVATIONS
Recklenburg County, NC PREPARED FOR: Petition 2017-015 PREPARED BY:
Charlotte, NC 28203 • 704.201.5958 www.thomasandhutton.com
REVISIONS:
JOB NO:J-####DATE:December 19, 2016DRAWN:MSKSCALE:-REVIEWED:JMBSHEET:N/A



rea:	$0.83 \text{ ac} + / -)_{\text{A}}$
ID:	177-08-245
g Zoning:	O-15 (CD)
sed Zoning:	MUDD (CD)
g Use:	Office
sed Use:	Office (7,200 sf)
g Required:	Shall satisfy or exceed MUDD requirements
Building Ht.:	40 ft to Eave
	65 ft to Weather Vane



 Architectural Standards Architectural Standards The exterior building materials will consist of primarily brick. The building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements annotated on the renderings. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. Streetscape and Landscaping The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace the this wall, the petitiloner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall will tike materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance. Fire Protection All greenways and open spaces shall conform to the standards of the Ordinance. Fire Protection All signage All signage All detached outdoor lighting will be limited to a maximum height of 21 feet. Phasing There will be no phasing for this project. 		\frown	
 building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements annotated on the renderings. b. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. 6. Streetscape and Landscaping a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Triaon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance equirements. b. Parks, Creenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All grange shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 		5.	Architectural Standards
 b. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. c. Streetscape and Landscaping a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All greenways and open spaces shall conform to the standards specifications. 10. Signage a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 		а.	building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements
 a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All signage a. All signage shall meet the requirements of the MUDD zoning district. 11. Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet.
 its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 2. Phasing 			The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site
 Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. 8. Parks, Greenways, and Open Spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above)
 of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 	$\left\{ \right.$		Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements.
specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. 11. Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing			of the Ordinance.
 A district. A Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			specifications.
height of 21 feet. 12. Phasing			district.
			height of 21 feet.
			Rexford Rd. Sit Mecklenburg County, NC PREPARED FOR:
Development Standards Rexford Rd. Sit Mecklenburg County, NC PREPARED FOR: Petition 2017-015			
Development Standards Recklenburg County, NC PREPARED FOR: Petition 2017-015 PREPARED BY: THOMAS & HUTTO India Langing Ligit Longularity			REVISIONS: 12/08/16 REVISE PER STAFF COMMENTS


December 19, 2016


SCALE: N/A SHEET: N/A


JOB NO:

DRAWN: MSK REVIEWED: IMB


J-###








ELEVATIONS
Recklenburg County, NC PREPARED FOR: Petition 2017-015 PREPARED BY:
Charlotte, NC 28203 • 704.201.5958 www.thomasandhutton.com
REVISIONS:
JOB NO:J-####DATE:December 19, 2016DRAWN:MSKSCALE:-REVIEWED:JMBSHEET:N/A



rea:	$0.83 \text{ ac} + / -)_{\text{A}}$
ID:	177-08-245
g Zoning:	O-15 (CD)
sed Zoning:	MUDD (CD)
g Use:	Office
sed Use:	Office (7,200 sf)
g Required:	Shall satisfy or exceed MUDD requirements
Building Ht.:	40 ft to Eave
	65 ft to Weather Vane



 Architectural Standards Architectural Standards The exterior building materials will consist of primarily brick. The building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements annotated on the renderings. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. Streetscape and Landscaping The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace the this wall, the petitiloner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall will tike materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance. Fire Protection All greenways and open spaces shall conform to the standards of the Ordinance. Fire Protection All signage All signage All detached outdoor lighting will be limited to a maximum height of 21 feet. Phasing There will be no phasing for this project. 		\frown	
 building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements annotated on the renderings. b. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. 6. Streetscape and Landscaping a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Triaon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance equirements. b. Parks, Creenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All grange shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 		5.	Architectural Standards
 b. The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet. c. Streetscape and Landscaping a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All greenways and open spaces shall conform to the standards specifications. 10. Signage a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 		а.	building entrances will consist of wood doors with wood paneling. Ultimately the building constructed within the Site may deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits and the building to be constructed will include the elements
 a. The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site as depicted on the Site Plan. b. The intent of the project is for the existing brick wall will remain in its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All signage a. All signage shall meet the requirements of the MUDD zoning district. 11. Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet.
 its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above) 7. Environmental Features a. The Petitioner shall satisfy the requirements of the Post Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. b. Parks, Greenways, and Open spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 2. Phasing 			The Petitioner shall make good faith and diligent efforts to preserve existing trees and shrubs within the perimeter of the site
 Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements. 8. Parks, Greenways, and Open Spaces a. All greenways and open spaces shall conform to the standards of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			its current condition. Should the need to remove and replace this wall, the petitioner will communicate and coordinate with the Trianon Condominium complex regarding replacement of the wall with like materials. The wall shall be a minimum height of six (6) feet (see note 5.b above)
 of the Ordinance. 9. Fire Protection a. All fire lane treatments shall follow the Fire Marshall's specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 	$\left\{ \right.$		Construction Controls Ordinance. The Petitioner shall satisfy the Tree Ordinance requirements.
specifications. 10. Signage a. All signage shall meet the requirements of the MUDD zoning district. 11. Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing			of the Ordinance.
 A district. A Lighting a. All detached outdoor lighting will be limited to a maximum height of 21 feet. 12. Phasing 			specifications.
height of 21 feet. 12. Phasing			district.
			height of 21 feet.
			Rexford Rd. Sit Mecklenburg County, NC PREPARED FOR:
Development Standards Rexford Rd. Sit Mecklenburg County, NC PREPARED FOR: Petition 2017-015			
Development Standards Recklenburg County, NC PREPARED FOR: Petition 2017-015 PREPARED BY: THOMAS & HUTTO India Langing Ligit Longularity			REVISIONS: 12/08/16 REVISE PER STAFF COMMENTS

December 19, 2016

SCALE: N/A SHEET: N/A

JOB NO:

DRAWN: MSK REVIEWED: IMB

J-###

1. Site Development Data			
Site Are		0.83 ac +/-	
Parcel I		177-08-245	
Existing	zoning: ed Zoning:	O-15 (CD) MUDD (CD)	
Existing		Office	
Propose		Office (7,200 sf)	
	Required:	Shall satisfy or exceed MUDD requirements	
	ilding Ht.:	40 ft to Eave	
		65 ft to Weather Vane	
	of Stories:	1 Story Building with Basement	
2.	General Provis		
	а	1 5	
		Petition filed by Manna Capitol, LLC to rezone the property from the O-15 (CD) Zoning District	
		to the MUDD (CD) Zoning District in order to accommodate redevelopment of an approximately 0.83 ± acre tract as depicted on the Conceptual Site Plan.	
	b		
	-	the character of the development proposed or significantly alter the Technical Data Sheet	
		and/or Conceptual Site Plan, or these Development Standards, constitute changes which	
		increase the intensity of development shall not be deemed to be minor and may only be	
		made in accordance with the provisions of Subsections 6.207 (1) or (2) of the Ordinance, as	
		applicable.	
	C	. The building will be setback 30' as measured from the back of existing curb along Rexford Road as generally depicted on sheet RZ-1 Conceptual Site Plan.	
3.	Permitted Uses		
0.	a		
		under prescribed conditions in the MUDD Zoning District together with any incidental or	
		accessory uses associated therewith.	
4.	Transportation		
	а		
		and configurations of the vehicular access points shown on the Conceptual Site Plan are	
		subject to any minor modifications required to accommodate final site and construction plans and designs and to any adjustments required by CDOT for approval.	
5.	Architectural S		
0.	a		
		of wood doors with wood paneling. Ultimately the building constructed within the Site may	
		deviate from any Conceptual Exhibits, as long as any buildings and improved area depicted	
		by the Conceptual Exhibits are consistent with the spirit and intent of the Conceptual Exhibits	
	1-	and the building to be constructed will include the elements annotated on the renderings.	
	C	The existing wall to remain with the possibility that it will be replaced and/or extended with serpentine masonry wall. Walls and fences shall be a minimum height of six (6) feet.	
6.	Streetscape a	nd Landscaping	
0.	a		
	-	within the perimeter of the site as depicted on the Site Plan.	
	b	The intent of the project is for the existing brick wall will remain in its current condition. Should	
		the need to remove and replace this wall, the petitioner will communicate and coordinate	
		with the Trianon Condominium complex regarding replacement of the wall with like	
7	Environmental	materials. The wall shall be a minimum height of six (6) feet (see note 5.b above)	
7.	environmentai		
	d	Petitioner shall satisfy the Tree Ordinance requirements.	
8.	Parks, Greenw	ays, and Open Spaces	
	a		
9.	Fire Protection		
	a	. All fire lane treatments shall follow the Fire Marshall's specifications.	
10.	Signage		
	a	. All signage shall meet the requirements of the MUDD zoning district.	
11.	Lighting		
10	Bhasing	. All detached outdoor lighting will be limited to a maximum height of 21 feet.	
12.	Phasing	There will be no phasing for this project	
	а	. There will be no phasing for this project.	